

Aquatic Mammals Key Word Index

Volumes 16-30 (Alphabetical)

ABR

André et al., Evidence of deafness in a striped dolphin, *Stenella coeruleoalba*, 29.1, 3-8.

abundance

—Aliaga-Rossel, Distribution and abundance of the river dolphin (*Inia geoffrensis*) in the Tijamuchi River, Beni, Bolivia, 28.3, 312-323.

—Kastelein & Weltz, Distribution and behaviour of Steller sea lions (*Eumetopias jubatus*) in Prince William Sound, Alaska, June 1989, 17.2, 91-97.

—Baldwin et al., The Indo-Pacific humpback dolphin of the Arabian region: A status review, 30.1, 111-124.

—Campbell et al., Bottlenose dolphins (*Tursiops truncatus*) in Turneffe Atoll, Belize: Occurrence, site fidelity, group size, and abundance, 28.2, 170-180.

—Hubard et al., Seasonal abundance and site fidelity of bottlenose dolphins (*Tursiops truncatus*) in Mississippi Sound, 30.2, 299-310.

acoustic behaviour

Rogers, Factors influencing the acoustic behaviour of male phocid seals, 29.2, 247-260.

acoustic deterrent

Jacobs & Terhune, The effectiveness of acoustic harassment devices in the Bay of Fundy, Canada: Seal reactions and a noise exposure model, 28.2, 147-158.

acoustic parameters

Azevedo & Simão, Whistles produced by marine tucuxi dolphins (*Sotalia fluviatilis*) in Guanabara Bay, southeastern Brazil, 28.3, 261-266.

acoustic predation hypothesis

Marten et al., The acoustic predation hypothesis: Linking underwater observations and recordings during odontocete predation and observing the effects of loud impulsive sounds on fish, 27.1, 56-66.

acoustic ranging

—Wahlberg et al., The source level of harbour seal flipper slaps, 28.1, 90-92.

acoustic reflectivity

Mooney et al., Target strength of a nylon monofilament and an acoustically enhanced gillnet: Predictions of biosonar detection ranges, 30.2, 220-226.

acoustic tag

Blomqvist & Amundin, An acoustic tag for recording directional pulsed ultrasounds aimed at free-swimming bottlenose dolphins (*Tursiops truncatus*) by conspecifics, 30.3, 345-356.

acoustics

—Gannier, The large-scale distribution of humpback whales (*Megaptera novaeangliae*) wintering in French Polynesia during 1997-2002, 30.2, 227-236.

—Goold & Jefferson, A note on clicks recorded from free-ranging Indo-Pacific humpback dolphins, *Sousa chinensis*, 30.1, 175-178.

—Kastelein et al., Free field hearing tests on wild Atlantic walrus (*Odobenus rosmarus rosmarus*) in air, 19.3, 143-148.

—McCowan et al., Social familiarity influences whistle acoustic structure in adult female bottlenose dolphins (*Tursiops truncatus*), 24.1, 27-40.

—Nachtigall et al., Measurements of the low frequency components of active and passive sounds produced by dolphins, 26.3, 167-174.

—Southall et al., Acoustic communication ranges for northern elephant seals (*Mirounga angustirostris*), 29.2, 202-213.

active space

Southall et al., Acoustic communication ranges for northern elephant seals (*Mirounga angustirostris*), 29.2, 202-213.

activity budget

Neumann, The activity budget of free-ranging common dolphins (*Delphinus delphis*) in the northwestern Bay of Plenty, New Zealand, 27.2, 121-136.

activity index

Lammers, Occurrence and behavior of Hawaiian spinner dolphins (*Stenella longirostris*) along Oahu's leeward and south shores, 30.2, 237-250.

adoption

Simard & Gowans, Two calves in echelon: An alloparental association in Atlantic white-sided dolphins (*Lagenorhynchus acutus*)?, 30.2, 330-334.

adoptive suckling

Kastelein et al., The suckling of a bottlenose dolphin calf (*Tursiops truncatus*) by a foster mother, and information on transverse birth bands, 16.3, 134-138.

aerial behaviour

Yazdi, A possible hybrid between the dusky dolphin (*Lagenorhynchus obscurus*) and the southern right whale dolphin (*Lissodelphis peronii*), 28.2, 211-217.

aerial surveys

Olivera-Gómez & Mellink, Spatial and temporal variation in counts of the Antillean manatee (*Trichechus m. manatus*) during distribution surveys at Bahia de Chetumal, Mexico, 28.3, 285-293.

age

Rosas et al., The striped dolphin, *Stenella coeruleoalba* (Cetacean:Delphinidae), on the coast of São Paulo State, southeastern Brazil, 28.1, 60-66.

aggression,

—Bisther, Intergroup interactions among killer whales in Norwegian coastal waters; tolerance vs. aggression at feeding grounds, 28.1, 14-23.

—Parsons et al., Male-male aggression renders bottlenose dolphin (*Tursiops truncatus*) unconscious, 29.3, 360-362.

—Psarakos et al., Mixed-species associations between Pantropical spotted dolphins (*Stenella attenuata*) and Hawaiian spinner dolphins (*Stenella longirostris*) off Oahu, Hawaii, 29.3, 390-395.

aggressive behaviour

Wedekin et al., An aggressive interaction between bottlenose dolphins (*Tursiops truncatus*) and Estuarine dolphins (*Sotalia guianensis*) in southern Brazil, 30.3, 391-397.

aggressive sounds

Blomqvist & Amundin, An acoustic tag for recording directional pulsed ultrasounds aimed at free-swimming bottlenose dolphins (*Tursiops truncatus*) by conspecifics, 30.3, 345-356.

air gun

Madsen et al., Male sperm whale behaviour during exposures to distant seismic survey pulses, 28.3, 231-240.

Alaska

—Heise et al., Examining the evidence for killer whale predation on Steller sea lions in British Columbia and Alaska, 29.3, 325-334.

—Maniscalco et al., The occurrence of California sea lions (*Zalophus californianus*) in Alaska, 30.3, 427-433.

alliances,

Parsons et al., Male-male aggression renders bottlenose dolphin (*Tursiops truncatus*) unconscious, 29.3, 360-362.

- allo-suckling
Insley et al., A review of social recognition in pinnipeds, 29.2, 181-201.
- alloparental association,
Simard & Gowans, Two calves in echelon: An alloparental association in Atlantic white-sided dolphins (*Lagenorhynchus acutus*)?, 30.2, 330-334.
- ambient noise
—Kastelein et al., Free field hearing tests on wild Atlantic walruses (*Odobenus rosmarus rosmarus*) in air, 19.3, 143-148.
—Southall et al., Acoustic communication ranges for northern elephant seals (*Mirounga angustirostris*), 29.2, 202-213.
- amplitude modulation
Supin & Popov, Frequency-modulation sensitivity in bottlenose dolphins, *Tursiops truncatus*: Evoked-potential study, 26.1, 83-94.
- anatomy
Kastelein et al., The anatomy of the walrus head (*Odobenus rosmarus*). Part 3: The eyes and their function in walrus ecology, 19.2, 61-92.
- animal communication
McCowan et al., Social familiarity influences whistle acoustic structure in adult female bottlenose dolphins (*Tursiops truncatus*), 24.1, 27-40.
- anomalous colour pattern
Tsutsui et al., Pacific white-sided dolphins (*Lagenorhynchus obliquidens*) with anomalous colour patterns in Volcano Bay, Hokkaido, Japan, 27.2, 172-182.
- anomaly
Yazdi, A possible hybrid between the dusky dolphin (*Lagenorhynchus obscurus*) and the southern right whale dolphin (*Lissodelphis peronii*), 28.2, 211-217.
- anthropogenic sound
Houser et al., A bandpass filter-bank model of auditory sensitivity in the humpback whale, 27.2, 82-91.
- anti-masking
Moors & Terhune, Repetition patterns within harp seal (*Pagophilus groenlandicus*) underwater calls, 29.2, 278-288.
- Antillean manatee (*Trichechus m. manatus*)
—Olivera-Gómez & Mellink, Spatial and temporal variation in counts of the Antillean manatee (*Trichechus m. manatus*) during distribution surveys at Bahia de Chetumal, Mexico, 28.3, 285-293.
—Self-Sullivan et al., Seasonal occurrence of male Antillean manatees (*Trichechus manatus manatus*) on the Belize Barrier Reef, 29.3, 341-354.
—Vergara-Parente et al., Bacterial flora of upper respiratory tract of captive Antillean manatees, 29.1, 124-130.
- aquaculture
—Jacobs & Terhune, The effectiveness of acoustic harassment devices in the Bay of Fundy, Canada: Seal reactions and a noise exposure model, 28.2, 147-158.
- aquatic mammals
Solntseva, Early embryogenesis of the vestibular apparatus in mammals with different ecologies, 28.2, 159-169.
- aquatic species
Solntseva, Development of the auditory organ in terrestrial, semi-aquatic, and aquatic mammals, 25.2, 135-148.
- Arabia,
Baldwin et al., The Indo-Pacific humpback dolphin of the Arabian region: A status review, 30.1, 111-124.
- Archipelago of the Azores
Silva et al., Occurrence and distribution of cetaceans in the waters around the Azores (Portugal), summer and autumn 1999-2000, 29.1, 77-83.
- Argentina,
—Iñíguez, Seasonal distribution of killer whales (*Orcinus orca*) in northern Patagonia, Argentina, 27.2, 154-161.
—Reyes et al., Killer whale (*Orcinus orca*) predation on sharks in Patagonia, Argentina: A first report, 30.3, 376-379.
- Asian small-clawed otters (*Aonyx cinerea*)
Ross, S. R., The effect of a simple feeding enrichment strategy on the behaviour of two Asian small-clawed otters (*Aonyx cinerea*), 28.2, 113-120.
- association
Gubbins, Association patterns of resident bottlenose dolphins (*Tursiops truncatus*) in a South Carolina estuary, 28.1, 24-31.
- Atlantic humpback dolphin (*Stenella teuszii*)
Van Waerebeek et al., Distribution, status, and biology of the Atlantic humpback dolphin, *Sousa teuszii* (Kükenthal, 1892), 30.1, 56-83.
- Atlantic spotted dolphin (*Stenella frontalis*)
—Griffin & Griffin, Temporal variation in Atlantic spotted dolphin (*Stenella frontalis*) and bottlenose dolphin (*Tursiops truncatus*) densities on the west Florida continental shelf, 30.3, 380-390.
—Miles & Herzing, Underwater analysis of the behavioural development of free-ranging Atlantic spotted dolphin (*Stenella frontalis*) calves (birth to 4 years of age), 29.3, 363-377.
—Herzing et al., Interspecies interactions between Atlantic spotted dolphins, *Stenella frontalis* and bottlenose dolphins, *Tursiops truncatus*, on Great Bahama Bank, Bahamas, 29.3, 335-341.
- Atlantic white-sided dolphin (*Lagenorhynchus acutus*)
—Knieriem & Garcia Hartmann, Comparative histopathology of lungs from by-caught Atlantic white-sided dolphins (*Leucopleurus acutus*), 27.2, 73-81.
—Nelson & Lien, Behaviour patterns of two captive Atlantic white-sided dolphins, *Lagenorhynchus acutus*, 20.1, 1-20.
—Simard & Gowans, Two calves in echelon: An alloparental association in Atlantic white-sided dolphins (*Lagenorhynchus acutus*)?, 30.2, 330-334.
—Wiley et al., Rescue and release of mass stranded cetaceans from beaches on Cape Cod, Massachusetts, USA; 1990-1999: A review of some response actions, 27.2, 162-171.
- Atlantic white-sided dolphin (*Leucopleurus acutus*)
Knieriem & Garcia Hartmann, Comparative histopathology of lungs from by-caught Atlantic white-sided dolphins (*Leucopleurus acutus*), 27.2, 73-81.
- attack
Reyes & García-Borboroglu, Killer whale (*Orcinus orca*) predation on sharks in Patagonia, Argentina: A first report, 30.3, 376-379.
- audiogram
—Ridgway & Carder, Assessing hearing and sound production in cetaceans not available for behavioral audiograms: Experiences with sperm, pygmy sperm, and gray whales, 27.3, 267-276.
—André et al., Evidence of deafness in a striped dolphin, *Stenella coeruleoalba*, 29.1, 3-8.
—Houser et al., A bandpass filter-bank model of auditory sensitivity in the humpback whale, 27.2, 82-91.
—Kastelein et al., Free field hearing tests on wild Atlantic walruses (*Odobenus rosmarus rosmarus*) in air, 19.3, 143-148.
- Australasian gannet
Neumann & Orams, Feeding behaviours of short-beaked common dolphins, *Delphinus delphis*, in New Zealand, 29.1, 137-149.
- Australia
—Anderson, Scarring and photo-identification of dugongs (*Dugong dugon*) in Shark Bay, Western Australia, 21.3, 205-211.
—Parra & Corkeron, Feasibility of using photo-identification techniques to study the Irrawaddy dolphin, *Orcaella brevirostris* (Owen in Gray 1866), 27.1, 45-49.

- Chilvers et al., A new VHF tag and attachment technique for small cetaceans, 27.1, 11-15.
- Parra et al., The Indo-Pacific humpback dolphin, *Sousa chinensis* (Osbeck, 1765), in Australian waters: A summary of current knowledge, 30.1, 197-206.
- Azores**
- Magalhães et al., Short-term reactions of sperm whales (*Physeter macrocephalus*) to whale-watching vessels in the Azores, 28.3, 267-274.
- babysitting**
- Simard & Gowans, Two calves in echelon: An alloparental association in Atlantic white-sided dolphins (*Lagenorhynchus acutus*)?, 30.2, 330-334.
- bacteria and fungi**
- Vergara-Parente et al., Bacterial flora of upper respiratory tract of captive Antillean manatees, 29.1, 124-130.
- Bahia de Chetumal,**
- Olivera-Gómez & Mellink, Spatial and temporal variation in counts of the Antillean manatee (*Trichechus m. manatus*) during distribution surveys at Bahía de Chetumal, Mexico, 28.3, 285-293.
- Baía Norte**
- Wedekin et al., An aggressive interaction between bottlenose dolphins (*Tursiops truncatus*) and estuarine dolphins (*Sotalia guianensis*) in southern Brazil, 30.3, 391-397.
- Balaenoptera**
- Tarpley & Marwitz, Plastic debris ingestion by cetaceans along the Texas coast: Two case reports, 19.2, 93-98.
- Moore et al., Cetacean surveys in the Cape Verde Islands and the use of cookiecutter shark bite lesions as a population marker for fin whales, 29.3, 383-389.
- Balaenoptera edeni**
- Neumann & Orams, Feeding behaviours of short-beaked common dolphins, *Delphinus delphis*, in New Zealand, 29.1, 137-149.
- baleen**
- Sumich, Growth of baleen of a rehabilitating gray whale calf, 27.3, 234-238.
- bang theory,**
- Marten et al., The acoustic predation hypothesis: Linking underwater observations and recordings during odontocete predation and observing the effects of loud impulsive sounds on fish, 27.1, 56-66.
- beaked whales**
- Gannier, Distribution of cetaceans off the Society Islands (French Polynesia) as obtained from dedicated surveys, 26.2, 111-126.
- behavior**
- Castro, Encounter with a school of pygmy killer whales (*Feresa attenuata*) in Ecuador, Southeast Tropical Pacific, 30.3, 441-444.
- Lammers, Occurrence and behavior of Hawaiian spinner dolphins (*Stenella longirostris*) along Oahu's leeward and south shores, 30.2, 237-250.
- Neumann, The activity budget of free-ranging common dolphins (*Delphinus delphis*) in the northwestern Bay of Plenty, New Zealand, 27.2, 121-136.
- Parsons, The behavior and ecology of the Indo-Pacific humpback dolphin (*Sousa chinensis*), 30.1, 38-55.
- Goold & Jefferson, A note on clicks recorded from free-ranging Indo-Pacific humpback dolphins, *Sousa chinensis*, 30.1, 175-178.
- Henry & Hammill, Impact of small boats on the haulout activity of harbour seals (*Phoca vitulina*) in Métis Bay, Saint Lawrence Estuary, Québec, Canada, 27.2, 140-148.
- Kastelein & Wetz, Distribution and behaviour of Steller sea lions (*Eumetopias jubatus*) in Prince William Sound, Alaska, June 1989, 17.2, 91-97.
- Kastelein & Wiepkema, The suckling period of a grey seal (*Halichoerus grypus*) while confined to an outdoor land area, 16.3, 120-128.
- Miles & Herzing, Underwater analysis of the behavioural development of free-ranging Atlantic spotted dolphin (*Stenella frontalis*) calves (birth to 4 years of age), 29.3, 363-377.
- Nelson & Lien, Behaviour patterns of two captive Atlantic white-sided dolphins, *Lagenorhynchus acutus*, 20.1, 1-20.
- Neumann & Orams, Feeding behaviours of short-beaked common dolphins, *Delphinus delphis*, in New Zealand, 29.1, 137-149.
- Stacey & Hvenegaard, Habitat use and behaviour of Irrawaddy dolphins (*Orcaella brevirostris*) in the Mekong River of Laos, 28.1, 1-13.
- Atkins et al., Spatial distribution of Indo-Pacific humpback dolphins (*Sousa chinensis*) at Richards Bay, South Africa: Environmental influences and behavioural patterns, 30.1, 84-93.
- Colbert et al., Husbandry and research training of two Florida manatees (*Trichechus manatus latirostris*), 27.1, 16-23.
- Fedorowicz et al., Food sharing in wild bottlenose dolphins, 29.3, 355-359.
- Kastelein et al., Effective mass transfer in a suckling grey seal (*Halichoerus grypus*), 20.1, 11-27.
- Kastelein et al., The suckling period of a grey seal (*Halichoerus grypus*) while the mother had access to a pool, 17.1, 42-51.
- Magalhães et al., Short-term reactions of sperm whales (*Physeter macrocephalus*) to whale-watching vessels in the Azores, 28.3, 267-274.
- Psarakos et al., Mixed-species associations between Pantropical spotted dolphins (*Stenella attenuata*) and Hawaiian spinner dolphins (*Stenella longirostris*) off Oahu, Hawaii, 29.3, 390-395.
- Santos et al., Behavioral observations of the marine tucuxi dolphin (*Sotalia fluviatilis*) in São Paulo estuarine waters, southeastern Brazil, 26.3, 260-267.
- behavioural ecology**
- Neumann et al., Identifying sexually mature, male short-beaked common dolphins (*Delphinus delphis*) at sea, based on the presence of a postanal hump, 28.2, 181-187.
- behavioural sampling**
- Ritter, Behavioural observations of rough-toothed dolphins (*Steno bredanensis*) off La Gomera, Canary Islands (1995-2000), with special reference to their interactions with humans, 28.1, 46-59.
- Belize**
- Campbell et al., Bottlenose dolphins (*Tursiops truncatus*) in Turneffe Atoll, Belize: Occurrence, site fidelity, group size, and abundance, 28.2, 170-180.
- Self-Sullivan et al., Seasonal occurrence of male Antillean manatees (*Trichechus manatus manatus*) on the Belize Barrier Reef, 29.3, 341-354.
- Belize Barrier Reef**
- Self-Sullivan et al., Seasonal occurrence of male Antillean manatees (*Trichechus manatus manatus*) on the Belize Barrier Reef, 29.3, 341-354.
- beluga**
- Kastelein et al., Food consumption, growth and reproduction of belugas (*Delphinapterus leucas*) in human care, 20.2, 81-97.
- Klishin et al., Hearing capabilities of a beluga whale, *Delphinapterus leucas*, 26.3, 212-228.
- bioacoustics**
- Moore & Ridgway, Whistles produced by common dolphins from the Southern California Bight, 21.1, 55-63.
- Killebrew et al., Sound production of a neonate bottlenose dolphin, 27.1, 34-44.
- Mercado III et al., Stereotypical sound patterns in humpback whale songs: Usage and function, 29.1, 37-52.
- Wahlberg et al., The source level of harbour seal flipper slaps, 28.1, 90-92.

- biological productivity
Holst & Stirling, A comparison of ringed seal (*Phoca hispida*) biology on the east and west sides of the North Water Polynya, Baffin Bay, 28.3, 221-230.
- biosonar
Kamma & Beitsma, Investigations on Cetacean Sonar IX: Remarks on dominant sonar frequencies from *Tursiops truncatus*, 16.1, 14-20.
- birth
—Guissamulo & Cockcroft, Ecology and population estimates of Indo-Pacific humpback dolphins (*Sousa chinensis*) in Maputo Bay, Mozambique, 30.1, 94-102.
—Ramos et al., Growth parameters of *Pontoporia blainvillei* and *Sotalia fluviatilis* (Cetacea) in northern Rio de Janeiro, Brazil, 26.1, 65-75.
- blood
Castellini et al., Differential concentration of glucose in red blood cells and plasma of a rehabilitating gray whale calf, 27.3, 277-278.
- blood spots
Sanvito et al., Blood spots in Pinnipedia hormone studies: Measure of cortisol levels in southern elephant seals (*Mirounga leonina*), 30.2, 251-256.
- blubber
Trites & Jonker, Morphometric measurements and body condition of healthy and starveling Steller sea lion pups (*Eumetopias jubatus*), 26.2, 151-157.
- bluenose
Visser, Killer whale (*Orcinus orca*) interactions with longline fisheries in New Zealand waters, 26.3, 241-252.
- boat disturbance
Kreb & Rahadi, Living under an aquatic freeway: Effects of boats on Irrawaddy dolphins (*Orcaella brevirostris*) in a coastal and riverine environment in Indonesia, 30.3, 363-375.
- boat strike
Visser & Fertl, Stranding, resighting, and boat strike of a killer whale (*Orcinus orca*) off New Zealand, 26.3, 232-240.
- boat survey
—Gannier, Cetaceans of the Marquesas Islands (French Polynesia): Distribution and relative abundance as obtained from a small boat dedicated survey, 28.2, 198-210.
—Gannier, The large-scale distribution of humpback whales (*Megaptera novaeangliae*) wintering in French Polynesia during 1997-2002, 30.2, 227-236.
—Sutaria & Jefferson, Records of Indo-Pacific humpback dolphins (*Sousa chinensis*, Osbeck, 1765) along the coasts of India and Sri Lanka: An overview, 30.1, 125-136.
- boat traffic
—Parsons, The behavior and ecology of the Indo-Pacific humpback dolphin (*Sousa chinensis*), 30.1, 38-55.
—Gregory & Rowden, Behaviour patterns of bottlenose dolphins (*Tursiops truncatus*) relative to tidal state, time-of-day, and boat traffic in Cardigan Bay, West Wales, 27.2, 105-113.
- boat-based observations
Magalhães et al., Short-term reactions of sperm whales (*Physeter macrocephalus*) to whale-watching vessels in the Azores, 28.3, 267-274.
- boat-related behaviours
Ritter, Behavioural observations of rough-toothed dolphins (*Steno bredanensis*) off La Gomera, Canary Islands (1995-2000), with special reference to their interactions with humans, 28.1, 46-59.
- body condition
Trites & Jonker, Morphometric measurements and body condition of healthy and starveling Steller sea lion pups (*Eumetopias jubatus*), 26.2, 151-157.
- body length
Kastelein et al., Food consumption, food passage time, and body measurements of captive Atlantic bottlenose dolphins (*Tursiops truncatus*), 29.1, 53-66.
- body mass
Kastelein et al., Food consumption, food passage time, and body measurements of captive Atlantic bottlenose dolphins (*Tursiops truncatus*), 29.1, 53-66.
- body size
Kastelein & van Battum, The relationship between body weight and morphological measurements in harbour porpoises (*Phocoena phocoena*) from the North Sea, 16.2, 48-52.
- body weight
Kastelein et al., Food consumption and body weight of captive Pacific walruses (*Odobenus rosmarus divergens*), 26.3, 175-190.
- Bolivia
Aliaga-Rossel, Distribution and abundance of the river dolphin (*Inia geoffrensis*) in the Tijamuchi River, Beni, Bolivia, 28.3, 312-323.
- bony fishes
di Benedetto et al., Stomach contents of delphinids from Rio de Janeiro, southeastern Brazil, 27.1, 24-28.
- boto
Aliaga-Rossel, Distribution and abundance of the river dolphin (*Inia geoffrensis*) in the Tijamuchi River, Beni, Bolivia, 28.3, 312-323.
- bottlenose dolphin (*Tursiops truncatus*)
—Bristow, Changes in coastal site usage by bottlenose dolphins (*Tursiops truncatus*) in Cardigan Bay, Wales, 30.3, 398-404.
—Gubbins, Association patterns of resident bottlenose dolphins (*Tursiops truncatus*) in a South Carolina estuary, 28.1, 24-31.
—Hartmann, The European studbook of bottlenose dolphins (*Tursiops truncatus*): 1998 survey results, 26.2, 95-100.
—Harzen, Use of an electronic theodolite in the study of movements of the bottlenose dolphin (*Tursiops truncatus*) in the Sado Estuary, Portugal, 28.3, 251-260.
—Noke, The association of echeneids with bottlenose dolphins (*Tursiops truncatus*) in the Indian River Lagoon, Florida, USA, 30.2, 296-298.
—Pace, Fluke-made bubble rings as toys in bottlenose dolphin calves (*Tursiops truncatus*), 26.1, 57-64.
—Acevedo-Gutiérrez & Stienessen, Bottlenose dolphins (*Tursiops truncatus*) increase number of whistles when feeding, 30.3, 357-362.
—Berghan & Visser, Vertebral column malformations in New Zealand delphinids with a review of cases world wide, 26.1, 17-25.
—Blomqvist & Amundin, An acoustic tag for recording directional pulsed ultrasounds aimed at free-swimming bottlenose dolphins (*Tursiops truncatus*) by conspecifics, 30.3, 345-356.
—Bristow & Rees, Site fidelity and behaviour of bottlenose dolphins (*Tursiops truncatus*) in Cardigan Bay, Wales, 27.1, 1-10.
—Gregory & Rowden, Behaviour patterns of bottlenose dolphins (*Tursiops truncatus*) relative to tidal state, time-of-day, and boat traffic in Cardigan Bay, West Wales, 27.2, 105-113.
—Grellier & Wilson, Bottlenose dolphins using the Sound of Barra, Scotland, 29.3, 378-382.
—Griffin & Griffin, Temporal variation in Atlantic spotted dolphin (*Stenella frontalis*) and bottlenose dolphin (*Tursiops truncatus*) densities on the west Florida continental shelf, 30.3, 380-390.
—Kamma & Beitsma, Investigations on Cetacean Sonar IX: Remarks on dominant sonar frequencies from *Tursiops truncatus*, 16.1, 14-20.
—Müller & Bossley, Solitary bottlenose dolphins in comparative perspective, 28.3, 298-307.

- Barros et al., Prey of offshore bottlenose dolphins from the South China Sea, 26.1, 2-6.
- Bristow et al., Shore-based monitoring of bottlenose dolphins (*Tursiops truncatus*) by trained volunteers in Cardigan Bay, Wales, 27.2, 115-120.
- Campbell et al., Bottlenose dolphins (*Tursiops truncatus*) in Turneffe Atoll, Belize: Occurrence, site fidelity, group size, and abundance, 28.2, 170-180.
- Chilvers et al., A new VHF tag and attachment technique for small cetaceans, 27.1, 11-15.
- Dudzinski et al., Behavioural observations of bottlenose dolphins towards two dead conspecifics, 29.1, 108-116.
- Fedorowicz et al., Food sharing in wild bottlenose dolphins, 29.3, 355-359.
- Gnone et al., Observations of rest behaviours in captive bottlenose dolphins (*Tursiops truncatus*), 27.1, 29-33.
- Hale et al., Comparative morphology and distribution of the *aduncus* and *truncatus* forms of bottlenose dolphin *Tursiops* in the Indian and Western Pacific Oceans, 26.2, 101-110.
- Herzing et al., Interspecies interactions between Atlantic spotted dolphins, *Stenella frontalis* and bottlenose dolphins, *Tursiops truncatus*, on Great Bahama Bank, Bahamas, 29.3, 335-341.
- Hubard et al., Seasonal abundance and site fidelity of bottlenose dolphins (*Tursiops truncatus*) in Mississippi Sound, 30.2, 299-310.
- Kastelein et al., Food consumption, food passage time, and body measurements of captive Atlantic bottlenose dolphins (*Tursiops truncatus*), 29.1, 53-66.
- Marino et al., Anatomical description of an infant bottlenose dolphin (*Tursiops truncatus*) brain from Magnetic Resonance Images, 30.2, 315-326.
- Marten et al., The acoustic predation hypothesis: Linking underwater observations and recordings during odontocete predation and observing the effects of loud impulsive sounds on fish, 27.1, 56-66.
- Mazzoil et al., Use of digital photography and analysis of dorsal fins for photo-identification of bottlenose dolphins, 30.2, 209-219.
- Mooney et al., Target strength of a nylon monofilament and an acoustically enhanced gillnet: Predictions of biosonar detection ranges, 30.2, 220-226.
- Parsons et al., Male-male aggression renders bottlenose dolphin (*Tursiops truncatus*) unconscious, 29.3, 360-362.
- Santos et al., Insights on small cetacean feeding habits in southeastern Brazil, 28.1, 38-45.
- Spanier et al., Injury of an Indian Ocean bottlenose dolphin (*Tursiops truncatus*) in the Red Sea by a stingray spine, 26.3, 196-201.
- Watson et al., Thoracolumbar kyphoscoliosis and compression fracture of a thoracic vertebra in a captive bottlenose dolphin (*Tursiops truncatus*), 30.2, 275-278.
- Wedekin et al., An aggressive interaction between bottlenose dolphins (*Tursiops truncatus*) and estuarine dolphins (*Sotalia guianensis*) in southern Brazil, 30.3, 391-397.

brain

- Marino et al., Anatomical description of an infant bottlenose dolphin (*Tursiops truncatus*) brain from Magnetic Resonance Images, 30.2, 315-326.

Brazil

- Azevedo & Simão, Whistles produced by marine tucuxi dolphins (*Sotalia fluviatilis*) in Guanabara Bay, southeastern Brazil, 28.3, 261-266.
- Zerbini & Secchi, Occurrence of Hector's beaked whale, *Mesoplodon hectori*, in southern Brazil, 27.2, 149-153.
- Azevedo et al., Colour pattern and external morphology of the Fraser's dolphin (*Lagenodelphis hosei*) in the southwestern Atlantic, 29.3, 411-416.
- Monteiro-Neto et al., Impact of fisheries on the tucuxi (*Sotalia fluviatilis*) and rough-toothed dolphin (*Steno bredanensis*) populations off Ceará state, northeastern Brazil, 26.1, 49-57.

- Rosas et al., The striped dolphin, *Stenella coeruleoalba* (Cetacean:Delphinidae), on the coast of São Paulo State, southeastern Brazil, 28.1, 60-66.
- Santos et al., A Gervais' beaked whale (*Mesoplodon europaeus*) washed ashore in southeastern Brazil: Extra limital record?, 29.3, 404-410.
- Santos et al., Behavioral observations of the marine tucuxi dolphin (*Sotalia fluviatilis*) in São Paulo estuarine waters, southeastern Brazil, 26.3, 260-267.
- Vergara-Parente et al., Bacterial flora of upper respiratory tract of captive Antillean manatees, 29.1, 124-130.
- Wedekin et al., An aggressive interaction between bottlenose dolphins (*Tursiops truncatus*) and estuarine dolphins (*Sotalia guianensis*) in southern Brazil, 30.3, 391-397.

breeding

- Hartmann, The European studbook of bottlenose dolphins (*Tursiops truncatus*): 1998 survey results, 26.2, 95-100.

breeding behaviour

- Sjare et al., Structural variation in the songs of Atlantic walrus breeding in the Canadian high Arctic, 29.2, 297-318.

breeding season

- Garcia-Aguilar & Auriolles-Gamboa, Breeding season of the California sea lion (*Zalophus californianus*) in the Gulf of California, Mexico, 29.1, 67-76.

British Columbia

- Heise et al., Examining the evidence for killer whale predation on Steller sea lions in British Columbia and Alaska, 29.3, 325-334.

broadband pulse burst

- Blomqvist & Amundin, An acoustic tag for recording directional pulsed ultrasounds aimed at free-swimming bottlenose dolphins (*Tursiops truncatus*) by conspecifics, 30.3, 345-356.

Bryde's whale

- Neumann & Orams, Feeding behaviours of short-beaked common dolphins, *Delphinus delphis*, in New Zealand, 29.1, 137-149.
- Ohizumi et al., Winter sightings of humpback and Bryde's whales in tropical waters of the western and central North Pacific, 28.1, 73-77.

bubble-blowing

- Neumann & Orams, Feeding behaviours of short-beaked common dolphins, *Delphinus delphis*, in New Zealand, 29.1, 137-149.

bubbles

- Pace, Fluke-made bubble rings as toys in bottlenose dolphin calves (*Tursiops truncatus*), 26.1, 57-64.

buefo

- Aliaga-Rossel, Distribution and abundance of the river dolphin (*Inia geoffrensis*) in the Tijamuchi River, Beni, Bolivia, 28.3, 312-323.

buoyancy

- Fish et al., Fur does not fly, it floats: Buoyancy of pelage in semi-aquatic mammals, 28.2, 103-112.

butyltin

- Parsons, The potential impacts of pollution on humpback dolphins, with a case study on the Hong Kong population, 30.1, 18-37.

by-catch

- Knieriem & Garcia Hartmann, Comparative histopathology of lungs from by-caught Atlantic white-sided dolphins (*Leucopleurus acutus*), 27.2, 73-81.
- Silva & Sequeira, Patterns in the mortality of common dolphins (*Delphinus delphis*) on the Portuguese coast, using stranding records, 1975-1998, 29.1, 88-98.

cadmium

- Kastelein & Lavaleije, Foreign bodies in the stomach of a female harbour porpoise (*Phocoena phocoena*) from the North Sea, 18.2, 40-46.

- calf
- Feinholz & Atkinson, Possible aetiologies of yellow coloration in dolphin calves, 26.3, 191-195.
 - Heyning & Heyning, Rescue of an orphaned gray whale calf, 27.3, 212-214.
 - Simard & Gowans, Two calves in echelon: An alloparental association in Atlantic white-sided dolphins (*Lagenorhynchus acutus*)?, 30.2, 330-334.
 - Kastelein et al., Food consumption and body weight of captive Pacific walrus (*Odobenus rosmarus divergens*), 26.3, 175-190.
 - Lyamin et al., Resting behavior in a rehabilitating gray whale calf, 27.3, 256-266.
 - Sumich et al., Growth of two captive gray whale calves, 27.3, 231-233.
 - Wisdom et al., Development of behavior and sound repertoire of a rehabilitating gray whale calf, 27.3, 239-255.
- calf formula
- Manire et al., An approach to the rehabilitation of *Kogia* spp., 30.2, 257-270.
- calf mortality
- Guissamulo & Cockcroft, Ecology and population estimates of Indo-Pacific humpback dolphins (*Sousa chinensis*) in Maputo Bay, Mozambique, 30.1, 94-102.
- California gray whale (*Eschrichtius robustus*)
- Antrim, Logistics of maintenance, rehabilitation and return to the Pacific Ocean of a California gray whale calf, 27.3, 228-230.
- California sea lion (*Zalophus californianus*)
- Garcia-Aguilar & Auriolos-Gamboa, Breeding season of the California sea lion (*Zalophus californianus*) in the Gulf of California, Mexico, 29.1, 67-76.
 - Goldstein et al., Human-related injuries observed in live stranded pinnipeds along the central California coast 1986-1998, 25.1, 43-51.
 - Harvey et al., Training California sea lions to record whale behavior using a rehabilitating California gray whale calf, 27.3, 289-293.
 - Maniscalco et al., The occurrence of California sea lions (*Zalophus californianus*) in Alaska, 30.3, 427-433.
- call identification
- Oetelaar et al., Can the sex of a Weddell seal (*Leptonychotes weddellii*) be identified by its surface call?, 29.2, 261-267.
- calves
- Pace, Fluke-made bubble rings as toys in bottlenose dolphin calves (*Tursiops truncatus*), 26.1, 57-64.
 - Miles & Herzing, Underwater analysis of the behavioural development of free-ranging Atlantic spotted dolphin (*Stenella frontalis*) calves (birth to 4 years of age), 29.3, 363-377.
- Cananéia
- Rosas et al., The striped dolphin, *Stenella coeruleoalba* (Cetacean:Delphinidae), on the coast of São Paulo State, southeastern Brazil, 28.1, 60-66.
- Cape Verde Islands
- Moore et al., Cetacean surveys in the Cape Verde Islands and the use of cookiecutter shark bite lesions as a population marker for fin whales, 29.3, 383-389.
- captivity
- Hartmann, The European studbook of bottlenose dolphins (*Tursiops truncatus*): 1998 survey results, 26.2, 95-100.
 - Manire et al., An approach to the rehabilitation of *Kogia* spp., 30.2, 257-270.
 - Vergara-Parente et al., Bacterial flora of upper respiratory tract of captive Antillean manatees, 29.1, 124-130.
- Cardigan Bay
- Bristow, Changes in coastal site usage by bottlenose dolphins (*Tursiops truncatus*) in Cardigan Bay, Wales, 30.3, 398-404.
 - Bristow & Rees, Site fidelity and behaviour of bottlenose dolphins (*Tursiops truncatus*) in Cardigan Bay, Wales, 27.1, 1-10.
 - Gregory & Rowden, Behaviour patterns of bottlenose dolphins (*Tursiops truncatus*) relative to tidal state, time-of-day, and boat traffic in Cardigan Bay, West Wales, 27.2, 105-113.
 - Bristow et al., Shore-based monitoring of bottlenose dolphins (*Tursiops truncatus*) by trained volunteers in Cardigan Bay, Wales, 27.2, 115-120.
- Caribbean
- Campbell et al., Bottlenose dolphins (*Tursiops truncatus*) in Turneffe Atoll, Belize: Occurrence, site fidelity, group size, and abundance, 28.2, 170-180.
 - Self-Sullivan et al., Seasonal occurrence of male Antillean manatees (*Trichechus manatus manatus*) on the Belize Barrier Reef, 29.3, 341-354.
- carmine red
- Kastelein et al., Food consumption, food passage time, and body measurements of captive Atlantic bottlenose dolphins (*Tursiops truncatus*), 29.1, 53-66.
 - Kastelein et al., Food consumption, growth, body dimensions, and respiration rates of captive false killer whales (*Pseudorca crassidens*), 26.1, 33-44.
- carnivory
- Courbis & Worthy, Opportunistic carnivory by Florida manatees (*Trichechus manatus latirostris*), 29.1, 104-107.
- carotenoids
- Feinholz & Atkinson, Possible aetiologies of yellow coloration in dolphin calves, 26.3, 191-195.
- carouseling
- Neumann & Orams, Feeding behaviours of short-beaked common dolphins, *Delphinus delphis*, in New Zealand, 29.1, 137-149.
- cell size
- Mass & Supin, Visual field organization and retinal resolution of the beluga, *Delphinapterus leucas* (Pallas), 28.3, 241-250.
- cell distribution
- Mass & Supin, Visual field organization and retinal resolution of the beluga, *Delphinapterus leucas* (Pallas), 28.3, 241-250.
- Commerson's dolphins (*Cephalorhynchus commersonii*)
- Kastelein et al., The food consumption of Commerson's dolphins (*Cephalorhynchus commersonii*), 19.2, 99-121.
 - Kastelein et al., Information on the biology of Commerson's dolphins (*Cephalorhynchus commersonii*), 19.1, 13-19.
 - Pinedo et al., Northernmost records of the spectacled porpoise, Layard's beaked whale, Commerson's dolphin, and Peale's dolphin in the southwestern Atlantic Ocean, 28.1, 32-37.
- Cestoda
- Van Waerebeek et al., Helminth parasites and phoronts of dusky dolphins *Lagenorhynchus obscurus* (Gray, 1828) from Peru, 19.3, 159-169.
- Cetacea
- Griebel & Peichl, Colour vision in aquatic mammals—Facts and open questions, 29.1, 18-30.
 - Kastelein & Lavaleije, Foreign bodies in the stomach of a female harbour porpoise (*Phocoena phocoena*) from the North Sea, 18.2, 40-46.
 - Tarpley & Marwitz, Plastic debris ingestion by cetaceans along the Texas coast: Two case reports, 19.2, 93-98.
 - Bjorager et al., Anatomy of the eye of the sperm whale (*Physeter macrocephalus* L.), 29.1, 31-36.
 - Ramos et al., Growth parameters of *Pontoporia blainvillei* and *Sotalia fluviatilis* (Cetacea) in northern Rio de Janeiro, Brazil, 26.1, 65-75.
- cetacean
- Solntseva, Early embryogenesis of the vestibular apparatus in mammals with different ecologies, 28.2, 159-169.
 - Mass & Supin, Visual field organization and retinal resolution of the beluga, *Delphinapterus leucas* (Pallas), 28.3, 241-250.
 - Nelson & Lien, Behaviour patterns of two captive Atlantic white-sided dolphins, *Lagenorhynchus acutus*, 20.1, 1-20.

- Hillman et al., Computer-assisted photo-identification of individual marine vertebrates: A multi-species system, 29.1, 117-123.
- Killebrew et al., Sound production of a neonate bottlenose dolphin, 27.1, 34-44.
- Lyamin et al., Behavioral sleep in captive sea otters, 26.2, 132-136.
- Mercado III et al., Stereotypical sound patterns in humpback whale songs: Usage and function, 29.1, 37-52.
- Monteiro-Neto et al., Impact of fisheries on the tucuxi (*Sotalia fluviatilis*) and rough-toothed dolphin (*Steno bredanensis*) populations off Ceará state, northeastern Brazil, 26.1, 49-57.
- Ranneft et al., A guide to the pronunciation and meaning of cetacean taxonomic names, 27.2, 183-195.
- Silva et al., Occurrence and distribution of cetaceans in the waters around the Azores (Portugal), summer and autumn 1999-2000, 29.1, 77-83.
- Stewart et al., Post-release monitoring and tracking of a rehabilitated California gray whale, 27.3, 294-300.
- Wiley et al., Rescue and release of mass stranded cetaceans from beaches on Cape Cod, Massachusetts, USA; 1990-1999: A review of some response actions, 27.2, 162-171.
- chest-wall
Brown & Butler, The absolute necessity of chest-wall collapse during diving in breath-hold diving mammals, 26.1, 26-32.
- Chile
Bernal et al., Occurrence and long-term residency of two long-beaked common dolphins, *Delphinus capensis* (Gray 1828), in adjacent small bays on the Chilean central coast, 29.3, 396-399.
- China
Jefferson & Hung, A review of the status of the Indo-Pacific humpback dolphin (*Sousa chinensis*) in Chinese waters, 30.1, 149-158.
- chinensis*
Parsons, The behavior and ecology of the Indo-Pacific humpback dolphin (*Sousa chinensis*), 30.1, 38-55.
- Chinese white dolphin
Jefferson & Hung, A review of the status of the Indo-Pacific humpback dolphin (*Sousa chinensis*) in Chinese waters, 30.1, 149-158.
- circulation
Brown & Butler, The absolute necessity of chest-wall collapse during diving in breath-hold diving mammals, 26.1, 26-32.
- Citrobacter
Vergara-Parente et al., Bacterial flora of upper respiratory tract of captive Antillean manatees, 29.1, 124-130.
- click detector
Blomqvist & Amundin, An acoustic tag for recording directional pulsed ultrasounds aimed at free-swimming bottlenose dolphins (*Tursiops truncatus*) by conspecifics, 30.3, 345-356.
- clicks
—Marten, Ultrasonic analysis of pygmy sperm whale (*Kogia breviceps*) and Hubb's beaked whale (*Mesoplodon carlhubbsi*) clicks, 26.1, 45-48.
—Rasmussen & Miller, Whistles and clicks from white-beaked dolphins, *Lagenorhynchus albirostris*, recorded in Faxaflói Bay, Iceland, 28.1, 78-89.
—Drouot et al., Diving and feeding behaviour of sperm whales (*Physeter macrocephalus*) in the northwestern Mediterranean Sea, 30.3, 409-426.
- coastal zone management
Self-Sullivan et al., Seasonal occurrence of male Antillean manatees (*Trichechus manatus manatus*) on the Belize Barrier Reef, 29.3, 341-354.
- cochlea
Solntseva, Early embryogenesis of the vestibular apparatus in mammals with different ecologies, 28.2, 159-169.
- coda
—Madsen et al., Male sperm whale behaviour during exposures to distant seismic survey pulses, 28.3, 231-240.
—Sjare et al., Structural variation in the songs of Atlantic walrus breeding in the Canadian high Arctic, 29.2, 297-318.
- cold stress syndrome
—Bossart et al., Pathologic findings in Florida manatees (*Trichechus manatus latirostris*), 30.3, 433-440.
—Bossart et al., Pathological features of the Florida manatee cold stress syndrome, 29.1, 9-17.
- collapse
Brown & Butler, The absolute necessity of chest-wall collapse during diving in breath-hold diving mammals, 26.1, 26-32.
- Colombia
Capella et al., Regular appearance of otariid pinnipeds along the Colombian Pacific coast, 28.1, 67-72.
- color patterns
—Stewart, Facilitation of post-release, long-term recognition of a rehabilitated gray whale calf: Pigmentation and scar patterns of JJ, 27.3, 301-305.
—Azevedo et al., Colour pattern and external morphology of the Fraser's dolphin (*Lagenodelphis hosei*) in the southwestern Atlantic, 29.3, 411-416.
- colour vision
—Griebel & Peichl, Colour vision in aquatic mammals—Facts and open questions, 29.1, 18-30.
—Kastelein et al., The anatomy of the walrus head (*Odobenus rosmarus*). Part 3: The eyes and their function in walrus ecology, 19.2, 61-92.
- common dolphin (*Delphinus delphis*)
—Neumann, The activity budget of free-ranging common dolphins in the northwestern Bay of Plenty, New Zealand, 27.2, 121-136.
—Frantzis & Herzing, Mixed-species associations of striped dolphins (*Stenella coeruleoalba*), short-beaked common dolphins (*Delphinus delphis*), and Risso's dolphins (*Grampus griseus*) in the Gulf of Corinth (Greece, Mediterranean Sea), 28.2, 188-197.
—Moore & Ridgway, Whistles produced by common dolphins from the Southern California Bight, 21.1, 55-63.
—Neumann & Orams, Feeding behaviours of short-beaked common dolphins, *Delphinus delphis*, in New Zealand, 29.1, 137-149.
—Silva & Sequeira, Patterns in the mortality of common dolphins (*Delphinus delphis*) on the Portuguese coast, using stranding records, 1975-1998, 29.1, 88-98.
—Neumann et al., Identifying sexually mature, male short-beaked common dolphins (*Delphinus delphis*) at sea, based on the presence of a postanal hump, 28.2, 181-187.
—Wiley et al., Rescue and release of mass stranded cetaceans from beaches on Cape Cod, Massachusetts, USA; 1990-1999: A review of some response actions, 27.2, 162-171.
- communication
—Killebrew et al., Sound production of a neonate bottlenose dolphin, 27.1, 34-44.
—Mercado III et al., Stereotypical sound patterns in humpback whale songs: Usage and function, 29.1, 37-52.
—Southall et al., Acoustic communication ranges for northern elephant seals (*Mirounga angustirostris*), 29.2, 202-213.
- competitive behaviour
Dudzinski et al., Behavioural observations of bottlenose dolphins towards two dead conspecifics, 29.1, 108-116.
- computer
Hillman et al., Computer-assisted photo-identification of individual marine vertebrates: a multi-species system, 29.1, 117-123.

- conservation
- Guissamulo & Cockcroft, Ecology and population estimates of Indo-Pacific humpback dolphins (*Sousa chinensis*) in Maputo Bay, Mozambique, 30.1, 94-102.
 - Kreb & Rahadi, Living under an aquatic freeway: Effects of boats on Irrawaddy dolphins (*Orcaella brevirostris*) in a coastal and riverine environment in Indonesia, 30.3, 363-375.
 - Baldwin et al., The Indo-Pacific humpback dolphin of the Arabian region: A status review, 30.1, 111-124.
 - Parra et al., The Indo-Pacific humpback dolphin, *Sousa chinensis* (Osbeck, 1765), in Australian waters: A summary of current knowledge, 30.1, 197-206.
 - Razafindrakoto et al., Sightings, catches, and other records of Indo-Pacific humpback dolphins in the coastal waters of Madagascar, 30.1, 103-110.
 - Vincent et al., Mark-recapture and satellite tracking of rehabilitated juvenile grey seals (*Halichoerus grypus*): Dispersal and potential effects on wild populations, 28.2, 121-130.
 - Wang et al., Records of Indo-Pacific humpback dolphins, *Sousa chinensis* (Osbeck, 1765), from the waters of western Taiwan, 30.1, 189-196.
- cookiecutter shark (*Isistius brasiliensis*)
- Moore et al., Cetacean surveys in the Cape Verde Islands and the use of cookiecutter shark bite lesions as a population marker for fin whales, 29.3, 383-389.
- cooperative feeding
- Bisther, Intergroup interactions among killer whales in Norwegian coastal waters; tolerance vs. aggression at feeding grounds, 28.1, 14-23.
- cortisol
- Sanvito et al., Blood spots in Pinnipedia hormone studies: Measure of cortisol levels in southern elephant seals (*Mirounga leonina*), 30.2, 251-256.
- Costa Rica
- Fedorowicz et al., Food sharing in wild bottlenose dolphins, 29.3, 355-359.
- counter-current mechanism
- Heyning, Thermoregulation in feeding baleen whales: Morphological and physiological evidence, 27.3, 284-288.
- cranial morphology
- Jefferson & Van Waerebeek, Geographic variation in skull morphology of humpback dolphins (*Sousa* spp.), 30.1, 3-17.
- cranial muscles
- Kastelein et al., The anatomy of the walrus head (*Odobenus rosmarus*). Part 2: Description of the muscles and of their role in the feeding and haul-out behaviour, 17.3, 156-180.
- cranial rete mirabile
- Duignan et al., Stingray spines: A potential cause of killer whale mortality in New Zealand, 26.2, 143-147.
- crista ampularis
- Solntseva, Early embryogenesis of the vestibular apparatus in mammals with different ecologies, 28.2, 159-169.
- Cuvier's beaked whale (*Ziphius cavirostris*)
- Ohizumi & Kishiro, Stomach contents of a Cuvier's beaked whale (*Ziphius cavirostris*) stranded on the central Pacific coast of Japan, 29.1, 99-103.
- Dasyatis* sp.
- Duignan et al., Stingray spines: A potential cause of killer whale mortality in New Zealand, 26.2, 143-147.
- dead dolphins
- Dudzinski et al., Behavioural observations of bottlenose dolphins towards two dead conspecifics, 29.1, 108-116.
- deaf
- André et al., Evidence of deafness in a striped dolphin, *Stenella coeruleoalba*, 29.1, 3-8.
- death
- Vergara-Parente et al., Salmonellosis in an Antillean manatee (*Trichechus manatus manatus*) calf: A fatal case, 29.1, 131-136.
- Delphinapterus*
- Kastelein et al., Food consumption, growth and reproduction of belugas (*Delphinapterus leucas*) in human care, 20.2, 81-97.
- delphinids
- Gannier, Cetaceans of the Marquesas Islands (French Polynesia): Distribution and relative abundance as obtained from a small boat dedicated survey, 28.2, 198-210.
 - Gannier, Distribution of cetaceans off the Society Islands (French Polynesia) as obtained from dedicated surveys, 26.2, 111-126.
- Delphinidae
- Müller & Bossley, Solitary bottlenose dolphins in comparative perspective, 28.3, 298-307.
 - di Benedetto et al., Stomach contents of delphinids from Rio de Janeiro, southeastern Brazil, 27.1, 24-28.
 - Silva et al., Vomiting behavior of the spinner dolphin (*Stenella longirostris*) and squid meals, 30.2, 271-274.
- Delphinus*
- Silva & Sequeira, Patterns in the mortality of common dolphins (*Delphinus delphis*) on the Portuguese coast, using stranding records, 1975-1998, 29.1, 88-98.
- density
- Griffin & Griffin, Temporal variation in Atlantic spotted dolphin (*Stenella frontalis*) and bottlenose dolphin (*Tursiops truncatus*) densities on the west Florida continental shelf, 30.3, 380-390.
 - Trites & Jonker, Morphometric measurements and body condition of healthy and starving Steller sea lion pups (*Eumetopias jubatus*), 26.2, 151-157.
- development
- Miles & Herzing, Underwater analysis of the behavioural development of free-ranging Atlantic spotted dolphin (*Stenella frontalis*) calves (birth to 4 years of age), 29.3, 363-377.
- dialects
- McCowan et al., Social familiarity influences whistle acoustic structure in adult female bottlenose dolphins (*Tursiops truncatus*), 24.1, 27-40.
- diatoms
- Feinholz & Atkinson, Possible aetiologies of yellow coloration in dolphin calves, 26.3, 191-195.
- diel activity
- Serrano & Miller, How vocal are harp seals (*Pagophilus groenlandicus*)? A captive study of seasonal and diel patterns, 26.3, 253-259.
- diet
- Barros et al., Prey of offshore bottlenose dolphins from the South China Sea, 26.1, 2-6.
 - di Benedetto et al., Stomach contents of delphinids from Rio de Janeiro, southeastern Brazil, 27.1, 24-28.
- diet analysis
- Yonezaki et al., An enema technique to collect dietary information from northern fur seals (*Callorhinus ursinus*) at sea, 30.2, 284-288.
- digestion
- Rosen et al., Effect of ration size and meal frequency on assimilation and digestive efficiency in yearling Steller sea lions, *Eumetopias jubatus*, 26.1, 76-82.

- digital
Mazzoil et al., Use of digital photography and analysis of dorsal fins for photo-identification of bottlenose dolphins, 30.2, 209-219.
- direct-takes
Razafindrakoto et al., Sightings, catches, and other records of Indo-Pacific humpback dolphins in the coastal waters of Madagascar, 30.1, 103-110.
- directional pulse
Blomqvist & Amundin, An acoustic tag for recording directional pulsed ultrasounds aimed at free-swimming bottlenose dolphins (*Tursiops truncatus*) by conspecifics, 30.3, 345-356.
- dispersal
Vincent et al., Mark-recapture and satellite tracking of rehabilitated juvenile grey seals (*Halichoerus grypus*): Dispersal and potential effects on wild populations, 28.2, 121-130.
- display behaviour
Van Parijs, Aquatic mating in pinnipeds: A review, 29.2, 214-226.
- distribution
— Aliaga-Rossel, Distribution and abundance of the river dolphin (*Inia geoffrensis*) in the Tijamuchi River, Beni, Bolivia, 28.3, 312-323.
— Gannier, Cetaceans of the Marquesas Islands (French Polynesia): Distribution and relative abundance as obtained from a small boat dedicated survey, 28.2, 198-210.
— Gannier, Diel variations of the striped dolphin distribution off the French Riviera (northwestern Mediterranean Sea), 25.2, 123-134.
— Gannier, Distribution of cetaceans off the Society Islands (French Polynesia) as obtained from dedicated surveys, 26.2, 111-126.
— Gannier, The large-scale distribution of humpback whales (*Megaptera novaeangliae*) wintering in French Polynesia during 1997-2002, 30.2, 227-236.
— Neumann, The activity budget of free-ranging common dolphins (*Delphinus delphis*) in the northwestern Bay of Plenty, New Zealand, 27.2, 121-136.
— Grellier & Wilson, Bottlenose dolphins using the Sound of Barra, Scotland, 29.3, 378-382.
— Henry & Hammill, Impact of small boats on the haulout activity of harbour seals (*Phoca vitulina*) in Métis Bay, Saint Lawrence Estuary, Québec, Canada, 27.2, 140-148.
— Jaquet & Whitehead, Movements, distribution and feeding success of sperm whales in the Pacific Ocean, over scales of days and tens of kilometers, 25.1, 1-13.
— Kastelein & Weltz, Distribution and behaviour of Steller sea lions (*Eumetopias jubatus*) in Prince William Sound, Alaska, June 1989, 17.2, 91-97.
— Silva & Sequeira, Patterns in the mortality of common dolphins (*Delphinus delphis*) on the Portuguese coast, using stranding records, 1975-1998, 29.1, 88-98.
— Sutaria & Jefferson, Records of Indo-Pacific humpback dolphins (*Sousa chinensis*, Osbeck, 1765) along the coasts of India and Sri Lanka: An overview, 30.1, 125-136.
— Zerbinì & Secchi, Occurrence of Hector's beaked whale, *Mesoplodon hectori*, in southern Brazil, 27.2, 149-153.
— Baldwin et al., The Indo-Pacific humpback dolphin of the Arabian region: A status review, 30.1, 111-124.
— Hale et al., Comparative morphology and distribution of the *aduncus* and *truncatus* forms of bottlenose dolphin *Tursiops* in the Indian and Western Pacific Oceans, 26.2, 101-110.
— Parra et al., The Indo-Pacific humpback dolphin, *Sousa chinensis* (Osbeck, 1765), in Australian waters: A summary of current knowledge, 30.1, 197-206.
— Razafindrakoto et al., Sightings, catches, and other records of Indo-Pacific humpback dolphins in the coastal waters of Madagascar, 30.1, 103-110.
— Silva et al., Occurrence and distribution of cetaceans in the waters around the Azores (Portugal), summer and autumn 1999-2000, 29.1, 77-83.
— Van Waerebeek et al., Distribution, status, and biology of the Atlantic humpback dolphin, *Sousa teuszii* (Kükenthal, 1892), 30.1, 56-83.
- diurnal behaviour patterns
Gregory & Rowden, Behaviour patterns of bottlenose dolphins (*Tursiops truncatus*) relative to tidal state, time-of-day, and boat traffic in Cardigan Bay, West Wales, 27.2, 105-113.
- dive
Drouot et al., Diving and feeding behaviour of sperm whales (*Physeter macrocephalus*) in the northwestern Mediterranean Sea, 30.3, 409-426.
- dive pattern
— Kastelein & Gerrits, Swimming, diving, and respiration patterns of a northern bottlenose whale (*Hyperoodon ampullatus*, Forster, 1770), 17.1, 20-30.
— Stewart et al., Post-release monitoring and tracking of a rehabilitated California gray whale, 27.3, 294-300.
- diving
Brown & Butler, The absolute necessity of chest-wall collapse during diving in breath-hold diving mammals, 26.1, 26-32.
- dolphins
— Feinholz & Atkinson, Possible aetiologies of yellow coloration in dolphin calves, 26.3, 191-195.
— Mass & Supin, Visual field organization and retinal resolution of the beluga, *Delphinapterus leucas* (Pallas), 28.3, 241-250.
— Supin & Popov, Frequency-modulation sensitivity in bottlenose dolphins, *Tursiops truncatus*: Evoked-potential study, 26.1, 83-94.
— Hillman et al., Computer-assisted photo-identification of individual marine vertebrates: A multi-species system, 29.1, 117-123.
— McCowan et al., Social familiarity influences whistle acoustic structure in adult female bottlenose dolphins (*Tursiops truncatus*), 24.1, 27-40.
— Nachtigall et al., Measurements of the low frequency components of active and passive sounds produced by dolphins, 26.3, 167-174.
— Parsons et al., Male-male aggression renders bottlenose dolphin (*Tursiops truncatus*) unconscious, 29.3, 360-362.
- dorsal fin
Mazzoil et al., Use of digital photography and analysis of dorsal fins for photo-identification of bottlenose dolphins, 30.2, 209-219.
- Dugong (*Dugong dugon*)
Anderson, Scarring and photo-identification of dugongs (*Dugong dugon*) in Shark Bay, Western Australia, 21.3, 205-211.
- dusky dolphin (*Lagenorhynchus obscurus*)
— Yazdi, A possible hybrid between the dusky dolphin (*Lagenorhynchus obscurus*) and the southern right whale dolphin (*Lissodelphis peronii*), 28.2, 211-217.
— Van Waerebeek et al., Helminth parasites and phoronts of dusky dolphins (*Lagenorhynchus obscurus*) (Gray, 1828) from Peru, 19.3, 159-169.
- dwarf sperm whale
Manire et al., An approach to the rehabilitation of *Kogia* spp., 30.2, 257-270.
- Eastern South Pacific
Bernal et al., Occurrence and long-term residency of two long-beaked common dolphins, *Delphinus capensis* (Gray 1828), in adjacent small bays on the Chilean central coast, 29.3, 396-399.
- eastern tropical Pacific
Capella et al., Regular appearance of otariid pinnipeds along the Colombian Pacific coast, 28.1, 67-72.
- Echeneis naucrates*
— Noke, The association of echeneids with bottlenose dolphins (*Tursiops truncatus*) in the Indian River Lagoon, Florida, USA, 30.2, 296-298.
— Wedekin et al., Rough-toothed dolphins (*Steno bredanensis*) catch diskfishes while interacting with humpback whales

- (*Megaptera novaeangliae*) off Abrolhos bank breeding ground, southwest Atlantic, 30.2, 327-329.
- echolocation
- Goold & Jefferson, A note on clicks recorded from free-ranging Indo-Pacific humpback dolphins, *Sousa chinensis*, 30.1, 175-178.
 - Kamma & Beitsma, Investigations on Cetacean Sonar IX: Remarks on dominant sonar frequencies from *Tursiops truncatus*, 16.1, 18-20.
 - Rasmussen & Miller, Whistles and clicks from white-beaked dolphins, *Lagenorhynchus albirostris*, recorded in Faxaflói Bay, Iceland, 28.1, 78-89.
 - Killebrew et al., Sound production of a neonate bottlenose dolphin, 27.1, 34-44.
 - Mercado III et al., Stereotypical sound patterns in humpback whale songs: Usage and function, 29.1, 37-52.
 - Teilmann et al., Characteristics of echolocation signals used by a harbour porpoise (*Phocoena phocoena*) in a target detection experiment, 28.3, 275-284.
- ecology
- Parsons, The behavior and ecology of the Indo-Pacific humpback dolphin (*Sousa chinensis*), 30.1, 38-55.
 - Kastelein et al., The anatomy of the walrus head (*Odobenus rosmarus*). Part 3: The eyes and their function in walrus ecology, 19.2, 61-92.
- ecotourism
- Henry & Hammill, Impact of small boats on the haulout activity of harbour seals (*Phoca vitulina*) in Métis Bay, Saint Lawrence Estuary, Québec, Canada, 27.2, 140-148.
- Ecuador
- Castro, Encounter with a school of pygmy killer whales (*Feresa attenuata*) in Ecuador, Southeast Tropical Pacific, 30.3, 441-444.
- EFR
- André et al., Evidence of deafness in a striped dolphin, *Stenella coeruleoalba*, 29.1, 3-8.
- El Niño
- Capella et al., Regular appearance of otariid pinnipeds along the Colombian Pacific coast, 28.1, 67-72.
- elasmobranches
- Visser & Bonoccorso, New observations and a review of killer whale (*Orcinus orca*) sightings in Papua New Guinea waters, 29.1, 150-172.
 - Visser et al., Killer whale (*Orcinus orca*) predation on a shortfin mako shark (*Isurus oxyrinchus*) in New Zealand waters, 26.3, 229-231.
- electron microscopy
- Baum et al., A cryo-scanning electron microscopic study of the skin surface of the pilot whale *Globicephala melas*, 26.1, 7-16.
- electrophoresis
- Reidarson et al., Medical and nutritional aspects of a rehabilitating California gray whale calf, 27.3, 215-221.
- elephant seals (*Mirounga angustirostris*)
- Southall et al., Acoustic communication ranges for northern elephant seals, 29.2, 202-213.
- eliminative behavior
- Silva et al., Vomiting behavior of the spinner dolphin (*Stenella longirostris*) and squid meals, 30.2, 271-274.
- emotional intelligence
- Dudzinski et al., Behavioural observations of bottlenose dolphins towards two dead conspecifics, 29.1, 108-116.
- endangered species
- Bossart et al., Pathological features of the Florida manatee cold stress syndrome, 29.1, 9-17.
- enema technique
- Yonezaki et al., An enema technique to collect dietary information from northern fur seals (*Callorhinus ursinus*) at sea, 30.2, 284-288.
- energetics
- Kastelein et al., Food consumption and body weight of captive Pacific walrus (*Odobenus rosmarus divergens*), 26.3, 175-190.
 - Kastelein et al., Food consumption, food passage time, and body measurements of captive Atlantic bottlenose dolphins (*Tursiops truncatus*), 29.1, 53-66.
 - Kastelein et al., Food consumption, growth and reproduction of belugas (*Delphinapterus leucas*) in human care, 20.2, 81-97.
 - Kastelein, et al., Food consumption, growth, body dimensions, and respiration rates of captive false killer whales (*Pseudorca crassidens*), 26.1, 33-44.
 - Kastelein et al., Food consumption of a captive female killer whale (*Orcinus orca*), 26.2, 127-131.
 - Kastelein et al., The food consumption of Commerson's dolphins (*Cephalorhynchus commersonii*), 19.2, 99-121.
- enrichment
- Goldblatt, Behavioural needs of captive marine mammals, 19.3, 149-157.
 - Ross, The effect of a simple feeding enrichment strategy on the behaviour of two Asian small-clawed otters (*Aonyx cinerea*), 28.2, 113-120.
- entanglement
- Goldstein et al., Human-related injuries observed in live stranded pinnipeds along the central California coast 1986-1998, 25.1, 43-51.
 - Mooney et al., Target strength of a nylon monofilament and an acoustically enhanced gillnet: Predictions of biosonar detection ranges, 30.2, 220-226.
- Enterobacter
- Vergara-Parente et al., Bacterial flora of upper respiratory tract of captive Antillean manatees, 29.1, 124-130.
- EP
- André et al., Evidence of deafness in a striped dolphin, *Stenella coeruleoalba*, 29.1, 3-8.
- epimeletic
- Santos et al., Behavioral observations of the marine tucuxi dolphin (*Sotalia fluviatilis*) in São Paulo estuarine waters, Southeastern Brazil, 26.3, 260-267.
- epizootic
- Guerrero-Ruiz & Urbán R., First report of remoras on two killer whales (*Orcinus orca*) in the Gulf of California, Mexico, 26.2, 148-150.
- Escherichia
- Vergara-Parente et al., Bacterial flora of upper respiratory tract of captive Antillean manatees, 29.1, 124-130.
- estuarine dolphins (*Sotalia guianensis*)
- Wedekin et al., An aggressive interaction between bottlenose dolphins (*Tursiops truncatus*) and estuarine dolphins (*Sotalia guianensis*) in southern Brazil, 30.3, 391-397.
- Europe
- Grellier & Wilson, Bottlenose dolphins using the Sound of Barra, Scotland, 29.3, 378-382.
- European studbook
- Hartmann, The European studbook of bottlenose dolphins (*Tursiops truncatus*): 1998 survey results, 26.2, 95-100.
- euthanasia
- Wiley et al., Rescue and release of mass stranded cetaceans from beaches on Cape Cod, Massachusetts, USA, 1990-1999: A review of some response actions, 27.2, 162-171.
- evoked potential
- André et al., Evidence of deafness in a striped dolphin, *Stenella coeruleoalba*, 29.1, 3-8.
- evolutionary program
- Houser et al., A bandpass filter-bank model of auditory sensitivity in the humpback whale, 27.2, 82-91.

- external auditory meatus
Solntseva, Development of the auditory organ in terrestrial, semi-aquatic, and aquatic mammals, 25.2, 135-148.
- external morphological features
Azevedo et al., Colour pattern and external morphology of the Fraser's dolphin (*Lagenodelphis hosei*) in the southwestern Atlantic, 29.3, 411-416.
- extrinsic eyeball muscles
Kastelein et al., The anatomy of the walrus head (*Odobenus rosmarus*). Part 3: The eyes and their function in walrus ecology, 19.2, 61-92.
- eye
—Griebel & Peichl, Colour vision in aquatic mammals—Facts and open questions, 29.1, 18-30.
—Kastelein et al., The anatomy of the walrus head (*Odobenus rosmarus*). Part 3: The eyes and their function in walrus ecology, 19.2, 61-92.
- eye morphology
Mass & Supin, Visual field organization and retinal resolution of the beluga, *Delphinapterus leucas* (Pallas), 28.3, 241-250.
- eye muscles
Bjerager et al., Anatomy of the eye of the sperm whale (*Physeter macrocephalus* L.), 29.1, 31-36.
- facial expression
Kastelein et al., The anatomy of the walrus head (*Odobenus rosmarus*). Part 2: Description of the muscles and of their role in the feeding and haul-out behaviour, 17.3, 156-180.
- Falkland Islands
Sanvito et al., Blood spots in Pinnipedia hormone studies: Measure of cortisol levels in southern elephant seals (*Mirounga leonina*), 30.2, 251-256.
- feed
Drouot et al., Diving and feeding behaviour of sperm whales (*Physeter macrocephalus*) in the northwestern Mediterranean Sea, 30.3, 409-426.
- feeding
—Neumann, The activity budget of free-ranging common dolphins (*Delphinus delphis*) in the northwestern Bay of Plenty, New Zealand, 27.2, 121-136.
—Parsons, The behavior and ecology of the Indo-Pacific humpback dolphin (*Sousa chinensis*), 30.1, 38-55.
—Ross, The effect of a simple feeding enrichment strategy on the behaviour of two Asian small-clawed otters (*Aonyx cinerea*), 28.2, 113-120.
—Acevedo-Gutiérrez & Stienessen, Bottlenose dolphins (*Tursiops truncatus*) increase number of whistles when feeding, 30.3, 357-362.
—Courbis & Worthy, Opportunistic carnivory by Florida manatees (*Trichechus manatus latirostris*), 29.1, 104-107.
—Neumann & Orams, Feeding behaviours of short-beaked common dolphins, *Delphinus delphis*, in New Zealand, 29.1, 137-149.
—Kastelein & Gerrits, The anatomy of the walrus head (*Odobenus rosmarus*). Part 1: The skull, 16.3, 101-119.
—Kastelein et al., Food consumption, food passage time, and body measurements of captive Atlantic bottlenose dolphins (*Tursiops truncatus*), 29.1, 53-66.
—Kastelein et al., The anatomy of the walrus head (*Odobenus rosmarus*). Part 2: Description of the muscles and of their role in the feeding and haul-out behaviour, 17.3, 156-180.
- feeding behaviour
Wedekin et al., Rough-toothed dolphins (*Steno bredanensis*) catch diskfishes while interacting with humpback whales (*Megaptera novaeangliae*) off Abrolhos bank breeding ground, southwest Atlantic, 30.2, 327-329.
- feeding habits
—Barros et al., Feeding habits of Indo-Pacific humpback dolphins (*Sousa chinensis*) stranded in Hong Kong, 30.1, 179-188.
—Santos et al., Insights on small cetacean feeding habits in southeastern Brazil, 28.1, 38-45.
—Silva et al., Vomiting behavior of the spinner dolphin (*Stenella longirostris*) and squid meals, 30.2, 271-274.
- feeding strategies
Neumann & Orams, Feeding behaviours of short-beaked common dolphins, *Delphinus delphis*, in New Zealand, 29.1, 137-149.
- feeding success
Jaquet & Whitehead, Movements, distribution and feeding success of sperm whales in the Pacific Ocean, over scales of days and tens of kilometers, 25.1, 1-13.
- film
Mazzoil et al., Use of digital photography and analysis of dorsal fins for photo-identification of bottlenose dolphins, 30.2, 209-219.
- filter model
Houser et al., A bandpass filter-bank model of auditory sensitivity in the humpback whale, 27.2, 82-91.
- filter paper
Sanvito et al., Blood spots in Pinnipedia hormone studies: Measure of cortisol levels in southern elephant seals (*Mirounga leonina*), 30.2, 251-256.
- fin-fish
Visser & Bonoccorso, New observations and a review of killer whale (*Orcinus orca*) sightings in Papua New Guinea waters, 29.1, 150-172.
- Finscan
Hillman et al., Computer-assisted photo-identification of individual marine vertebrates: A multi-species system, 29.1, 117-123.
- fin whale
Moore et al., Cetacean surveys in the Cape Verde Islands and the use of cookiecutter shark bite lesions as a population marker for fin whales, 29.3, 383-389.
- fish whacking
Neumann & Orams, Feeding behaviours of short-beaked common dolphins, *Delphinus delphis*, in New Zealand, 29.1, 137-149.
- fisheries by-catch
Monteiro-Neto et al., Impact of fisheries on the tucuxi (*Sotalia fluviatilis*) and rough-toothed dolphin (*Steno bredanensis*) populations off Ceará state, northeastern Brazil, 26.1, 49-57.
- fishery interactions
Visser, Killer whale (*Orcinus orca*) interactions with longline fisheries in New Zealand waters, 26.3, 241-252.
- fishing
Razafindrakoto et al., Sightings, catches, and other records of Indo-Pacific humpback dolphins in the coastal waters of Madagascar, 30.1, 103-110.
- Florida
—Noke, The association of echeneids with bottlenose dolphins (*Tursiops truncatus*) in the Indian River Lagoon, Florida, USA, 30.2, 296-298.
—Courbis & Worthy, Opportunistic carnivory by Florida manatees (*Trichechus manatus latirostris*), 29.1, 104-107.
—Bossart et al., Pathologic findings in Florida manatees (*Trichechus manatus latirostris*), 30.3, 433-440.
- Florida manatee (*Trichechus manatus latirostris*)
—Courbis & Worthy, Opportunistic carnivory by Florida manatees (*Trichechus manatus latirostris*), 29.1, 104-107.
—Olivera-Gómez & Mellink, Spatial and temporal variation in counts of the Antillean manatee (*Trichechus m. manatus*) during distribution surveys at Bahia de Chetumal, Mexico, 28.3, 285-293.
—Bossart et al., Pathologic findings in Florida manatees (*Trichechus manatus latirostris*), 30.3, 433-440.

- Self-Sullivan et al., Seasonal occurrence of male Antillean manatees (*Trichechus manatus manatus*) on the Belize Barrier Reef, 29.3, 341-354.
- Vergara-Parente et al., Bacterial flora of upper respiratory tract of captive Antillean manatees, 29.1, 124-130.
- Vergara-Parente et al., Salmonellosis in an Antillean manatee (*Trichechus manatus manatus*) calf: A fatal case, 29.1, 131-136.
- flotation
- Fish et al., Fur does not fly, it floats: Buoyancy of pelage in semi-aquatic mammals, 28.2, 103-112.
- food availability
- Müller & Bossley, Solitary bottlenose dolphins in comparative perspective, 28.3, 298-307.
- food consumption
- Kastelein et al., Food consumption and body weight of captive Pacific walrus (*Odobenus rosmarus divergens*), 26.3, 175-190.
- Kastelein et al., Food consumption, growth and reproduction of belugas (*Delphinapterus leucas*) in human care, 20.2, 81-97.
- Kastelein et al., The food consumption of Commerson's dolphins (*Cephalorhynchus commersonii*), 19.2, 99-121.
- food habits
- Barros et al., Prey of offshore bottlenose dolphins from the South China Sea, 26.1, 2-6.
- food passage time
- Kastelein et al., Food consumption, growth and reproduction of belugas (*Delphinapterus leucas*) in human care, 20.2, 81-97.
- Kastelein et al., Information on the biology of Commerson's dolphins (*Cephalorhynchus commersonii*), 19.1, 13-19.
- food sharing
- Fedorowicz et al., Food sharing in wild bottlenose dolphins, 29.3, 355-359.
- foraging
- Lammers, Occurrence and behavior of Hawaiian spinner dolphins (*Stenella longirostris*) along Oahu's leeward and south shores, 30.2, 237-250.
- Courbis & Worthy, Opportunistic carnivory by Florida manatees (*Trichechus manatus latirostris*), 29.1, 104-107.
- Visser & Bonoccorso, New observations and a review of killer whale (*Orcinus orca*) sightings in Papua New Guinea waters, 29.1, 150-172.
- foraging depth
- Ohizumi & Kishiro, Stomach contents of a Cuvier's beaked whale (*Ziphius cavirostris*) stranded on the central Pacific coast of Japan, 29.1, 99-103.
- foreign bodies
- Kastelein & Lavaleije, Foreign bodies in the stomach of a female harbour porpoise (*Phocoena phocoena*) from the North Sea, 18.2, 40-46.
- Tarpley & Marwitz, Plastic debris ingestion by cetaceans along the Texas coast: Two case reports, 19.2, 93-98.
- foreign-body penetration
- Duignan et al., Stingray spines: A potential cause of killer whale mortality in New Zealand, 26.2, 143-147.
- foster parent
- Kastelein et al., The suckling of a bottlenose dolphin calf (*Tursiops truncatus*) by a foster mother, and information on transverse birth bands, 16.3, 134-138.
- fracture
- Watson et al., Thoracolumbar kyphoscoliosis and compression fracture of a thoracic vertebra in a captive bottlenose dolphin (*Tursiops truncatus*), 30.2, 275-278.
- fragmented populations
- Self-Sullivan et al., Seasonal occurrence of male Antillean manatees (*Trichechus manatus manatus*) on the Belize Barrier Reef, 29.3, 341-354.
- Franciscana dolphin (*Pontoporia blainvillei*)
- di Beneditto, Presence of Franciscana dolphin (*Pontoporia blainvillei*) remains in the stomach of a tiger shark (*Galeocerdo cuvieri*) captured in southeastern Brazil, 30.2, 311-314.
- Ramos et al., Growth parameters of *Pontoporia blainvillei* and *Sotalia fluviatilis* (Cetacea) in northern Rio de Janeiro, Brazil, 26.1, 65-75.
- Fraser's dolphin (*Lagenodelphis hosei*)
- Azevedo et al., Colour pattern and external morphology of the Fraser's dolphin (*Lagenodelphis hosei*) in the southwestern Atlantic, 29.3, 411-416.
- free-ranging
- Miles & Herzing, Underwater analysis of the behavioural development of free-ranging Atlantic spotted dolphin (*Stenella frontalis*) calves (birth to 4 years of age), 29.3, 363-377.
- frequency discrimination limen
- Supin & Popov, Frequency-modulation sensitivity in bottlenose dolphins, *Tursiops truncatus*: Evoked-potential study, 26.1, 83-94.
- frequency modulation
- Supin & Popov, Frequency-modulation sensitivity in bottlenose dolphins, *Tursiops truncatus*: Evoked-potential study, 26.1, 83-94.
- fur
- Fish et al., Fur does not fly, it floats: Buoyancy of pelage in semi-aquatic mammals, 28.2, 103-112.
- Galeorhinus galeus*
- Visser, Killer whale (*Orcinus orca*) interactions with longline fisheries in New Zealand waters, 26.3, 241-252.
- ganglion cells
- Mass & Supin, Visual field organization and retinal resolution of the beluga, *Delphinapterus leucas* (Pallas), 28.3, 241-250.
- gender identification
- Neumann et al., Identifying sexually mature, male short-beaked common dolphins (*Delphinus delphis*) at sea, based on the presence of a postanal hump, 28.2, 181-187.
- general biology
- Van Waerebeek et al., Distribution, status, and biology of the Atlantic humpback dolphin, *Sousa teuszii* (Kükenthal, 1892), 30.1, 56-83.
- geographic variation
- Jefferson & Van Waerebeek, Geographic variation in skull morphology of humpback dolphins (*Sousa* spp.), 30.1, 3-17.
- Stirling & Thomas, Relationships between underwater vocalizations and mating systems in phocid seals, 29.2, 227-246.
- Abgrall et al., Variation of Weddell seal (*Leptonychotes weddellii*) underwater vocalizations over mesogeographic ranges, 29.2, 268-277.
- Gervais' beaked whale (*Mesoplodon europaeus*)
- Santos et al., A Gervais' beaked whale (*Mesoplodon europaeus*) washed ashore in southeastern Brazil: Extra limital record?, 29.3, 404-410.
- gillnet
- Mooney et al., Target strength of a nylon monofilament and an acoustically enhanced gillnet: Predictions of biosonar detection ranges, 30.2, 220-226.
- glucose
- Castellini et al., Differential concentration of glucose in red blood cells and plasma of a rehabilitating gray whale calf, 27.3, 277-278.
- Gomori silver stain
- Knieriem & Garcia Hartmann, Comparative histopathology of lungs from by-caught Atlantic white-sided dolphins (*Leucopleurus acutus*), 27.2, 73-81.

Gonatus onyx

Ohizumi & Kishiro, Stomach contents of a Cuvier's beaked whale (*Ziphius cavirostris*) stranded on the central Pacific coast of Japan, 29.1, 99-103.

gray whale

- Antrim, Logistics of maintenance, rehabilitation and return to the Pacific Ocean of a California gray whale calf, 27.3, 228-230.
- Heyning, Thermoregulation in feeding baleen whales: Morphological and physiological evidence, 27.3, 284-288.
- Stewart, Facilitation of post-release, long-term recognition of a rehabilitated gray whale calf: Pigmentation and scar patterns of JJ, 27.3, 301-305.
- Sumich, Direct and indirect measures of oxygen extraction, tidal lung volumes and respiratory rates in a rehabilitating gray whale calf, 27.3, 279-283.
- Sumich, Growth of baleen of a rehabilitating gray whale calf, 27.3, 234-238.
- Heyning & Heyning, Rescue of an orphaned gray whale calf, 27.3, 212-214.
- Ridgway & Carder, Assessing hearing and sound production in cetaceans not available for behavioral audiograms: Experiences with sperm, pygmy sperm, and gray whales, 27.3, 267-276.
- Andrews et al., Corporate response and facilitation of the rehabilitation of a California gray whale calf, 27.3, 209-211.
- Bruehler et al., Husbandry and hand-rearing of a rehabilitating California gray whale calf, 27.3, 222-227.
- Castellini et al., Differential concentration of glucose in red blood cells and plasma of a rehabilitating gray whale calf, 27.3, 277-278.
- Harvey et al., Training California sea lions to record whale behavior using a rehabilitating California gray whale calf, 27.3, 289-293.
- Lyamin et al., Resting behavior in a rehabilitating gray whale calf, 27.3, 256-266.
- Reidarson et al., Medical and nutritional aspects of a rehabilitating California gray whale calf, 27.3, 215-221.
- Stewart et al., Post-release monitoring and tracking of a rehabilitated California gray whale, 27.3, 294-300.
- Sumich et al., Growth of two captive gray whale calves, 27.3, 231-233.
- Wisdom et al., Development of behavior and sound repertoire of a rehabilitating gray whale calf, 27.3, 239-255.

Greece

Frantzis & Herzing, Mixed-species associations of striped dolphins (*Stenella coeruleoalba*), short-beaked common dolphins (*Delphinus delphis*), and Risso's dolphins (*Grampus griseus*) in the Gulf of Corinth (Greece, Mediterranean Sea), 28.2, 188-197.

grey seal (*Halichoerus grypus*)

- Kastelein & Wiepkema, The suckling period of a grey seal (*Halichoerus grypus*) while confined to an outdoor land area, 16.3, 120-128.
- Seely & Ronald, Testosterone profiles in male grey seals (*Halichoerus grypus*), 17.3, 152-155.
- Kastelein et al., Effective mass transfer in a suckling grey seal (*Halichoerus grypus*), 20.1, 11-27.
- Kastelein et al., The suckling period of a grey seal (*Halichoerus grypus*) while the mother had access to a pool, 17.1, 42-51.
- Vincent et al., Mark-recapture and satellite tracking of rehabilitated juvenile grey seals (*Halichoerus grypus*): Dispersal and potential effects on wild populations, 28.2, 121-130.

group defence

Bisther, Intergroup interactions among killer whales in Norwegian coastal waters; tolerance vs. aggression at feeding grounds, 28.1, 14-23.

group formation

—Neumann, The activity budget of free-ranging common dolphins (*Delphinus delphis*) in the northwestern Bay of Plenty, New Zealand, 27.2, 121-136.

—Neumann et al., Identifying sexually mature, male short-beaked common dolphins (*Delphinus delphis*) at sea, based on the presence of a postanal hump, 28.2, 181-187.

group size

- Campbell et al., Bottlenose dolphins (*Tursiops truncatus*) in Turneffe Atoll, Belize: Occurrence, site fidelity, group size, and abundance, 28.2, 170-180.
- Hubard et al., Seasonal abundance and site fidelity of bottlenose dolphins (*Tursiops truncatus*) in Mississippi Sound, 30.2, 299-310.

growth

- Sumich, Growth of baleen of a rehabilitating gray whale calf, 27.3, 234-238.
- Kastelein et al., Food consumption, food passage time, and body measurements of captive Atlantic bottlenose dolphins (*Tursiops truncatus*), 29.1, 53-66.
- Kastelein et al., Food consumption, growth and reproduction of belugas (*Delphinapterus leucas*) in human care, 20.2, 81-97.
- Ramos et al., Growth parameters of *Pontoporia blainvillei* and *Sotalia fluviatilis* (Cetacea) in northern Rio de Janeiro, Brazil, 26.1, 65-75.
- Sumich et al., Growth of two captive gray whale calves, 27.3, 231-233.

growth rate

Kastelein et al., Food consumption, growth, body dimensions, and respiration rates of captive false killer whales (*Pseudorca crassidens*), 26.1, 33-44.

Guadalupe fur seal (*Arctocephalus townsendi*)

- Goldstein et al., Human-related injuries observed in live stranded pinnipeds along the central California coast 1986-1998, 25.1, 43-51.
- Lander et al., Satellite tracking a rehabilitated Guadalupe fur seal (*Arctocephalus townsendi*), 26.2, 137-142.

Gulf of California

Guerrero-Ruiz & Urbán R., First report of remoras on two killer whales (*Orcinus orca*) in the Gulf of California, Mexico, 26.2, 148-150.

Gulf of Corinth

Frantzis & Herzing, Mixed-species associations of striped dolphins (*Stenella coeruleoalba*), short-beaked common dolphins (*Delphinus delphis*), and Risso's dolphins (*Grampus griseus*) in the Gulf of Corinth (Greece, Mediterranean Sea), 28.2, 188-197.

Gulf of Mexico

- Griffin & Griffin, Temporal variation in Atlantic spotted dolphin (*Stenella frontalis*) and bottlenose dolphin (*Tursiops truncatus*) densities on the west Florida continental shelf, 30.3, 380-390.
- Hubard et al., Seasonal abundance and site fidelity of bottlenose dolphins (*Tursiops truncatus*) in Mississippi Sound, 30.2, 299-310.

gunshot

Goldstein et al., Human-related injuries observed in live stranded pinnipeds along the central California coast 1986-1998, 25.1, 43-51.

habitat

- Parsons, The behavior and ecology of the Indo-Pacific humpback dolphin (*Sousa chinensis*), 30.1, 38-55.
- Griffin & Griffin, Temporal variation in Atlantic spotted dolphin (*Stenella frontalis*) and bottlenose dolphin (*Tursiops truncatus*) densities on the west Florida continental shelf, 30.3, 380-390.
- Hale et al., Comparative morphology and distribution of the *aduncus* and *truncatus* forms of bottlenose dolphin *Tursiops* in the Indian and Western Pacific Oceans, 26.2, 101-110.
- Karamanlidis et al., Habitat of the endangered Mediterranean monk seal (*Monachus monachus*) at São Lourenço-Maderia, 29.3, 400-403.

- habitat connectivity
Self-Sullivan et al., Seasonal occurrence of male Antillean manatees (*Trichechus manatus manatus*) on the Belize Barrier Reef, 29.3, 341-354.
- habitat degradation
Parra et al., The Indo-Pacific humpback dolphin, *Sousa chinensis* (Osbeck, 1765), in Australian waters: A summary of current knowledge, 30.1, 197-206.
- habitat use
Stacey & Hvenegaard, Habitat use and behaviour of Irrawaddy dolphins (*Orcaella brevirostris*) in the Mekong River of Laos, 28.1, 1-13.
- hair density
Fish et al., Fur does not fly, it floats: Buoyancy of pelage in semi-aquatic mammals, 28.2, 103-112.
- hair-plucking
Ross, The effect of a simple feeding enrichment strategy on the behaviour of two Asian small-clawed otters (*Aonyx cinerea*), 28.2, 113-120.
- hand-feeding
Santos et al., Behavioral observations of the marine tucuxi dolphin (*Sotalia fluviatilis*) in São Paulo estuarine waters, southeastern Brazil, 26.3, 260-267.
- hand-rear
Bruehler et al., Husbandry and hand-rearing of a rehabilitating California gray whale calf, 27.3, 222-227.
- harbour porpoise (*Phocoena phocoena*)
—Kastelein & van Battum, The relationship between body weight and morphological measurements in harbour porpoises (*Phocoena phocoena*) from the North Sea, 16.2, 48-52.
—Kastelein et al., The food consumption of Commerson's dolphins (*Cephalorhynchus commersonii*), 19.2, 99-121.
—Mooney et al., Target strength of a nylon monofilament and an acoustically enhanced gillnet: Predictions of biosonar detection ranges, 30.2, 220-226.
- harbour seal (*Phoca vitulina*)
—Henry & Hammill, Impact of small boats on the haulout activity of harbour seals (*Phoca vitulina*) in Métis Bay, Saint Lawrence Estuary, Québec, Canada, 27.2, 140-148.
—Jacobs & Terhune, The effectiveness of acoustic harassment devices in the Bay of Fundy, Canada: Seal reactions and a noise exposure model, 28.2, 147-158.
—Heise et al., Examining the evidence for killer whale predation on Steller sea lions in British Columbia and Alaska, 29.3, 325-334.
- harbour seal vocalization
Wahlberg et al., The source level of harbour seal flipper slaps, 28.1, 90-92.
- harem size
Galimberti & Sanvito, Modeling female haul-out in southern elephant seals (*Mirounga leonina*), 27.2, 92-104.
- harp seal (*Pagophilus groenlandicus*)
—Serrano, Plasma testosterone concentrations in captive male harp seals (*Pagophilus groenlandicus*), 27.1, 50-55.
—Moors & Terhune, Repetition patterns within harp seal (*Pagophilus groenlandicus*) underwater calls, 29.2, 278-288.
—Serrano & Miller, How vocal are harp seals (*Pagophilus groenlandicus*)? A captive study of seasonal and diel patterns, 26.3, 253-259.
—Serrano & Terhune, Stability of the underwater vocal repertoire of harp seals (*Pagophilus groenlandicus*), 28.1, 93-101.
- haul-out
—Galimberti & Sanvito, Modeling female haul-out in southern elephant seals (*Mirounga leonina*), 27.2, 92-104.
—Kastelein & Gerrits, The anatomy of the walrus head (*Odobenus rosmarus*). Part 1: The skull, 16.3, 101-119.
- Hawai'i
—Maldini, Evidence of predation by a tiger shark (*Galeocerdo cuvier*) on a spotted dolphin (*Stenella attenuata*) off O'ahu, Hawaii, 29.1, 84-87.
—Migura & Meadows, Short-finned pilot whales (*Globicephala macrorhynchus*) interact with melon-headed whales (*Peponocephala electra*) in Hawaii, 28.3, 294-297.
—Psarakos et al., Mixed-species associations between pantropical spotted dolphins (*Stenella attenuata*) and Hawaiian spinner dolphins (*Stenella longirostris*) off Oahu, Hawaii, 29.3, 390-395.
- Hawaiian spinner dolphin (*Stenella longirostris*)
—Lammers, Occurrence and behavior of Hawaiian spinner dolphins (*Stenella longirostris*) along Oahu's leeward and south shores, 30.2, 237-250.
—Psarakos et al., Mixed-species associations between Pantropical spotted dolphins (*Stenella attenuata*) and Hawaiian spinner dolphins (*Stenella longirostris*) off Oahu, Hawaii, 29.3, 390-395.
—Silva et al., Vomiting behavior of the spinner dolphin (*Stenella longirostris*) and squid meals, 30.2, 271-274.
- hearing
—Ridgway & Carder, Assessing hearing and sound production in cetaceans not available for behavioral audiograms: Experiences with sperm, pygmy sperm, and gray whales, 27.3, 267-276.
—House et al., A bandpass filter-bank model of auditory sensitivity in the humpback whale, 27.2, 82-91.
—Kastelein et al., Free field hearing tests on wild Atlantic walruses (*Odobenus rosmarus rosmarus*) in air, 19.3, 143-148.
—Klishin et al., Hearing capabilities of a beluga whale, *Delphinapterus leucas*, 26.3, 212-228.
- heavy metals
Kastelein & Lavaleije, Foreign bodies in the stomach of a female harbour porpoise (*Phocoena phocoena*) from the North Sea, 18.2, 40-46.
- Hector's beaked whale (*Mesoplodon hectori*)
Zerbini & Secchi, Occurrence of Hector's beaked whale, *Mesoplodon hectori*, in southern Brazil, 27.2, 149-153.
- Hector's dolphin (*Cephalorhynchus hectori*)
—Berghan & Visser, Vertebral column malformations in New Zealand delphinids with a review of cases world wide, 26.1, 17-25.
- herbivory
Courbis & Worthy, Opportunistic carnivory by Florida manatees (*Trichechus manatus latirostris*), 29.1, 104-107.
- herring
Rosen et al., Effect of ration size and meal frequency on assimilation and digestive efficiency in yearling Steller sea lions, *Eumetopias jubatus*, 26.1, 76-82.
- home range
Hung & Jefferson, Ranging patterns of Indo-Pacific humpback dolphins (*Sousa chinensis*) in the Pearl River Estuary, People's Republic of China, 30.1, 159-174.
- Hong Kong
—Parsons, The potential impacts of pollution on humpback dolphins, with a case study on the Hong Kong population, 30.1, 18-37.
—Goold & Jefferson, A note on clicks recorded from free-ranging Indo-Pacific humpback dolphins, *Sousa chinensis*, 30.1, 175-178.
—Hung & Jefferson, Ranging patterns of Indo-Pacific humpback dolphins (*Sousa chinensis*) in the Pearl River Estuary, People's Republic of China, 30.1, 159-174.
—Jefferson & Hung, A review of the status of the Indo-Pacific humpback dolphin (*Sousa chinensis*) in Chinese waters, 30.1, 149-158.
—Barros et al., Feeding habits of Indo-Pacific humpback dolphins (*Sousa chinensis*) stranded in Hong Kong, 30.1, 179-188.
—Barros et al., Prey of offshore bottlenose dolphins from the South China Sea, 26.1, 2-6.

- hormone concentration
Serrano, Plasma testosterone concentrations in captive male harp seals (*Pagophilus groenlandicus*), 27.1, 50-55.
- Hubb's beaked whale
Marten, Ultrasonic analysis of pygmy sperm whale (*Kogia breviceps*) and Hubb's beaked whale (*Mesoplodon carlhubbsi*) clicks, 26.1, 45-48.
- human interactions
Goldstein et al., Human-related injuries observed in live stranded pinnipeds along the central California coast 1986-1998, 25.1, 43-51.
- humpback dolphin (*Sousa chinensis*)
—Parsons, The potential impacts of pollution on humpback dolphins, with a case study on the Hong Kong population, 30.1, 18-37.
—Guissamulo & Cockcroft, Ecology and population estimates of Indo-Pacific humpback dolphins (*Sousa chinensis*) in Maputo Bay, Mozambique, 30.1, 94-102.
—Hung & Jefferson, Ranging patterns of Indo-Pacific humpback dolphins (*Sousa chinensis*) in the Pearl River Estuary, People's Republic of China, 30.1, 159-174.
—Jefferson & Hung, A review of the status of the Indo-Pacific humpback dolphin (*Sousa chinensis*) in Chinese waters, 30.1, 149-158.
—Jefferson & Van Waerebeek, Geographic variation in skull morphology of humpback dolphins (*Sousa* spp.), 30.1, 3-17.
—Sutaria & Jefferson, Records of Indo-Pacific humpback dolphins (*Sousa chinensis*, Osbeck, 1765) along the coasts of India and Sri Lanka: An overview, 30.1, 125-136.
—Atkins et al., Spatial distribution of Indo-Pacific humpback dolphins (*Sousa chinensis*) at Richards Bay, South Africa: Environmental influences and behavioural patterns, 30.1, 84-93.
—Baldwin et al., The Indo-Pacific humpback dolphin of the Arabian region: A status review, 30.1, 111-124.
—Barros et al., Feeding habits of Indo-Pacific humpback dolphins (*Sousa chinensis*) stranded in Hong Kong, 30.1, 179-188.
—Brook et al., Assessment of the reproductive cycle of the Indo-Pacific humpback dolphin, *Sousa chinensis*, using ultrasonography, 30.1, 137-148.
—Parra et al., The Indo-Pacific humpback dolphin, *Sousa chinensis* (Osbeck, 1765), in Australian waters: A summary of current knowledge, 30.1, 197-206.
—Razafindrakoto et al., Sightings, catches, and other records of Indo-Pacific humpback dolphins in the coastal waters of Madagascar, 30.1, 103-110.
—Wang et al., Records of Indo-Pacific humpback dolphins, *Sousa chinensis* (Osbeck, 1765), from the waters of western Taiwan, 30.1, 189-196.
- humpback whales (*Megaptera novaeangliae*)
—Gannier, The large-scale distribution of humpback whales (*Megaptera novaeangliae*) wintering in French Polynesia during 1997-2002, 30.2, 227-236.
—Houser et al., A bandpass filter-bank model of auditory sensitivity in the humpback whale, 27.2, 82-91.
—Maeda et al., Principal component analysis of song units produced by humpback whales (*Megaptera novaeangliae*) in the Ryukyu region of Japan, 26.3, 202-211.
—Mercado III et al., Stereotypical sound patterns in humpback whale songs: Usage and function, 29.1, 37-52.
—Ohizum et al., Winter sightings of humpback and Bryde's whales in tropical waters of the western and central North Pacific, 28.1, 73-77.
—Pack et al., Penis extrusions by humpback whales (*Megaptera novaeangliae*), 28.2, 131-146.
—Wedekin et al., Rough-toothed dolphins (*Steno bredanensis*) catch diskfishes while interacting with humpback whales (*Megaptera novaeangliae*) off Abrolhos bank breeding ground, southwest Atlantic, 30.2, 327-329.
- husbandry
—Bruehler et al., Husbandry and hand-rearing of a rehabilitating California gray whale calf, 27.3, 222-227.
—Colbert et al., Husbandry and research training of two Florida manatees (*Trichechus manatus latirostris*), 27.1, 16-23.
- hybrid
—Yazdi, A possible hybrid between the dusky dolphin (*Lagenorhynchus obscurus*) and the southern right whale dolphin (*Lissodelphis peronii*), 28.2, 211-217.
—Herzing et al., Interspecies interactions between Atlantic spotted dolphins, *Stenella frontalis* and bottlenose dolphins, *Tursiops truncatus*, on Great Bahama Bank, Bahamas, 29.3, 335-341.
- hydrophone
Gannier, Diel variations of the striped dolphin distribution off the French Riviera (northwestern Mediterranean Sea), 25.2, 123-134.
- hyoid
Werth, Functional morphology of the sperm whale (*Physeter macrocephalus*) tongue, with reference to suction feeding, 30.3, 405-418.
- Hyperoglyphe antarchia*
Visser, Killer whale (*Orcinus orca*) interactions with longline fisheries in New Zealand waters, 26.3, 241-252.
- hypoglycemia
Reidarson et al., Medical and nutritional aspects of a rehabilitating California gray whale calf, 27.3, 215-221.
- icterus
Feinholz & Atkinson, Possible aetiologies of yellow coloration in dolphin calves, 26.3, 191-195.
- imitation
Pace, Fluke-made bubble rings as toys in bottlenose dolphin calves (*Tursiops truncatus*), 26.1, 57-64.
- incidental mortality
Razafindrakoto et al., Sightings, catches, and other records of Indo-Pacific humpback dolphins in the coastal waters of Madagascar, 30.1, 103-110.
- incidental take
Parra et al., The Indo-Pacific humpback dolphin, *Sousa chinensis* (Osbeck, 1765), in Australian waters: A summary of current knowledge, 30.1, 197-206.
- India
Sutaria & Jefferson, Records of Indo-Pacific humpback dolphins (*Sousa chinensis*, Osbeck, 1765) along the coasts of India and Sri Lanka: An overview, 30.1, 125-136.
- Indian River
Courbis & Worthy, Opportunistic carnivory by Florida manatees (*Trichechus manatus latirostris*), 29.1, 104-107.
- Indian River Lagoon
Noke, The association of echeneids with bottlenose dolphins (*Tursiops truncatus*) in the Indian River Lagoon, Florida, USA, 30.2, 296-298.
- individual variability
Müller & Bossley, Solitary bottlenose dolphins in comparative perspective, 28.3, 298-307.
- Indo-Pacific humpback dolphin (*Sousa chinensis*)
—Parsons, The behavior and ecology of the Indo-Pacific humpback dolphin (*Sousa chinensis*), 30.1, 38-55.
—Parsons, The potential impacts of pollution on humpback dolphins, with a case study on the Hong Kong population, 30.1, 18-37.
—Goold & Jefferson, A note on clicks recorded from free-ranging Indo-Pacific humpback dolphins, *Sousa chinensis*, 30.1, 175-178.
—Jefferson & Hung, A review of the status of the Indo-Pacific humpback dolphin (*Sousa chinensis*) in Chinese waters, 30.1, 149-158.

- Sutaria & Jefferson, Records of Indo-Pacific humpback dolphins (*Sousa chinensis*, Osbeck, 1765) along the coasts of India and Sri Lanka: An overview, 30.1, 125-136.
- Atkins et al., Spatial distribution of Indo-Pacific humpback dolphins (*Sousa chinensis*) at Richards Bay, South Africa: Environmental influences and behavioural patterns, 30.1, 84-93.
- Brook et al., Assessment of the reproductive cycle of the Indo-Pacific humpback dolphin, *Sousa chinensis*, using ultrasonography, 30.1, 137-148.
- Parra et al., The Indo-Pacific humpback dolphin, *Sousa chinensis* (Osbeck, 1765), in Australian waters: A summary of current knowledge, 30.1, 197-206.
- Razafindrakoto et al., Sightings, catches, and other records of Indo-Pacific humpback dolphins in the coastal waters of Madagascar, 30.1, 103-110.
- Wang et al., Records of Indo-Pacific humpback dolphins, *Sousa chinensis* (Osbeck, 1765), from the waters of western Taiwan, 30.1, 189-196.
- Indonesia**
- Kreb & Rahadi, Living under an aquatic freeway: Effects of boats on Irrawaddy dolphins (*Orcaella brevirostris*) in a coastal and riverine environment in Indonesia, 30.3, 363-375.
- initial passage time**
- Kastelein et al., Food consumption, food passage time, and body measurements of captive Atlantic bottlenose dolphins (*Tursiops truncatus*), 29.1, 53-66.
- Kastelein et al., Food consumption, growth, body dimensions, and respiration rates of captive false killer whales (*Pseudorca crassidens*), 26.1, 33-44.
- inner ears**
- Soltseva, Development of the auditory organ in terrestrial, semi-aquatic, and aquatic mammals, 25.2, 135-148.
- interaction**
- Parsons, The behavior and ecology of the Indo-Pacific humpback dolphin (*Sousa chinensis*), 30.1, 38-55.
- Migura & Meadows, Short-finned pilot whales (*Globicephala macrorhynchus*) interact with melon-headed whales (*Peponocephala electra*) in Hawaii, 28.3, 294-297.
- interactions with humans**
- Ritter, Behavioural observations of rough-toothed dolphins (*Steno bredanensis*) off La Gomera, Canary Islands (1995-2000), with special reference to their interactions with humans, 28.1, 46-59.
- interspecies interaction**
- Herzing et al., Interspecies interactions between Atlantic spotted dolphins, *Stenella frontalis* and bottlenose dolphins, *Tursiops truncatus*, on Great Bahama Bank, Bahamas, 29.3, 335-341.
- interspecific**
- Psarakos et al., Mixed-species associations between pantropical spotted dolphins (*Stenella attenuata*) and Hawaiian spinner dolphins (*Stenella longirostris*) off Oahu, Hawaii, 29.3, 390-395.
- interspecific interaction**
- Yazdi, A possible hybrid between the dusky dolphin (*Lagenorhynchus obscurus*) and the southern right whale dolphin (*Lissodelphis peronii*), 28.2, 211-217.
- Wedekin et al., An aggressive interaction between bottlenose dolphins (*Tursiops truncatus*) and estuarine dolphins (*Sotalia guianensis*) in southern Brazil, 30.3, 391-397.
- Wedekin et al., Rough-toothed dolphins (*Steno bredanensis*) catch diskfishes while interacting with humpback whales (*Megaptera novaeangliae*) off Abrolhos bank breeding ground, southwest Atlantic, 30.2, 327-329.
- invertebrates**
- Courbis & Worthy, Opportunistic carnivory by Florida manatees (*Trichechus manatus latirostris*), 29.1, 104-107.
- Irrawaddy dolphin (*Orcaella brevirostris*)**
- Kreb & Rahadi, Living under an aquatic freeway: Effects of boats on Irrawaddy dolphins (*Orcaella brevirostris*) in a coastal and riverine environment in Indonesia, 30.3, 363-375.
- Parra & Corkeron, Feasibility of using photo-identification techniques to study the Irrawaddy dolphin, *Orcaella brevirostris* (Owen in Gray 1866), 27.1, 45-49.
- Stacey & Hvenegaard, Habitat use and behaviour of Irrawaddy dolphins (*Orcaella brevirostris*) in the Mekong River of Laos, 28.1, 1-13.
- Isla del Coco**
- Acevedo-Gutiérrez & Stienessen, Bottlenose dolphins (*Tursiops truncatus*) increase number of whistles when feeding, 30.3, 357-362.
- Japan**
- Maeda et al., Principal component analysis of song units produced by humpback whales (*Megaptera novaeangliae*) in the Ryukyu region of Japan, 26.3, 202-211.
- jaundice**
- Feinholz & Atkinson, Possible aetiologies of yellow coloration in dolphin calves, 26.3, 191-195.
- kerplunking**
- Neumann & Orams, Feeding behaviours of short-beaked common dolphins, *Delphinus delphis*, in New Zealand, 29.1, 137-149.
- killer whale (*Orcinus orca*)**
- Bisther, Intergroup interactions among killer whales in Norwegian coastal waters; tolerance vs. aggression at feeding grounds, 28.1, 14-23.
- Iñíguez, Seasonal distribution of killer whales (*Orcinus orca*) in northern Patagonia, Argentina, 27.2, 154-161.
- Visser, Killer whale (*Orcinus orca*) interactions with longline fisheries in New Zealand waters, 26.3, 241-252.
- Berghan & Visser, Vertebral column malformations in New Zealand delphinids with a review of cases world wide, 26.1, 17-25.
- Guerrero-Ruiz & Urbán R., First report of remoras on two killer whales (*Orcinus orca*) in the Gulf of California, Mexico, 26.2, 148-150.
- Reyes & García-Borboroglu, Killer whale (*Orcinus orca*) predation on sharks in Patagonia, Argentina: A first report, 30.3, 376-379.
- Visser & Bonaccorso, New observations and a review of killer whale (*Orcinus orca*) sightings in Papua New Guinea waters, 29.1, 150-172.
- Visser & Fertl, Stranding, resighting, and boat strike of a killer whale (*Orcinus orca*) off New Zealand, 26.3, 232-240.
- Duignan et al., Stingray spines: A potential cause of killer whale mortality in New Zealand, 26.2, 143-147.
- Heise et al., Examining the evidence for killer whale predation on Steller sea lions in British Columbia and Alaska, 29.3, 325-334.
- Kastelein et al., Food consumption of a captive female killer whale (*Orcinus orca*), 26.2, 127-131.
- Marten et al., The acoustic predation hypothesis: Linking underwater observations and recordings during odontocete predation and observing the effects of loud impulsive sounds on fish, 27.1, 56-66.
- Pitman et al., Killer whales (*Orcinus orca*) attack a school of pantropical spotted dolphins (*Stenella attenuata*) in the Gulf of Mexico, 29.3, 321-324.
- Visser et al., Killer whale (*Orcinus orca*) predation on a shortfin mako shark (*Isurus oxyrinchus*) in New Zealand waters, 26.3, 229-231.
- Kogia sinus**
- Manire et al., An approach to the rehabilitation of *Kogia* spp., 30.2, 257-270.

- kyphoscoliosis
 —Berghan & Visser, Vertebral column malformations in New Zealand delphinids with a review of cases world wide, 26.1, 17-25.
 —Watson et al., Thoracolumbar kyphoscoliosis and compression fracture of a thoracic vertebra in a captive bottlenose dolphin (*Tursiops truncatus*), 30.2, 275-278.
- kyphosis
 Berghan & Visser, Vertebral column malformations in New Zealand delphinids with a review of cases world wide, 26.1, 17-25.
- La Gomera
 Ritter, Behavioural observations of rough-toothed dolphins (*Steno bredanensis*) off La Gomera, Canary Islands (1995-2000), with special reference to their interactions with humans, 28.1, 46-59.
- lactation
 —Kastelein et al., Effective mass transfer in a suckling grey seal (*Halichoerus grypus*), 20.1, 11-27.
 —Kastelein et al., Information on the biology of Commerson's dolphins (*Cephalorhynchus commersonii*), 19.1, 13-19.
 —Kastelein et al., The food consumption of Commerson's dolphins (*Cephalorhynchus commersonii*), 19.2, 99-121.
- Lagenorhynchus*
 Van Waerebeek et al., Helminth parasites and phoronts of dusky dolphins *Lagenorhynchus obscurus* (Gray, 1828) from Peru, 19.3, 159-169.
- Lagenorhynchus australis*
 Pinedo et al., Northernmost records of the spectacled porpoise, Layard's beaked whale, Commerson's dolphin, and Peale's dolphin in the southwestern Atlantic Ocean, 28.1, 32-37.
- land-based observations
 Magalhães et al., Short-term reactions of sperm whales (*Physeter macrocephalus*) to whale-watching vessels in the Azores, 28.3, 267-274.
- Laos
 Stacey & Hvenegaard, Habitat use and behaviour of Irrawaddy dolphins (*Orcaella brevirostris*) in the Mekong River of Laos, 28.1, 1-13.
- large intestine contents
 Yonezaki et al., An enema technique to collect dietary information from northern fur seals (*Callorhinus ursinus*) at sea, 30.2, 284-288.
- Latin name
 Ranneft et al., A guide to the pronunciation and meaning of cetacean taxonomic names, 27.2, 183-195.
- lead
 Kastelein & Lavaleije, Foreign bodies in the stomach of a female harbour porpoise (*Phocoena phocoena*) from the North Sea, 18.2, 40-46.
- learning
 Colbert et al., Husbandry and research training of two Florida manatees (*Trichechus manatus latirostris*), 27.1, 16-23.
- line-transect
 Hubard et al., Seasonal abundance and site fidelity of bottlenose dolphins (*Tursiops truncatus*) in Mississippi Sound, 30.2, 299-310.
- literature survey
 Sutaria & Jefferson, Records of Indo-Pacific humpback dolphins (*Sousa chinensis*, Osbeck, 1765) along the coasts of India and Sri Lanka: An overview, 30.1, 125-136.
- live capture
 Yonezaki et al., An enema technique to collect dietary information from northern fur seals (*Callorhinus ursinus*) at sea, 30.2, 284-288.
- long-beaked common dolphins (*Delphinus capensis*)
 —Bernal et al., Occurrence and long-term residency of two, *Delphinus capensis* (Gray 1828), in adjacent small bays on the Chilean central coast, 29.3, 396-399.
 —Santos et al., Insights on small cetacean feeding habits in southeastern Brazil, 28.1, 38-45.
- longline predation
 Visser, Killer whale (*Orcinus orca*) interactions with longline fisheries in New Zealand waters, 26.3, 241-252.
- lordosis
 Berghan & Visser, Vertebral column malformations in New Zealand delphinids with a review of cases world wide, 26.1, 17-25.
- lung
 Brown & Butler, The absolute necessity of chest-wall collapse during diving in breath-hold diving mammals, 26.1, 26-32.
- lung histology
 Knieriem & Garcia Hartmann, Comparative histopathology of lungs from by-caught Atlantic white-sided dolphins (*Leucopleurus acutus*), 27.2, 73-81.
- Machalilla National Park
 Castro, Encounter with a school of pygmy killer whales (*Feresa attenuata*) in Ecuador, Southeast Tropical Pacific, 30.3, 441-444.
- Madeira
 Karamanlidis et al., Habitat of the endangered Mediterranean monk seal (*Monachus monachus*) at São Lourenço-Maderia, 29.3, 400-403.
- Magnetic Resonance Imaging
 Marino et al., Anatomical description of an infant bottlenose dolphin (*Tursiops truncatus*) brain from Magnetic Resonance Images, 30.2, 315-326.
- male interactions
 Fernández-Juricic et al., Variations in the arrangement of South American sea lion (*Otaria flavescens*) male vocalizations during the breeding season: patterns and contexts, 29.2, 289-296.
- mammals
 —Bisther, Intergroup interactions among killer whales in Norwegian coastal waters; tolerance vs. aggression at feeding grounds, 28.1, 14-23.
 —Brown & Butler, The absolute necessity of chest-wall collapse during diving in breath-hold diving mammals, 26.1, 26-32.
 —Insley et al., A review of social recognition in pinnipeds, 29.2, 181-201.
- management
 —Parra et al., The Indo-Pacific humpback dolphin, *Sousa chinensis* (Osbeck, 1765), in Australian waters: A summary of current knowledge, 30.1, 197-206.
 —Van Waerebeek et al., Distribution, status, and biology of the Atlantic humpback dolphin, *Sousa teuszii* (Kükenthal, 1892), 30.1, 56-83.
- management procedure
 Grellier & Wilson, Bottlenose dolphins using the Sound of Barra, Scotland, 29.3, 378-382.
- manatee (*Trichechus manatus latirostris*)
 —Courbis & Worthy, Opportunistic carnivory by Florida manatees (*Trichechus manatus latirostris*), 29.1, 104-107.
 —Bossart et al., Pathological features of the Florida manatee cold stress syndrome, 29.1, 9-17.
 —Colbert et al., Husbandry and research training of two Florida manatees (*Trichechus manatus latirostris*), 27.1, 16-23.
 —Vergara-Parente et al., Salmonellosis in an Antillean manatee (*Trichechus manatus manatus*) calf: A fatal case, 29.1, 131-136.
- Maputo Bay
 Guissamulo & Cockcroft, Ecology and population estimates of Indo-Pacific humpback dolphins (*Sousa chinensis*) in Maputo Bay, Mozambique, 30.1, 94-102.

- marine debris
Tarpley & Marwitz, Plastic debris ingestion by cetaceans along the Texas coast: Two case reports, 19.2, 93-98.
- marine mammal acoustics
Wahlberg et al., The source level of harbour seal flipper slaps, 28.1, 90-92.
- marine mammals
—Goldblatt, Behavioural needs of captive marine mammals, 19.3, 149-157.
—Nelson & Lien, Behaviour patterns of two captive Atlantic white-sided dolphins, *Lagenorhynchus acutus*, 20.1, 1-20.
- marine vertebrate
Hillman et al., Computer-assisted photo-identification of individual marine vertebrates: A multi-species system, 29.1, 117-123.
- mark-recapture
Grellier & Wilson, Bottlenose dolphins using the Sound of Barra, Scotland, 29.3, 378-382.
- Marquesas Islands
Gannier, Cetaceans of the Marquesas Islands (French Polynesia): Distribution and relative abundance as obtained from a small boat dedicated survey, 28.2, 198-210.
- masking
Southall et al., Acoustic communication ranges for northern elephant seals (*Mirounga angustirostris*), 29.2, 202-213.
- mass stranding
Wiley et al., Rescue and release of mass stranded cetaceans from beaches on Cape Cod, Massachusetts, USA, 1990-1999: A review of some response actions, 27.2, 162-171.
- mate-guarding
Dudzinski et al., Behavioural observations of bottlenose dolphins towards two dead conspecifics, 29.1, 108-116.
- mating
Van Parijs, Aquatic mating in pinnipeds: A review, 29.2, 214-226.
- mating relationships
Fedorowicz et al., Food sharing in wild bottlenose dolphins, 29.3, 355-359.
- mating season
García-Aguilar et al., Breeding season of the California sea lion (*Zalophus californianus*) in the Gulf of California, Mexico, 29.1, 67-76.
- mating systems
—Rogers, Factors influencing the acoustic behaviour of male phocid seals, 29.2, 247-260.
—Stirling & Thomas, Relationships between underwater vocalizations and mating systems in phocid seals, 29.2, 227-246.
- mechanics
Brown & Butler, The absolute necessity of chest-wall collapse during diving in breath-hold diving mammals, 26.1, 26-32.
- Mediterranean monk seal (*Monachus monachus*)
Karamanlidis et al., Habitat of the endangered Mediterranean monk seal (*Monachus monachus*) at São Lourenço-Maderia, 29.3, 400-403.
- Mediterranean Sea
—Gannier, Diel variations of the striped dolphin distribution off the French Riviera (northwestern Mediterranean Sea), 25.2, 123-134.
—Frantzis & Herzing, Mixed-species associations of striped dolphins (*Stenella coeruleoalba*), short-beaked common dolphins (*Delphinus delphis*), and Risso's dolphins (*Grampus griseus*) in the Gulf of Corinth (Greece, Mediterranean Sea), 28.2, 188-197.
—Drouot et al., Diving and feeding behaviour of sperm whales (*Physeter macrocephalus*) in the northwestern Mediterranean Sea, 30.3, 409-426.
- Mekong River
Stacey & Hvenegaard, Habitat use and behaviour of Irrawaddy dolphins (*Orcaella brevirostris*) in the Mekong River of Laos, 28.1, 1-13.
- melon-headed whale (*Peponocephala electra*)
Migura & Meadows, Short-finned pilot whales (*Globicephala macrorhynchus*) interact with melon-headed whales (*Peponocephala electra*) in Hawaii, 28.3, 294-297.
- mercury
Kastelein & Lavaleije, Foreign bodies in the stomach of a female harbour porpoise (*Phocoena phocoena*) from the North Sea, 18.2, 40-46.
- mesogeographic ranges
Abgrall et al., Variation of Weddell seal (*Leptonychotes weddellii*) underwater vocalizations over mesogeographic ranges, 29.2, 268-277.
- Mesoplodon*
Santos et al., A Gervais' beaked whale (*Mesoplodon europaeus*) washed ashore in southeastern Brazil: Extra limital record?, 29.3, 404-410.
- Mesoplodon layardii*
Pinedo et al., Northernmost records of the spectacled porpoise, Layard's beaked whale, Commerson's dolphin, and Peale's dolphin in the southwestern Atlantic Ocean, 28.1, 32-37.
- metabolism
Kastelein et al., Information on the biology of Commerson's dolphins (*Cephalorhynchus commersonii*), 19.1, 13-19.
- Mexican Pacific
García-Aguilar, Breeding biology of the northern elephant seal (*Mirounga angustirostris*) at the Isla San Benito del Oeste, Eastern Pacific, Mexico, 30.2, 289-295.
- Mexico
Olivera-Gómez & Mellink, Spatial and temporal variation in counts of the Antillean manatee (*Trichechus m. manatus*) during distribution surveys at Bahia de Chetumal, Mexico, 28.3, 285-293.
- middle ear
Solntseva, Development of the auditory organ in terrestrial, semi-aquatic, and aquatic mammals, 25.2, 135-148.
- middle ear ossicles
Solntseva, Development of the auditory organ in terrestrial, semi-aquatic, and aquatic mammals, 25.2, 135-148.
- Middle East
Baldwin et al., The Indo-Pacific humpback dolphin of the Arabian region: A status review, 30.1, 111-124.
- migration
Tsutsui et al., Pacific white-sided dolphins (*Lagenorhynchus obliquidens*) with anomalous colour patterns in Volcano Bay, Hokkaido, Japan, 27.2, 172-182.
- migration
Stewart et al., Post-release monitoring and tracking of a rehabilitated California gray whale, 27.3, 294-300.
- milk formula
Reidarson et al., Medical and nutritional aspects of a rehabilitating California gray whale calf, 27.3, 215-221.
- minke whale (*Balaenoptera acutorostrata*)
—Tarpley & Marwitz, Plastic debris ingestion by cetaceans along the Texas coast: Two case reports, 19.2, 93-98.
—Verriopoulou et al., First report of a minke whale (*Balaenoptera acutorostrata* Lacépède, 1804) in Hellenic waters, 27.2, 137-139.
- Mississippi Sound
Hubard et al., Seasonal abundance and site fidelity of bottlenose dolphins (*Tursiops truncatus*) in Mississippi Sound, 30.2, 299-310.

- mixed-species group
Frantzis & Herzing, Mixed-species associations of striped dolphins (*Stenella coeruleoalba*), short-beaked common dolphins (*Delphinus delphis*), and Risso's dolphins (*Grampus griseus*) in the Gulf of Corinth (Greece, Mediterranean Sea), 28.2, 188-197.
- models
Galimberti & Sanvito, Modeling female haul-out in southern elephant seals (*Mirounga leonina*), 27.2, 92-104.
- morbillivirus
Kastelein & Lavaleije, Foreign bodies in the stomach of a female harbour porpoise (*Phocoena phocoena*) from the North Sea, 18.2, 40-46.
- morphology
— Werth, Functional morphology of the sperm whale (*Physeter macrocephalus*) tongue, with reference to suction feeding, 30.3, 405-418.
— Hale et al., Comparative morphology and distribution of the *aduncus* and *truncatus* forms of bottlenose dolphin *Tursiops* in the Indian and Western Pacific Oceans, 26.2, 101-110.
- morphometrics
Jefferson & Van Waerebeek, Geographic variation in skull morphology of humpback dolphins (*Sousa* spp.), 30.1, 3-17.
- mortality
— Aliaga-Rossel, Distribution and abundance of the river dolphin (*Inia geoffrensis*) in the Tijamuchi River, Beni, Bolivia, 28.3, 312-323.
— Bossart et al., Pathologic findings in Florida manatees (*Trichechus manatus latirostris*), 30.3, 433-440.
— Bossart et al., Pathological features of the Florida manatee cold stress syndrome, 29.1, 9-17.
— Vergara-Parente et al., Salmonellosis in an Antillean manatee (*Trichechus manatus manatus*) calf: A fatal case, 29.1, 131-136.
- Morus serrator*
Neumann & Orams, Feeding behaviours of short-beaked common dolphins, *Delphinus delphis*, in New Zealand, 29.1, 137-149.
- mother-calf interaction
Fedorowicz et al., Food sharing in wild bottlenose dolphins, 29.3, 355-359.
- movements
— Gannier, Diel variations of the striped dolphin distribution off the French Riviera (northwestern Mediterranean Sea), 25.2, 123-134.
— Harzen, Use of an electronic theodolite in the study of movements of the bottlenose dolphin (*Tursiops truncatus*) in the Sado Estuary, Portugal, 28.3, 251-260.
— Grellier & Wilson, Bottlenose dolphins using the Sound of Barra, Scotland, 29.3, 378-382.
— Hung & Jefferson, Ranging patterns of Indo-Pacific humpback dolphins (*Sousa chinensis*) in the Pearl River Estuary, People's Republic of China, 30.1, 159-174.
— Jaquet & Whitehead, Movements, distribution and feeding success of sperm whales in the Pacific Ocean, over scales of days and tens of kilometers, 25.1, 1-13.
— Van Waerebeek et al., Distribution, status, and biology of the Atlantic humpback dolphin, *Sousa teuszii* (Kükenthal, 1892), 30.1, 56-83.
- Mozambique
Guissamulo & Cockcroft, Ecology and population estimates of Indo-Pacific humpback dolphins (*Sousa chinensis*) in Maputo Bay, Mozambique, 30.1, 94-102.
- multiple element
Moors & Terhune, Repetition patterns within harp seal (*Pagophilus groenlandicus*) underwater calls, 29.2, 278-288.
- museum specimens
Kompanje, Differences between spondylo-osteomyelitis and spondylitis deformans in small odontocetes based on museum material, 21.3, 199-203.
- myology
Werth, Functional morphology of the sperm whale (*Physeter macrocephalus*) tongue, with reference to suction feeding, 30.3, 405-418.
- mysticete
— Heyning, Thermoregulation in feeding baleen whales: Morphological and physiological evidence, 27.3, 284-288.
— Mercado III et al., Stereotypical sound patterns in humpback whale songs: Usage and function, 29.1, 37-52.
- neonate
Kastelein et al., Effective mass transfer in a suckling grey seal (*Halichoerus grypus*), 20.1, 11-27.
- neuroanatomy
Marino et al., Anatomical description of an infant bottlenose dolphin (*Tursiops truncatus*) brain from Magnetic Resonance Images, 30.2, 315-326.
- New Zealand
— Neumann & Orams, Feeding behaviours of short-beaked common dolphins, *Delphinus delphis*, in New Zealand, 29.1, 137-149.
— Visser & Fertl, Stranding, resighting, and boat strike of a killer whale (*Orcinus orca*) off New Zealand, 26.3, 232-240.
- noise
Madsen et al., Male sperm whale behaviour during exposures to distant seismic survey pulses, 28.3, 231-240.
- North Pacific
— Gendron et al., North Pacific right whale (*Eubalaena glacialis*) sighting South of Baja California, 25.1, 31-34.
— Ohizumi et al., Winter sightings of humpback and Bryde's whales in tropical waters of the western and central North Pacific, 28.1, 73-77.
- North Pacific right whale (*Eubalaena glacialis*)
Gendron et al., North Pacific right whale (*Eubalaena glacialis*) sighting South of Baja California, 25.1, 31-34.
- northern anchovy
Marten et al., The acoustic predation hypothesis: Linking underwater observations and recordings during odontocete predation and observing the effects of loud impulsive sounds on fish, 27.1, 56-66.
- northern bottlenose whale (*Hyperoodon ampullatus*)
Kastelein & Gerrits, Swimming, diving, and respiration patterns of a northern bottlenose whale (*Hyperoodon ampullatus*, Forster, 1770), 17.1, 20-30.
- northern elephant seal (*Mirounga angustirostris*)
García-Aguilar, Breeding biology of the northern elephant seal (*Mirounga angustirostris*) at the Isla San Benito del Oeste, Eastern Pacific, Mexico, 30.2, 289-295.
- northern fur seal (*Callorhinus ursinus*)
— Trites, Northern fur seals: Why have they declined?, 18.1, 3-18.
— Yonezak et al., An enema technique to collect dietary information from northern fur seals (*Callorhinus ursinus*) at sea, 30.2, 284-288.

- northernmost records
Pinedo et al., Northernmost records of the spectacled porpoise, Layard's beaked whale, Commerson's dolphin, and Peale's dolphin in the southwestern Atlantic Ocean, 28.1, 32-37.
- nutrition
—Kastelein et al., Food consumption, food passage time, and body measurements of captive Atlantic bottlenose dolphins (*Tursiops truncatus*), 29.1, 53-66.
—Kastelein et al., Food consumption of a captive female killer whale (*Orcinus orca*), 26.2, 127-131.
- Oahu
Lammers, Occurrence and behavior of Hawaiian spinner dolphins (*Stenella longirostris*) along Oahu's leeward and south shores, 30.2, 237-250.
- occurrence
—Silva & Sequeira, Patterns in the mortality of common dolphins (*Delphinus delphis*) on the Portuguese coast, using stranding records, 1975-1998, 29.1, 88-98.
—Campbell et al., Bottlenose dolphins (*Tursiops truncatus*) in Turneffe Atoll, Belize: Occurrence, site fidelity, group size, and abundance, 28.2, 170-180.
—Silva et al., Occurrence and distribution of cetaceans in the waters around the Azores (Portugal), summer and autumn 1999-2000, 29.1, 77-83.
- odobenidae
Sjare et al., Structural variation in the songs of Atlantic walrus breeding in the Canadian high Arctic, 29.2, 297-318.
- odontocete
—Kompanje, Differences between spondylo-osteomyelitis and spondylolysis deformans
—Bjerager et al., Anatomy of the eye of the sperm whale (*Physeter macrocephalus* L.), 29.1, 31-36.
—Kastelein et al., Food consumption, food passage time, and body measurements of captive Atlantic bottlenose dolphins (*Tursiops truncatus*), 29.1, 53-66.
—Kastelein et al., Food consumption, growth, body dimensions, and respiration rates of captive false killer whales (*Pseudorca crassidens*), 26.1, 33-44.
—Kastelein et al., Food consumption of a captive female killer whale (*Orcinus orca*), 26.2, 127-131.
in small odontocetes based on museum material, 21.3, 199-203.
—Moore et al., Cetacean surveys in the Cape Verde Islands and the use of cookiecutter shark bite lesions as a population marker for fin whales, 29.3, 383-389.
- offshore bottlenose dolphin
Barros et al., Prey of offshore bottlenose dolphins from the South China Sea, 26.1, 2-6.
- olefaction
Insley et al., A review of social recognition in pinnipeds, 29.2, 181-201.
- Oman
Baldwin et al., The Indo-Pacific humpback dolphin of the Arabian region: A status review, 30.1, 111-124.
- orca
Kastelein et al., Food consumption of a captive female killer whale (*Orcinus orca*), 26.2, 127-131.
- Organ of Corti
—Solntseva, Development of the auditory organ in terrestrial, semi-aquatic, and aquatic mammals, 25.2, 135-148.
—Solntseva, Early embryogenesis of the vestibular apparatus in mammals with different ecologies, 28.2, 159-169.
- organochlorine
Parsons, The potential impacts of pollution on humpback dolphins, with a case study on the Hong Kong population, 30.1, 18-37.
- orientation
Kastelein & Gerrits, Swimming, diving, and respiration patterns of a northern bottlenose whale (*Hyperoodon ampullatus*, Forster, 1770), 17.1, 20-30.
- orphan calves
Manire et al., An approach to the rehabilitation of *Kogia* spp., 30.2, 257-270.
- osteology
Zerbini & Secchi, Occurrence of Hector's beaked whale, *Mesoplodon hectori*, in southern Brazil, 27.2, 149-153.
- Otariidae
Capella et al., Regular appearance of otariid pinnipeds along the Colombian Pacific coast, 28.1, 67-72.
- otters (*Aonyx cinerea*)
Ross, The effect of a simple feeding enrichment strategy on the behaviour of two Asian small-clawed otters (*Aonyx cinerea*), 28.2, 113-120.
- outer ear
Solntseva, Development of the auditory organ in terrestrial, semi-aquatic, and aquatic mammals, 25.2, 135-148.
- ovarian cycle
Brook et al., Assessment of the reproductive cycle of the Indo-Pacific humpback dolphin, *Sousa chinensis*, using ultrasonography, 30.1, 137-148.
- ovaries
Brook et al., Assessment of the reproductive cycle of the Indo-Pacific humpback dolphin, *Sousa chinensis*, using ultrasonography, 30.1, 137-148.
- ovulation rate
Holst & Stirling, A comparison of ringed seal (*Phoca hispida*) biology on the east and west sides of the North Water Polynya, Baffin Bay, 28.3, 221-230.
- oxygen extraction
Sumich, Direct and indirect measures of oxygen extraction, tidal lung volumes and respiratory rates in a rehabilitating gray whale calf, 27.3, 279-283.
- Pacific
Van Waerebeek et al., Helminth parasites and phoronts of dusky dolphins *Lagenorhynchus obscurus* (Gray, 1828) from Peru, 19.3, 159-169.
- Pacific coast of central Japan
Ohizumi & Kishiro, Stomach contents of a Cuvier's beaked whale (*Ziphius cavirostris*) stranded on the central Pacific coast of Japan, 29.1, 99-103.
- Pacific white-sided dolphins (*Lagenorhynchus obliquidens*)
Tsutsui et al., Pacific white-sided dolphins (*Lagenorhynchus obliquidens*) with anomalous colour patterns in Volcano Bay, Hokkaido, Japan, 27.2, 172-182.
- PAH
Parsons, The potential impacts of pollution on humpback dolphins, with a case study on the Hong Kong population, 30.1, 18-37.
- Panamá Bight
Capella et al., Regular appearance of otariid pinnipeds along the Colombian Pacific coast, 28.1, 67-72.
- pantropical spotted dolphin (*Stenella attenuata*)
Pitman et al., Killer whales (*Orcinus orca*) attack a school of pantropical spotted dolphins in the Gulf of Mexico, 29.3, 321-324.
- Papua New Guinea
Visser & Bonaccorso, New observations and a review of killer whale (*Orcinus orca*) sightings in Papua New Guinea waters, 29.1, 150-172.
- paradoxical sleep
Lyamin et al., Behavioral sleep in captive sea otters, 26.2, 132-136.

- parasites
Rosas et al., The striped dolphin, *Stenella coeruleoalba* (Cetacean:Delphinidae), on the coast of São Paulo State, southeastern Brazil, 28.1, 60-66.
- Patagonia
Reyes & García-Borboroglu, Killer whale (*Orcinus orca*) predation on sharks in Patagonia, Argentina: A first report, 30.3, 376-379.
- pathology
—Bossart et al., Pathologic findings in Florida manatees (*Trichechus manatus latirostris*), 30.3, 433-440.
—Bossart et al., Pathological features of the Florida manatee cold stress syndrome, 29.1, 9-17.
- pattern
Moors & Terhune, Repetition patterns within harp seal (*Pagophilus groenlandicus*) underwater calls, 29.2, 278-288.
- Pearl River Estuary
Hung & Jefferson, Ranging patterns of Indo-Pacific humpback dolphins (*Sousa chinensis*) in the Pearl River Estuary, People's Republic of China, 30.1, 159-174.
- peduncle keel
Neumann et al., Identifying sexually mature, male short-beaked common dolphins (*Delphinus delphis*) at sea, based on the presence of a postanal hump, 28.2, 181-187.
- pelagic squid prey
Silva et al., Vomiting behavior of the spinner dolphin (*Stenella longirostris*) and squid meals, 30.2, 271-274.
- penis
Pack et al., Penis extrusions by humpback whales (*Megaptera novaeangliae*), 28.2, 131-146.
- percussive sounds
Wahlberg et al., The source level of harbour seal flipper slaps, 28.1, 90-92.
- peripheral auditory system
Solntseva, Development of the auditory organ in terrestrial, semi-aquatic, and aquatic mammals, 25.2, 135-148.
- Persian Gulf
Baldwin et al., The Indo-Pacific humpback dolphin of the Arabian region: A status review, 30.1, 111-124.
- Peru
Van Waerebeek et al., Helminth parasites and phoronts of dusky dolphins *Lagenorhynchus obscurus* (Gray, 1828) from Peru, 19.3, 159-169.
- phocid
Stirling & Thomas, Relationships between underwater vocalizations and mating systems in phocid seals, 29.2, 227-246.
- phocid seals
Rogers, Factors influencing the acoustic behaviour of male phocid seals, 29.2, 247-260.
- Phocoena*
Kastelein & Lavaleije, Foreign bodies in the stomach of a female harbour porpoise (*Phocoena phocoena*) from the North Sea, 18.2, 40-46.
- Phocoena dioptrica*
Pinedo et al., Northernmost records of the spectacled porpoise, Layard's beaked whale, Commerson's dolphin, and Peale's dolphin in the southwestern Atlantic Ocean, 28.1, 32-37.
- phoronts
Van Waerebeek et al., Helminth parasites and phoronts of dusky dolphins *Lagenorhynchus obscurus* (Gray, 1828) from Peru, 19.3, 159-169.
- photo identification
—Aliaga-Rossel, Distribution and abundance of the river dolphin (*Inia geoffrensis*) in the Tijamuchi River, Beni, Bolivia, 28.3, 312-323.
—Anderson, Scarring and photo-identification of dugongs (*Dugong dugon*) in Shark Bay, Western Australia, 21.3, 205-211.
—Gubbins, Association patterns of resident bottlenose dolphins (*Tursiops truncatus*) in a South Carolina estuary, 28.1, 24-31.
—Stewart, Facilitation of post-release, long-term recognition of a rehabilitated gray whale calf: Pigmentation and scar patterns of JJ, 27.3, 301-305.
—Grellier & Wilson, Bottlenose dolphins using the Sound of Barra, Scotland, 29.3, 378-382.
—Parra & Corkeron, Feasibility of using photo-identification techniques to study the Irrawaddy dolphin, *Orcaella brevirostris* (Owen in Gray 1866), 27.1, 45-49.
—Visser & Bonaccorso, New observations and a review of killer whale (*Orcinus orca*) sightings in Papua New Guinea waters, 29.1, 150-172.
—Visser & Fertl, Stranding, resighting, and boat strike of a killer whale (*Orcinus orca*) off New Zealand, 26.3, 232-240.
—Campbell et al., Bottlenose dolphins (*Tursiops truncatus*) in Turneffe Atoll, Belize: Occurrence, site fidelity, group size, and abundance, 28.2, 170-180.
—Hillman et al., Computer-assisted photo-identification of individual marine vertebrates: A multi-species system, 29.1, 117-123.
—Hubard et al., Seasonal abundance and site fidelity of bottlenose dolphins (*Tursiops truncatus*) in Mississippi Sound, 30.2, 299-310.
—Mazzoil et al., Use of digital photography and analysis of dorsal fins for photo-identification of bottlenose dolphins, 30.2, 209-219.
- photography
Mazzoil et al., Use of digital photography and analysis of dorsal fins for photo-identification of bottlenose dolphins, 30.2, 209-219.
- photoreceptors
Griebel & Peichl, Colour vision in aquatic mammals—Facts and open questions, 29.1, 18-30.
- Photoshop*
Mazzoil et al., Use of digital photography and analysis of dorsal fins for photo-identification of bottlenose dolphins, 30.2, 209-219.
- Physeter*
—Bjerager et al., Anatomy of the eye of the sperm whale (*Physeter macrocephalus* L.), 29.1, 31-36.
—Madsen et al., Male sperm whale behaviour during exposures to distant seismic survey pulses, 28.3, 231-240.
—Moore et al., Cetacean surveys in the Cape Verde Islands and the use of cookiecutter shark bite lesions as a population marker for fin whales, 29.3, 383-389.
- physiological research
Colbert et al., Husbandry and research training of two Florida manatees (*Trichechus manatus latirostris*), 27.1, 16-23.
- pilot whale (*Globicephala melas*)
—Migura & Meadows, Short-finned pilot whales (*Globicephala macrorhynchus*) interact with melon-headed whales (*Peponocephala electra*) in Hawaii, 28.3, 294-297.
—Baum et al., A cryo-scanning electron microscopic study of the skin surface of the pilot whale *Globicephala melas*, 26.1, 7-16.
—Wiley et al., Rescue and release of mass stranded cetaceans from beaches on Cape Cod, Massachusetts, USA, 1990-1999: A review of some response actions, 27.2, 162-171.
- Pinnipedia
Griebel & Peichl, Colour vision in aquatic mammals—Facts and open questions, 29.1, 18-30.
- pinnipeds
—Iñiguez, Seasonal distribution of killer whales (*Orcinus orca*) in Northern Patagonia, Argentina, 27.2, 154-161.
—Solntseva, Early embryogenesis of the vestibular apparatus in mammals with different ecologies, 28.2, 159-169.
—Van Parijs, Aquatic mating in pinnipeds: A review, 29.2, 214-226.

- Stirling & Thomas, Relationships between underwater vocalizations and mating systems in phocid seals, 29.2, 227-246.
- Goldstein et al., Human-related injuries observed in live stranded pinnipeds along the central California coast 1986-1998, 25.1, 43-51.
- Insley et al., A review of social recognition in pinnipeds, 29.2, 181-201.
- Karamanlidis et al., Habitat of the endangered Mediterranean monk seal (*Monachus monachus*) at São Lourenço-Maderia, 29.3, 400-403.
- Kastelein et al., Food consumption and body weight of captive Pacific walrus (*Odobenus rosmarus divergens*), 26.3, 175-190.
- Lyamin et al., Behavioral sleep in captive sea otters, 26.2, 132-136.
- Southall et al., Acoustic communication ranges for northern elephant seals (*Mirounga angustirostris*), 29.2, 202-213.
- play behaviour
- Pace, Fluke-made bubble rings as toys in bottlenose dolphin calves (*Tursiops truncatus*), 26.1, 57-64.
- plumbea
- Parsons, The behavior and ecology of the Indo-Pacific humpback dolphin (*Sousa chinensis*), 30.1, 38-55.
- pollution
- Parsons, The potential impacts of pollution on humpback dolphins, with a case study on the Hong Kong population, 30.1, 18-37.
- Kastelein & Lavaleije, Foreign bodies in the stomach of a female harbour porpoise (*Phocoena phocoena*) from the North Sea, 18.2, 40-46.
- Tarpley & Marwitz, Plastic debris ingestion by cetaceans along the Texas coast: Two case reports, 19.2, 93-98.
- polychlorinated hydrocarbon
- Kastelein & Lavaleije, Foreign bodies in the stomach of a female harbour porpoise (*Phocoena phocoena*) from the North Sea, 18.2, 40-46.
- Polynya
- Holst & Stirling, A comparison of ringed seal (*Phoca hispida*) biology on the east and west sides of the North Water Polynya, Baffin Bay, 28.3, 221-230.
- population
- Tsutsui et al., Pacific white-sided dolphins (*Lagenorhynchus obliquidens*) with anomalous colour patterns in Volcano Bay, Hokkaido, Japan, 27.2, 172-182.
- population estimates
- Guissamulo & Cockcroft, Ecology and population estimates of Indo-Pacific humpback dolphins (*Sousa chinensis*) in Maputo Bay, Mozambique, 30.1, 94-102.
- population size
- Galimberti & Sanvito, Modeling female haul-out in southern elephant seals (*Mirounga leonina*), 27.2, 92-104.
- porpoise
- Kastelein & Lavaleije, Foreign bodies in the stomach of a female harbour porpoise (*Phocoena phocoena*) from the North Sea, 18.2, 40-46.
- Portuguese coast
- Silva & Sequeira, Patterns in the mortality of common dolphins (*Delphinus delphis*) on the Portuguese coast, using stranding records, 1975-1998, 29.1, 88-98.
- post-release survival
- Lander et al., Satellite tracking a rehabilitated Guadalupe fur seal (*Arctocephalus townsendi*), 26.2, 137-142.
- postanal hump
- Neumann et al., Identifying sexually mature, male short-beaked common dolphins (*Delphinus delphis*) at sea, based on the presence of a postanal hump, 28.2, 181-187.
- predation
- di Benedetto, Presence of Franciscana dolphin (*Pontoporia blainvillei*) remains in the stomach of a tiger shark (*Galeocerdo cuvieri*) captured in southeastern Brazil, 30.2, 311-314.
- Stirling & Thomas, Relationships between underwater vocalizations and mating systems in phocid seals, 29.2, 227-246.
- Heise et al., Examining the evidence for killer whale predation on Steller sea lions in British Columbia and Alaska, 29.3, 325-334.
- Pitman et al., Killer whales (*Orcinus orca*) attack a school of pantropical spotted dolphins (*Stenella attenuata*) in the Gulf of Mexico, 29.3, 321-324.
- Visser et al., Killer whale (*Orcinus orca*) predation on a shortfin mako shark (*Isurus oxyrinchus*) in New Zealand waters, 26.3, 229-231.
- predator pressure
- Müller & Bossley, Solitary bottlenose dolphins in comparative perspective, 28.3, 298-307.
- predator-prey interactions
- Maldini, Evidence of predation by a tiger shark (*Galeocerdo cuvier*) on a spotted dolphin (*Stenella attenuata*) off O'ahu, Hawaii, 29.1, 84-87.
- predictable guardable oestrus females
- Rogers, Factors influencing the acoustic behaviour of male phocid seals, 29.2, 247-260.
- prenatal development
- Solntseva, Development of the auditory organ in terrestrial, semi-aquatic, and aquatic mammals, 25.2, 135-148.
- prey
- Neumann & Orams, Feeding behaviours of short-beaked common dolphins, *Delphinus delphis*, in New Zealand, 29.1, 137-149.
- Barros et al., Feeding habits of Indo-Pacific humpback dolphins (*Sousa chinensis*) stranded in Hong Kong, 30.1, 179-188.
- Rosen et al., Effect of ration size and meal frequency on assimilation and digestive efficiency in yearling Steller sea lions, *Eumetopias jubatus*, 26.1, 76-82.
- principal component
- Maeda et al., Principal component analysis of song units produced by humpback whales (*Megaptera novaeangliae*) in the Ryukyu region of Japan, 26.3, 202-211.
- pronunciation
- Ranneft et al., A guide to the pronunciation and meaning of cetacean taxonomic names, 27.2, 183-195.
- Providencia
- Vergara-Parente et al., Bacterial flora of upper respiratory tract of captive Antillean manatees, 29.1, 124-130.
- pups
- Trites & Jonker, Morphometric measurements and body condition of healthy and starveling Steller sea lion pups (*Eumetopias jubatus*), 26.2, 151-157.
- pygmy killer whales (*Feresa attenuata*)
- Castro, Encounter with a school of pygmy killer whales (*Feresa attenuata*) in Ecuador, Southeast Tropical Pacific, 30.3, 441-444.
- pygmy sperm whale (*Kogia breviceps*)
- Marten, Ultrasonic analysis of pygmy sperm whale (*Kogia breviceps*) and Hubb's beaked whale (*Mesoplodon carlhubbsi*) clicks, 26.1, 45-48.
- Ridgway & Carder, Assessing hearing and sound production in cetaceans not available for behavioral audiograms: Experiences with sperm, pygmy sperm, and gray whales, 27.3, 267-276.
- Tarpley & Marwitz, Plastic debris ingestion by cetaceans along the Texas coast: Two case reports, 19.2, 93-98.
- Manire et al., An approach to the rehabilitation of *Kogia* spp., 30.2, 257-270.

- questionnaire
Heise et al., Examining the evidence for killer whale predation on Steller sea lions in British Columbia and Alaska, 29.3, 325-334.
- radio telemetry
Chilvers et al., A new VHF tag and attachment technique for small cetaceans, 27.1, 11-15.
- range
Gendron et al., North Pacific right whale (*Eubalaena glacialis*) sighting south of Baja California, 25.1, 31-34.
- range extension
Maniscalco et al., The occurrence of California sea lions (*Zalophus californianus*) in Alaska, 30.3, 427-433.
- ranging patterns
Hung & Jefferson, Ranging patterns of Indo-Pacific humpback dolphins (*Sousa chinensis*) in the Pearl River Estuary, People's Republic of China, 30.1, 159-174.
- receptor cells
Solntseva, Early embryogenesis of the vestibular apparatus in mammals with different ecologies, 28.2, 159-169.
- recognition
Insley et al., A review of social recognition in pinnipeds, 29.2, 181-201.
- recruitment
Guissamulo & Cockcroft, Ecology and population estimates of Indo-Pacific humpback dolphins (*Sousa chinensis*) in Maputo Bay, Mozambique, 30.1, 94-102.
- Red Sea
Spanier et al., Injury of an Indian Ocean bottlenose dolphin (*Tursiops truncatus*) in the Red Sea by a stingray spine, 26.3, 196-201.
- referential pointing
Dudzinski et al., Behavioural observations of bottlenose dolphins towards two dead conspecifics, 29.1, 108-116.
- rehabilitation
—Antrim, Logistics of maintenance, rehabilitation and return to the Pacific Ocean of a California gray whale calf, 27.3, 228-230.
—Sumich, Growth of baleen of a rehabilitating gray whale calf, 27.3, 234-238.
—Visser & Fertl, Stranding, resighting, and boat strike of a killer whale (*Orcinus orca*) off New Zealand, 26.3, 232-240.
—Andrews et al., Corporate response and facilitation of the rehabilitation of a California gray whale calf, 27.3, 209-211.
—Bruehler et al., Husbandry and hand-rearing of a rehabilitating California gray whale calf, 27.3, 222-227.
—Castellini et al., Differential concentration of glucose in red blood cells and plasma of a rehabilitating gray whale calf, 27.3, 277-278.
—Harvey et al., Training California sea lions to record whale behavior using a rehabilitating California gray whale calf, 27.3, 289-293.
—Lander et al., Satellite tracking a rehabilitated Guadalupe fur seal (*Arctocephalus townsendi*), 26.2, 137-142.
—Manire et al., An approach to the rehabilitation of *Kogia* spp., 30.2, 257-270.
—Vincent et al., Mark-recapture and satellite tracking of rehabilitated juvenile grey seals (*Halichoerus grypus*): Dispersal and potential effects on wild populations, 28.2, 121-130.
—Wisdom et al., Development of behavior and sound repertoire of a rehabilitating gray whale calf, 27.3, 239-255.
- relative abundance
—Gannier, Cetaceans of the Marquesas Islands (French Polynesia): Distribution and relative abundance as obtained from a small boat dedicated survey, 28.2, 198-210.
—Gannier, Distribution of cetaceans off the Society Islands (French Polynesia) as obtained from dedicated surveys, 26.2, 111-126.
—Razafindrakoto et al., Sightings, catches, and other records of Indo-Pacific humpback dolphins in the coastal waters of Madagascar, 30.1, 103-110.
—Silva et al., Occurrence and distribution of cetaceans in the waters around the Azores (Portugal), summer and autumn 1999-2000, 29.1, 77-83.
- remoras
—Noke, The association of echeneids with bottlenose dolphins (*Tursiops truncatus*) in the Indian River Lagoon, Florida, USA, 30.2, 296-298.
—Guerrero-Ruiz & Urbán R., First report of remoras on two killer whales (*Orcinus orca*) in the Gulf of California, Mexico, 26.2, 148-150.
—Wedekin et al., Rough-toothed dolphins (*Steno bredanensis*) catch diskfishes while interacting with humpback whales (*Megaptera novaeangliae*) off Abrolhos bank breeding ground, Southwest Atlantic, 30.2, 327-329.
- repetition
Moors & Terhune, Repetition patterns within harp seal (*Pagophilus groenlandicus*) underwater calls, 29.2, 278-288.
- reproduction
—Kastelein & Wiepkema, The suckling period of a grey seal (*Halichoerus grypus*) while confined to an outdoor land area, 16.3, 120-128.
—Brook et al., Assessment of the reproductive cycle of the Indo-Pacific humpback dolphin, *Sousa chinensis*, using ultrasonography, 30.1, 137-148.
—Kastelein et al., Effective mass transfer in a suckling grey seal (*Halichoerus grypus*), 20.1, 11-27.
—Kastelein et al., Food consumption and body weight of captive Pacific walruses (*Odobenus rosmarus divergens*), 26.3, 175-190.
—Kastelein et al., Food consumption, food passage time, and body measurements of captive Atlantic bottlenose dolphins (*Tursiops truncatus*), 29.1, 53-66.
—Kastelein et al., Food consumption, growth and reproduction of belugas (*Delphinapterus leucas*) in human care, 20.2, 81-97.
—Kastelein et al., Information on the biology of Commerson's dolphins (*Cephalorhynchus commersonii*), 19.1, 13-19.
—Kastelein et al., The food consumption of Commerson's dolphins (*Cephalorhynchus commersonii*), 19.2, 99-121.
—Kastelein et al., The suckling of a bottlenose dolphin calf (*Tursiops truncatus*) by a foster mother, and information on transverse birth bands, 16.3, 134-138.
—Kastelein et al., The suckling period of a grey seal (*Halichoerus grypus*) while the mother had access to a pool, 17.1, 42-51.
- reproductive aspects
Rosas et al., The striped dolphin, *Stenella coeruleoalba* (Cetacean:Delphinidae), on the coast of São Paulo State, southeastern Brazil, 28.1, 60-66.
- reproductive biology
García-Aguilar, Breeding biology of the northern elephant seal (*Mirounga angustirostris*) at the Isla San Benito del Oeste, Eastern Pacific, Mexico, 30.2, 289-295.
- reproductive strategies
—Van Parijs, Aquatic mating in pinnipeds: A review, 29.2, 214-226.
—Müller & Bossley, Solitary bottlenose dolphins in comparative perspective, 28.3, 298-307.
- rescue
—Andrews et al., Corporate response and facilitation of the rehabilitation of a California gray whale calf, 27.3, 209-211.
—Wiley et al., Rescue and release of mass stranded cetaceans from beaches on Cape Cod, Massachusetts, USA, 1990-1999: A review of some response actions, 27.2, 162-171.
- residency
Bernal et al., Occurrence and long-term residency of two long-beaked common dolphins, *Delphinus capensis* (Gray 1828), in adjacent small bays on the Chilean central coast, 29.3, 396-399.

- respiration
Sumich, Direct and indirect measures of oxygen extraction, tidal lung volumes and respiratory rates in a rehabilitating gray whale calf, 27.3, 279-283.
- respiration pattern
Kastelein & Gerrits, Swimming, diving, and respiration patterns of a northern bottlenose whale (*Hyperoodon ampullatus*, Forster, 1770), 17.1, 20-30.
- rest
—Gnone, Observations of rest behaviours in captive bottlenose dolphins (*Tursiops truncatus*), 27.1, 29-33.
—Lammers, Occurrence and behavior of Hawaiian spinner dolphins (*Stenella longirostris*) along Oahu's leeward and south shores, 30.2, 237-250.
—Lyamin et al., Resting behavior in a rehabilitating gray whale calf, 27.3, 256-266.
- resting behavior
Lyamin et al., Behavioral sleep in captive sea otters, 26.2, 132-136.
- rete
Heyning, Thermoregulation in feeding baleen whales: Morphological and physiological evidence, 27.3, 284-288.
- rete ophthalmica
Bjerager et al., Anatomy of the eye of the sperm whale (*Physeter macrocephalus* L.), 29.1, 31-36.
- retina
—Griebel & Peichl, Colour vision in aquatic mammals—Facts and open questions, 29.1, 18-30.
—Mass & Supin, Visual field organization and retinal resolution of the beluga, *Delphinapterus leucas* (Pallas), 28.3, 241-250.
- retraction
Bjerager et al., Anatomy of the eye of the sperm whale (*Physeter macrocephalus* L.), 29.1, 31-36.
- retractor muscle
Bjerager et al., Anatomy of the eye of the sperm whale (*Physeter macrocephalus* L.), 29.1, 31-36.
- review
Jefferson & Hung, A review of the status of the Indo-Pacific humpback dolphin (*Sousa chinensis*) in Chinese waters, 30.1, 149-158.
- rhythm
Moors & Terhune, Repetition patterns within harp seal (*Pagophilus groenlandicus*) underwater calls, 29.2, 278-288.
- ringed seal (*Phoca hispida*)
Holst & Stirling, A comparison of ringed seal (*Phoca hispida*) biology on the east and west sides of the North Water Polynya, Baffin Bay, 28.3, 221-230.
- Risso's dolphin (*Grampus griseus*)
Frantzis & Herzing, Mixed-species associations of striped dolphins (*Stenella coeruleoalba*), short-beaked common dolphins (*Delphinus delphis*), and Risso's dolphins (*Grampus griseus*) in the Gulf of Corinth (Greece, Mediterranean Sea), 28.2, 188-197.
- river dolphin (*Inia geoffrensis*)
—Aliaga-Rossel, Distribution and abundance of the river dolphin (*Inia geoffrensis*) in the Tijamuchi River, Beni, Bolivia, 28.3, 312-323.
- Rothery & McCann model
García-Aguilar, Breeding biology of the northern elephant seal (*Mirounga angustirostris*) at the Isla San Benito del Oeste, Eastern Pacific, Mexico, 30.2, 289-295.
- rough-toothed dolphin (*Steno bredanensis*)
—Ritter, Behavioural observations of rough-toothed dolphins (*Steno bredanensis*) off La Gomera, Canary Islands (1995-2000), with special reference to their interactions with humans, 28.1, 46-59.
—Monteiro-Neto et al., Impact of fisheries on the tucuxi (*Sotalia fluviatilis*) and rough-toothed dolphin (*Steno bredanensis*) populations off Ceará state, northeastern Brazil, 26.1, 49-57.
—Wedekin et al., Rough-toothed dolphins (*Steno bredanensis*) catch diskfishes while interacting with humpback whales (*Megaptera novaeangliae*) off Abrolhos bank breeding ground, southwest Atlantic, 30.2, 327-329.
- saccular macula
Solntseva, Early embryogenesis of the vestibular apparatus in mammals with different ecologies, 28.2, 159-169.
- sacculus
Solntseva, Early embryogenesis of the vestibular apparatus in mammals with different ecologies, 28.2, 159-169.
- Sado estuary
Harzen, Use of an electronic theodolite in the study of movements of the bottlenose dolphin (*Tursiops truncatus*) in the Sado Estuary, Portugal, 28.3, 251-260.
- Salmonella panama*
Vergara-Parente et al., Salmonellosis in an Antillean manatee (*Trichechus manatus manatus*) calf: A fatal case, 29.1, 131-136.
- satellite tracking
—Stewart et al., Post-release monitoring and tracking of a rehabilitated California gray whale, 27.3, 294-300.
—Vincent et al., Mark-recapture and satellite tracking of rehabilitated juvenile grey seals (*Halichoerus grypus*): Dispersal and potential effects on wild populations, 28.2, 121-130.
- scar patterns
Stewart, Facilitation of post-release, long-term recognition of a rehabilitated gray whale calf: Pigmentation and scar patterns of JJ, 27.3, 301-305.
- scars
Anderson, Scarring and photo-identification of dugongs (*Dugong dugon*) in Shark Bay, Western Australia, 21.3, 205-211.
- scat analysis
Yonezaki et al., An enema technique to collect dietary information from northern fur seals (*Callorhinus ursinus*) at sea, 30.2, 284-288.
- school shark
Visser, Killer whale (*Orcinus orca*) interactions with longline fisheries in New Zealand waters, 26.3, 241-252.
- scientific name
Ranneft et al., A guide to the pronunciation and meaning of cetacean taxonomic names, 27.2, 183-195.
- scoliosis
Berghan & Visser, Vertebral column malformations in New Zealand delphinids with a review of cases world wide, 26.1, 17-25.
- sea lion
Insley et al., A review of social recognition in pinnipeds, 29.2, 181-201.
- sea otter
Lyamin et al., Behavioral sleep in captive sea otters, 26.2, 132-136.
- seagrass
Courbis & Worthy, Opportunistic carnivory by Florida manatees (*Trichechus manatus latirostris*), 29.1, 104-107.
- seals
—Serrano, Plasma testosterone concentrations in captive male harp seals (*Pagophilus groenlandicus*), 27.1, 50-55.
—Serrano & Terhune, Stability of the underwater vocal repertoire of harp seals (*Pagophilus groenlandicus*), 28.1, 93-101.
—Insley et al., A review of social recognition in pinnipeds, 29.2, 181-201.

- seasonal habitat use
Self-Sullivan et al., Seasonal occurrence of male Antillean manatees (*Trichechus manatus manatus*) on the Belize Barrier Reef, 29.3, 341-354.
- seasonality
—Iníguez, Seasonal distribution of killer whales (*Orcinus orca*) in northern Patagonia, Argentina, 27.2, 154-161.
—Griffin & Griffin, Temporal variation in Atlantic spotted dolphin (*Stenella frontalis*) and bottlenose dolphin (*Tursiops truncatus*) densities on the west Florida continental shelf, 30.3, 380-390.
—Serrano & Miller, How vocal are harp seals (*Pagophilus groenlandicus*)? A captive study of seasonal and diel patterns, 26.3, 253-259.
- SeaWorld
Andrews et al., Corporate response and facilitation of the rehabilitation of a California gray whale calf, 27.3, 209-211.
- segregation of sexes
Neumann et al., Identifying sexually mature, male short-beaked common dolphins (*Delphinus delphis*) at sea, based on the presence of a postanal hump, 28.2, 181-187.
- seismic survey
Madsen et al., Male sperm whale behaviour during exposures to distant seismic survey pulses, 28.3, 231-240.
- semi-aquatic
—Solntseva, Development of the auditory organ in terrestrial, semi-aquatic, and aquatic mammals, 25.2, 135-148.
—Solntseva, Early embryogenesis of the vestibular apparatus in mammals with different ecologies, 28.2, 159-169.
—Fish et al., Fur does not fly, it floats: Buoyancy of pelage in semi-aquatic mammals, 28.2, 103-112.
- semicircular canals
Solntseva, Early embryogenesis of the vestibular apparatus in mammals with different ecologies, 28.2, 159-169.
- sevengill shark
Reyes & García-Borboroglu, Killer whale (*Orcinus orca*) predation on sharks in Patagonia, Argentina: A first report, 30.3, 376-379.
- sewage
Parsons, The potential impacts of pollution on humpback dolphins, with a case study on the Hong Kong population, 30.1, 18-37.
- sex composition
Silva & Sequeira, Patterns in the mortality of common dolphins (*Delphinus delphis*) on the Portuguese coast, using stranding records, 1975-1998, 29.1, 88-98.
- sex-specific
Oetelaar et al., Can the sex of a Weddell seal (*Leptonychotes weddellii*) be identified by its surface call?, 29.2, 261-267.
- sexual behaviour
Pack et al., Penis extrusions by humpback whales (*Megaptera novaeangliae*), 28.2, 131-146.
- sexual dimorphism
—Azevedo et al., Colour pattern and external morphology of the Fraser's dolphin (*Lagenodelphis hosei*) in the southwestern Atlantic, 29.3, 411-416.
—Neumann et al., Identifying sexually mature, male short-beaked common dolphins (*Delphinus delphis*) at sea, based on the presence of a postanal hump, 28.2, 181-187.
—Pitman et al., Killer whales (*Orcinus orca*) attack a school of pantropical spotted dolphins (*Stenella attenuata*) in the Gulf of Mexico, 29.3, 321-324.
- sexual maturity
—Holst & Stirling, A comparison of ringed seal (*Phoca hispida*) biology on the east and west sides of the North Water Polynya, Baffin Bay, 28.3, 221-230.
—Ramos et al., Growth parameters of *Pontoporia blainvillei* and *Sotalia fluviatilis* (Cetacea) in northern Rio de Janeiro, Brazil, 26.1, 65-75.
- sexual selection
Rogers, Factors influencing the acoustic behaviour of male phocid seals, 29.2, 247-260.
- shark attack
Maldini, Evidence of predation by a tiger shark (*Galeocerdo cuvier*) on a spotted dolphin (*Stenella attenuata*) off O'ahu, Hawaii, 29.1, 84-87.
- shark nets
Atkins et al., Spatial distribution of Indo-Pacific humpback dolphins (*Sousa chinensis*) at Richards Bay, South Africa: Environmental influences and behavioural patterns, 30.1, 84-93.
- shark predation
Maldini, Evidence of predation by a tiger shark (*Galeocerdo cuvier*) on a spotted dolphin (*Stenella attenuata*) off O'ahu, Hawaii, 29.1, 84-87.
- sharksucker
—Noke, The association of echeneids with bottlenose dolphins (*Tursiops truncatus*) in the Indian River Lagoon, Florida, USA, 30.2, 296-298.
—Wedekin et al., Rough-toothed dolphins (*Steno bredanensis*) catch diskfishes while interacting with humpback whales (*Megaptera novaeangliae*) off Abrolhos bank breeding ground, southwest Atlantic, 30.2, 327-329.
- shore-based monitoring
—Bristow, Changes in coastal site usage by bottlenose dolphins (*Tursiops truncatus*) in Cardigan Bay, Wales, 30.3, 398-404.
—Bristow et al., Shore-based monitoring of bottlenose dolphins (*Tursiops truncatus*) by trained volunteers in Cardigan Bay, Wales, 27.2, 115-120.
- short-beaked common dolphin
—Frantzis & Herzing, Mixed-species associations of striped dolphins (*Stenella coeruleoalba*), short-beaked common dolphins (*Delphinus delphis*), and Risso's dolphins (*Grampus griseus*) in the Gulf of Corinth (Greece, Mediterranean Sea), 28.2, 188-197.
—Neumann & Orams, Feeding behaviours of short-beaked common dolphins, *Delphinus delphis*, in New Zealand, 29.1, 137-149.
—Neumann et al., Identifying sexually mature, male short-beaked common dolphins (*Delphinus delphis*) at sea, based on the presence of a postanal hump, 28.2, 181-187.
- shortfin mako shark (*Isurus oxyrinchus*)
Visser et al., Killer whale (*Orcinus orca*) predation on a shortfin mako shark (*Isurus oxyrinchus*) in New Zealand waters, 26.3, 229-231.
- short-finned pilot whales (*Globicephala macrorhynchus*)
Migura & Meadows, Short-finned pilot whales (*Globicephala macrorhynchus*) interact with melon-headed whales (*Peponocephala electra*) in Hawaii, 28.3, 294-297.
- short-term reactions
Magalhães et al., Short-term reactions of sperm whales (*Physeter macrocephalus*) to whale-watching vessels in the Azores, 28.3, 267-274.
- sighting survey
Ohizumi et al., Winter sightings of humpback and Bryde's whales in tropical waters of the western and central North Pacific, 28.1, 73-77.
- sightings
Capella et al., Regular appearance of otariid pinnipeds along the Colombian Pacific coast, 28.1, 67-72.
- signal detection
Southall et al., Acoustic communication ranges for northern elephant seals (*Mirounga angustirostris*), 29.2, 202-213.

- signalling
 Insley et al., A review of social recognition in pinnipeds, 29.2, 181-201.
- simple ratio index
 Gubbins, Association patterns of resident bottlenose dolphins (*Tursiops truncatus*) in a South Carolina estuary, 28.1, 24-31.
- Sirenia
 Griebel & Peichl, Colour vision in aquatic mammals—Facts and open questions, 29.1, 18-30.
- sirenian
 Courbis & Worthy, Opportunistic carnivory by Florida manatees (*Trichechus manatus latirostris*), 29.1, 104-107.
- site fidelity
 —Bristow & Rees, Site fidelity and behaviour of bottlenose dolphins (*Tursiops truncatus*) in Cardigan Bay, Wales, 27.1, 1-10.
 —Grellier & Wilson, Bottlenose dolphins using the Sound of Barra, Scotland, 29.3, 378-382.
 —Guissamulo & Cockcroft, Ecology and population estimates of Indo-Pacific humpback dolphins (*Sousa chinensis*) in Maputo Bay, Mozambique, 30.1, 94-102.
 —Campbell et al., Bottlenose dolphins (*Tursiops truncatus*) in Turneffe Atoll, Belize: Occurrence, site fidelity, group size, and abundance, 28.2, 170-180.
- skin
 —Trites & Jonker, Morphometric measurements and body condition of healthy and starveling Steller sea lion pups (*Eumetopias jubatus*), 26.2, 151-157.
 —Baum et al., A cryo-scanning electron microscopic study of the skin surface of the pilot whale *Globicephala melas*, 26.1, 7-16.
- skin coloration
 Feinholz & Atkinson, Possible aetiologies of yellow coloration in dolphin calves, 26.3, 191-195.
- skull
 —Jefferson & Van Waerebeek, Geographic variation in skull morphology of humpback dolphins (*Sousa* spp.), 30.1, 3-17.
 —Kastelein & Gerrits, The anatomy of the walrus head (*Odobenus rosmarus*). Part 1: The skull, 16.3, 101-119.
- sleep
 —Gnone, Observations of rest behaviours in captive bottlenose dolphins (*Tursiops truncatus*), 27.1, 29-33.
 —Lyamin et al., Behavioral sleep in captive sea otters, 26.2, 132-136.
 —Lyamin et al., Resting behavior in a rehabilitating gray whale calf, 27.3, 256-266.
- slow-wave sleep
 Lyamin et al., Behavioral sleep in captive sea otters, 26.2, 132-136.
- small cetaceans
 Santos et al., Insights on small cetacean feeding habits in southeastern Brazil, 28.1, 38-45.
- social behaviour
 —Bisther, Intergroup interactions among killer whales in Norwegian coastal waters; tolerance vs. aggression at feeding grounds, 28.1, 14-23.
 —Stirling & Thomas, Relationships between underwater vocalizations and mating systems in phocid seals, 29.2, 227-246.
 —Insley et al., A review of social recognition in pinnipeds, 29.2, 181-201.
- social dolphin
 Santos et al., Behavioral observations of the marine tucuxi dolphin (*Sotalia fluviatilis*) in São Paulo estuarine waters, southeastern Brazil, 26.3, 260-267.
- social organization
 —Müller & Bossley, Solitary bottlenose dolphins in comparative perspective, 28.3, 298-307.
 —Neumann et al., Identifying sexually mature, male short-beaked common dolphins (*Delphinus delphis*) at sea, based on the presence of a postanal hump, 28.2, 181-187.
- social structure
 —Gubbins, Association patterns of resident bottlenose dolphins (*Tursiops truncatus*) in a South Carolina estuary, 28.1, 24-31.
 —Parsons et al., Male-male aggression renders bottlenose dolphin (*Tursiops truncatus*) unconscious, 29.3, 360-362.
- Society Islands
 Gannier, Distribution of cetaceans off the Society Islands (French Polynesia) as obtained from dedicated surveys, 26.2, 111-126.
- solitary behaviour
 Müller & Bossley, Solitary bottlenose dolphins in comparative perspective, 28.3, 298-307.
- song
 —Maeda et al., Principal component analysis of song units produced by humpback whales (*Megaptera novaeangliae*) in the Ryukyu region of Japan, 26.3, 202-211.
 —Mercado III et al., Stereotypical sound patterns in humpback whale songs: Usage and function, 29.1, 37-52.
- song types
 Sjøre et al., Structural variation in the songs of Atlantic walrus breeding in the Canadian high Arctic, 29.2, 297-318.
- sonography
 Brook et al., Assessment of the reproductive cycle of the Indo-Pacific humpback dolphin, *Sousa chinensis*, using ultrasonography, 30.1, 137-148.
- sound amplitudes
 Nachtigall et al., Measurements of the low frequency components of active and passive sounds produced by dolphins, 26.3, 167-174.
- sound repertoire
 Wisdom et al., Development of behavior and sound repertoire of a rehabilitating gray whale calf, 27.3, 239-255.
- sounds
 —Acevedo-Gutiérrez & Stienessen, Bottlenose dolphins (*Tursiops truncatus*) increase number of whistles when feeding, 30.3, 357-362.
 —Rasmussen & Miller, Whistles and clicks from white-beaked dolphins, *Lagenorhynchus albirostris*, recorded in Faxaflói Bay, Iceland, 28.1, 78-89.
 —Ridgway & Carder, Assessing hearing and sound production in cetaceans not available for behavioral audiograms: Experiences with sperm, pygmy sperm, and gray whales, 27.3, 267-276.
 —Maeda et al., Principal component analysis of song units produced by humpback whales (*Megaptera novaeangliae*) in the Ryukyu region of Japan, 26.3, 202-211.
- source level
 Wahlberg et al., The source level of harbour seal flipper slaps, 28.1, 90-92.
- Sousa*
 —Parsons, The behavior and ecology of the Indo-Pacific humpback dolphin (*Sousa chinensis*), 30.1, 38-55.
 —Baldwin et al., The Indo-Pacific humpback dolphin of the Arabian region: A status review, 30.1, 111-124.
 —Van Waerebeek et al., Distribution, status, and biology of the Atlantic humpback dolphin, *Sousa teuszii* (Kükenthal, 1892), 30.1, 56-83.
- Sousa plumbea*
 Jefferson & Van Waerebeek, Geographic variation in skull morphology of humpback dolphins (*Sousa* spp.), 30.1, 3-17.
- Sousa teuszii*
 Jefferson & Van Waerebeek, Geographic variation in skull morphology of humpback dolphins (*Sousa* spp.), 30.1, 3-17.
- South American sea lion (*Otaria flavescens*)
 —Iníiguez, Seasonal distribution of killer whales (*Orcinus orca*) in northern Patagonia, Argentina, 27.2, 154-161.

- Fernández-Juricic et al., Variations in the arrangement of South American sea lion (*Otaria flavescens*) male vocalizations during the breeding season: Patterns and contexts, 29.2, 289-296.
- South Atlantic Ocean
Zerbini & Secchi, Occurrence of Hector's beaked whale, *Mesoplodon hectori*, in southern Brazil, 27.2, 149-153.
- South Carolina
Gubbins, Association patterns of resident bottlenose dolphins (*Tursiops truncatus*) in a South Carolina estuary, 28.1, 24-31.
- South China Sea
—Barros et al., Feeding habits of Indo-Pacific humpback dolphins (*Sousa chinensis*) stranded in Hong Kong, 30.1, 179-188.
—Barros et al., Prey of offshore bottlenose dolphins from the South China Sea, 26.1, 2-6.
- southeast Africa
—Guissamulo & Cockcroft, Ecology and population estimates of Indo-Pacific humpback dolphins (*Sousa chinensis*) in Maputo Bay, Mozambique, 30.1, 94-102.
—Jefferson & Hung, A review of the status of the Indo-Pacific humpback dolphin (*Sousa chinensis*) in Chinese waters, 30.1, 149-158.
- southeast Tropical Pacific
Castro, Encounter with a school of pygmy killer whales (*Feresa attenuata*) in Ecuador, Southeast Tropical Pacific, 30.3, 441-444.
- southeastern Brazil
—di Benedetto, Presence of Franciscana dolphin (*Pontoporia blainvillei*) remains in the stomach of a tiger shark (*Galeocerdo cuvieri*) captured in southeastern Brazil, 30.2, 311-314.
—di Benedetto et al., Stomach contents of delphinids from Rio de Janeiro, southeastern Brazil, 27.1, 24-28.
—Santos et al., Insights on small cetacean feeding habits in southeastern Brazil, 28.1, 38-45.
- southern Brazil
Pinedo et al., Northernmost records of the spectacled porpoise, Layard's beaked whale, Commerson's dolphin, and Peale's dolphin in the southwestern Atlantic Ocean, 28.1, 32-37.
- southern elephant seals (*Mirounga leonina*)
—Iñiguez, Seasonal distribution of killer whales (*Orcinus orca*) in northern Patagonia, Argentina, 27.2, 154-161.
—Galimberti & Sanvito, Modeling female haul-out in southern elephant seals (*Mirounga leonina*), 27.2, 92-104.
—Sanvito et al., Blood spots in Pinnipedia hormone studies: Measure of cortisol levels in southern elephant seals (*Mirounga leonina*), 30.2, 251-256.
- southern right whale dolphin (*Lissodelphis peronii*)
Yazdi, A possible hybrid between the dusky dolphin (*Lagenorhynchus obscurus*) and the southern right whale dolphin (*Lissodelphis peronii*), 28.2, 211-217.
- southwestern Atlantic
—Azevedo et al., Colour pattern and external morphology of the Fraser's dolphin (*Lagenodelphis hosei*) in the southwestern Atlantic, 29.3, 411-416.
—Pinedo et al., Northernmost records of the spectacled porpoise, Layard's beaked whale, Commerson's dolphin, and Peale's dolphin in the southwestern Atlantic Ocean, 28.1, 32-37.
- spatial distribution
Atkins et al., Spatial distribution of Indo-Pacific humpback dolphins (*Sousa chinensis*) at Richards Bay, South Africa: Environmental influences and behavioural patterns, 30.1, 84-93.
- spatial pattern
Harzen, Use of an electronic theodolite in the study of movements of the bottlenose dolphin (*Tursiops truncatus*) in the Sado Estuary, Portugal, 28.3, 251-260.
- spatial scales
Jaquet & Whitehead, Movements, distribution and feeding success of sperm whales in the Pacific Ocean, over scales of days and tens of kilometers, 25.1, 1-13.
- spatial variability
Olivera-Gómez & Mellink, Spatial and temporal variation in counts of the Antillean manatee (*Trichechus m. manatus*) during distribution surveys at Bahia de Chetumal, Mexico, 28.3, 285-293.
- spectrograms
—Azevedo & Simão, Whistles produced by marine tucuxi dolphins (*Sotalia fluviatilis*) in Guanabara Bay, southeastern Brazil, 28.3, 261-266.
—Moore & Ridgway, Whistles produced by common dolphins from the Southern California Bight, 21.1, 55-63.
- sperm whales (*Physeter macrocephalus*)
—Werth, Functional morphology of the sperm whale (*Physeter macrocephalus*) tongue, with reference to suction feeding, 30.3, 405-418.
—Jaquet & Whitehead, Movements, distribution and feeding success of sperm whales in the Pacific Ocean, over scales of days and tens of kilometers, 25.1, 1-13.
—Ridgway & Carder, Assessing hearing and sound production in cetaceans not available for behavioral audiograms: Experiences with sperm, pygmy sperm, and gray whales, 27.3, 267-276.
—Drouot et al., Diving and feeding behaviour of sperm whales (*Physeter macrocephalus*) in the northwestern Mediterranean Sea, 30.3, 409-426.
—Madsen et al., Male sperm whale behaviour during exposures to distant seismic survey pulses, 28.3, 231-240.
—Magalhães et al., Short-term reactions of (*Physeter macrocephalus*) to whale-watching vessels in the Azores, 28.3, 267-274.
—Moore et al., Cetacean surveys in the Cape Verde Islands and the use of cookiecutter shark bite lesions as a population marker for fin whales, 29.3, 383-389.
- spinner dolphin (*Stenella longirostris*),
Lammers, Occurrence and behavior of Hawaiian spinner dolphins (*Stenella longirostris*) along Oahu's leeward and south shores, 30.2, 237-250.
- spondylo-osteomyelitis
Kompanje, Differences between spondylo-osteomyelitis and spondylosis deformans in small odontocetes based on museum material, 21.3, 199-203.
- spondylosis deformans
Kompanje, Differences between spondylo-osteomyelitis and spondylosis deformans in small odontocetes based on museum material, 21.3, 199-203.
- spotted dolphin (*Stenella attenuata*)
—Maldini, Evidence of predation by a tiger shark (*Galeocerdo cuvier*) on a spotted dolphin (*Stenella attenuata*) off O'ahu, Hawaii, 29.1, 84-87.
—Marten et al., The acoustic predation hypothesis: Linking underwater observations and recordings during odontocete predation and observing the effects of loud impulsive sounds on fish, 27.1, 56-66.
—Pitman et al., Killer whales (*Orcinus orca*) attack a school of pantropical spotted dolphins (*Stenella attenuata*) in the Gulf of Mexico, 29.3, 321-324.
—Psarakos et al., Mixed-species associations between Pantropical spotted dolphins (*Stenella attenuata*) and Hawaiian spinner dolphins (*Stenella longirostris*) off Oahu, Hawaii, 29.3, 390-395.
- spy-hopping
Migura & Meadows, Short-finned pilot whales (*Globicephala macrorhynchus*) interact with melon-headed whales (*Peponocephala electra*) in Hawaii, 28.3, 294-297.

- squids
 di Benedetto et al., Stomach contents of delphinids from Rio de Janeiro, southeastern Brazil, 27.1, 24-28.
- Sri Lanka
 Sutarja & Jefferson, Records of Indo-Pacific humpback dolphins (*Sousa chinensis*, Osbeck, 1765) along the coasts of India and Sri Lanka: An overview, 30.1, 125-136.
- starvation
 Trites & Jonker, Morphometric measurements and body condition of healthy and starveling Steller sea lion pups (*Eumetopias jubatus*), 26.2, 151-157.
- status
 — Jefferson & Hung, A review of the status of the Indo-Pacific humpback dolphin (*Sousa chinensis*) in Chinese waters, 30.1, 149-158.
 — Van Waerebeek et al., Distribution, status, and biology of the Atlantic humpback dolphin, *Sousa teuszii* (Kükenthal, 1892), 30.1, 56-83.
- Steller sea lion (*Eumetopias jubatus*)
 — Kastelein & Weltz, Distribution and behaviour of Steller sea lions (*Eumetopias jubatus*) in Prince William Sound, Alaska, June 1989, 17.2, 91-97.
 — Trites & Jonker, Morphometric measurements and body condition of healthy and starveling Steller sea lion pups (*Eumetopias jubatus*), 26.2, 151-157.
 — Heise et al., Examining the evidence for killer whale predation on Steller sea lions in British Columbia and Alaska, 29.3, 325-334.
 — Rosen et al., Effect of ration size and meal frequency on assimilation and digestive efficiency in yearling Steller sea lions, *Eumetopias jubatus*, 26.1, 76-82.
- Stenella*
 André et al., Evidence of deafness in a striped dolphin, *Stenella coeruleoalba*, 29.1, 3-8.
- stereoscopy
 Kastelein et al., The anatomy of the walrus head (*Odobenus rosmarus*). Part 3: The eyes and their function in walrus ecology, 19.2, 61-92.
- stingray
 — Duignan et al., Stingray spines: A potential cause of killer whale mortality in New Zealand, 26.2, 143-147.
 — Spanier et al., Injury of an Indian Ocean bottlenose dolphin (*Tursiops truncatus*) in the Red Sea by a stingray spine, 26.3, 196-201.
- stomach content
 — di Benedetto, Presence of Franciscana dolphin (*Pontoporia blainvillei*) remains in the stomach of a tiger shark (*Galeocerdo cuvieri*) captured in southeastern Brazil, 30.2, 311-314.
 — Ohizumi & Kishiro, Stomach contents of a Cuvier's beaked whale (*Ziphius cavirostris*) stranded on the central Pacific coast of Japan, 29.1, 99-103.
 — Barros et al., Feeding habits of Indo-Pacific humpback dolphins (*Sousa chinensis*) stranded in Hong Kong, 30.1, 179-188.
 — Barros et al., Prey of offshore bottlenose dolphins from the South China Sea, 26.1, 2-6.
 — di Benedetto et al., Stomach contents of delphinids from Rio de Janeiro, southeastern Brazil, 27.1, 24-28.
 — Heise et al., Examining the evidence for killer whale predation on Steller sea lions in British Columbia and Alaska, 29.3, 325-334.
 — Rosas et al., The striped dolphin, *Stenella coeruleoalba* (Cetacean:Delphinidae), on the coast of São Paulo State, southeastern Brazil, 28.1, 60-66.
- stopover sites
 Self-Sullivan et al., Seasonal occurrence of male Antillean manatees (*Trichechus manatus manatus*) on the Belize Barrier Reef, 29.3, 341-354.
- strand
 Vergara-Parente et al., Salmonellosis in an Antillean manatee (*Trichechus manatus manatus*) calf: A fatal case, 29.1, 131-136.
- stranding
 — Heyning & Heyning, Rescue of an orphaned gray whale calf, 27.3, 212-214.
 — Kastelein & Gerrits, Swimming, diving, and respiration patterns of a northern bottlenose whale (*Hyperoodon ampullatus*, Forster, 1770), 17.1, 20-30.
 — Kastelein & Lavaleije, Foreign bodies in the stomach of a female harbour porpoise (*Phocoena phocoena*) from the North Sea, 18.2, 40-46.
 — Silva & Sequeira, Patterns in the mortality of common dolphins (*Delphinus delphis*) on the Portuguese coast, using stranding records, 1975-1998, 29.1, 88-98.
 — Visser & Fertl, Stranding, resighting, and boat strike of a killer whale (*Orcinus orca*) off New Zealand, 26.3, 232-240.
 — Zerbini & Secchi, Occurrence of Hector's beaked whale, *Mesoplodon hectori*, in southern Brazil, 27.2, 149-153.
 — Bossart et al., Pathological features of the Florida manatee cold stress syndrome, 29.1, 9-17.
 — Goldstein et al., Human-related injuries observed in live stranded pinnipeds along the central California coast 1986-1998, 25.1, 43-51.
 — Monteiro-Neto et al., Impact of fisheries on the tucuxi (*Sotalia fluviatilis*) and rough-toothed dolphin (*Steno bredanensis*) populations off Ceará state, northeastern Brazil, 26.1, 49-57.
- stranding records
 Wang et al., Records of Indo-Pacific humpback dolphins, *Sousa chinensis* (Osbeck, 1765), from the waters of western Taiwan, 30.1, 189-196.
- stress
 Goldblatt, Behavioural needs of captive marine mammals, 19.3, 149-157.
- striped dolphin (*Stenella coeruleoalba*)
 — Gannier, Diel variations of the striped dolphin distribution off the French Riviera (northwestern Mediterranean Sea), 25.2, 123-134.
 — Frantzis & Herzing, Mixed-species associations of striped dolphins (*Stenella coeruleoalba*), short-beaked common dolphins (*Delphinus delphis*), and Risso's dolphins (*Grampus griseus*) in the Gulf of Corinth (Greece, Mediterranean Sea), 28.2, 188-197.
 — André et al., Evidence of deafness in a striped dolphin, *Stenella coeruleoalba*, 29.1, 3-8.
 — Rosas et al., The striped dolphin, *Stenella coeruleoalba* (Cetacean:Delphinidae), on the coast of São Paulo State, southeastern Brazil, 28.1, 60-66.
- suckling
 — Kastelein & Wiepkema, The suckling period of a grey seal (*Halichoerus grypus*) while confined to an outdoor land area, 16.3, 120-128.
 — Kastelein et al., Effective mass transfer in a suckling grey seal (*Halichoerus grypus*), 20.1, 11-27.
 — Kastelein et al., Food consumption and body weight of captive Pacific walruses (*Odobenus rosmarus divergens*), 26.3, 175-190.
 — Kastelein et al., The suckling period of a grey seal (*Halichoerus grypus*) while the mother had access to a pool, 17.1, 42-51.
- suction cup tag
 Blomqvist & Amundin, An acoustic tag for recording directional pulsed ultrasounds aimed at free-swimming bottlenose dolphins (*Tursiops truncatus*) by conspecifics, 30.3, 345-356.
- suction feeding
 Werth, Functional morphology of the sperm whale (*Physeter macrocephalus*) tongue, with reference to suction feeding, 30.3, 405-418.
- surfacing patterns
 Kreb & Rahadi, Living under an aquatic freeway: Effects of boats on Irrawaddy dolphins (*Orcaella brevirostris*) in a coastal and riverine environment in Indonesia, 30.3, 363-375.

- survey
 —Gannier, Diel variations of the striped dolphin distribution off the French Riviera (northwestern Mediterranean Sea), 25.2, 123-134.
 —Gannier, Distribution of cetaceans off the Society Islands (French Polynesia) as obtained from dedicated surveys, 26.2, 111-126.
 —Wang et al., Records of Indo-Pacific humpback dolphins, *Sousa chinensis* (Osbeck, 1765), from the waters of western Taiwan, 30.1, 189-196.
- survival
 Manire et al., An approach to the rehabilitation of *Kogia* spp., 30.2, 257-270.
- swim speed
 Harzen, Use of an electronic theodolite in the study of movements of the bottlenose dolphin (*Tursiops truncatus*) in the Sado Estuary, Portugal, 28.3, 251-260.
- swimming behavior
 Kastelein et al., Information on the biology of Commerson's dolphins (*Cephalorhynchus commersonii*), 19.1, 13-19.
- syntax
 Fernández-Juricic et al., Variations in the arrangement of South American sea lion (*Otaria flavescens*) male vocalizations during the breeding season: Patterns and contexts, 29.2, 289-296.
- systematics
 Jefferson & Van Waerebeek, Geographic variation in skull morphology of humpback dolphins (*Sousa* spp.), 30.1, 3-17.
- tagging
 Vincent et al., Mark-recapture and satellite tracking of rehabilitated juvenile grey seals (*Halichoerus grypus*): Dispersal and potential effects on wild populations, 28.2, 121-130.
- Taiwan
 Wang et al., Records of Indo-Pacific humpback dolphins, *Sousa chinensis* (Osbeck, 1765), from the waters of western Taiwan, 30.1, 189-196.
- take reduction
 Mooney et al., Target strength of a nylon monofilament and an acoustically enhanced gillnet: Predictions of biosonar detection ranges, 30.2, 220-226.
- Taonius pavo*
 Ohizumi & Kishiro, Stomach contents of a Cuvier's beaked whale (*Ziphius cavirostris*) stranded on the central Pacific coast of Japan, 29.1, 99-103.
- target detection
 Teilmann et al., Characteristics of echolocation signals used by a harbour porpoise (*Phocoena phocoena*) in a target detection experiment, 28.3, 275-284.
- target strength
 Mooney et al., Target strength of a nylon monofilament and an acoustically enhanced gillnet: Predictions of biosonar detection ranges, 30.2, 220-226.
- taxonomy
 —Jefferson & Van Waerebeek, Geographic variation in skull morphology of humpback dolphins (*Sousa* spp.), 30.1, 3-17.
 —Ranneft et al., A guide to the pronunciation and meaning of cetacean taxonomic names, 27.2, 183-195.
- TCPMe
 —Parsons, The potential impacts of pollution on humpback dolphins, with a case study on the Hong Kong population, 30.1, 18-37.
- TCPMeOH
 —Parsons, The potential impacts of pollution on humpback dolphins, with a case study on the Hong Kong population, 30.1, 18-37.
- temporal variability
 Olivera-Gómez & Mellink, Spatial and temporal variation in counts of the Antillean manatee (*Trichechus m. manatus*) during distribution surveys at Bahia de Chetumal, Mexico, 28.3, 285-293.
- temporal variations
 Abgrall et al., Variation of Weddell seal (*Leptonychotes weddellii*) underwater vocalizations over mesogeographic ranges, 29.2, 268-277.
- terrestrial
 —Solntseva, Development of the auditory organ in terrestrial, semi-aquatic, and aquatic mammals, 25.2, 135-148.
 —Solntseva, Early embryogenesis of the vestibular apparatus in mammals with different ecologies, 28.2, 159-169.
- testosterone
 —Serrano, Plasma testosterone concentrations in captive male harp seals (*Pagophilus groenlandicus*), 27.1, 50-55.
 —Seely & Ronald, Testosterone profiles in male grey seals (*Halichoerus grypus*), 17.3, 152-155.
- theodolite tracking
 Harzen, Use of an electronic theodolite in the study of movements of the bottlenose dolphin (*Tursiops truncatus*) in the Sado Estuary, Portugal, 28.3, 251-260.
- thermoregulation
 Heyning, Thermoregulation in feeding baleen whales: Morphological and physiological evidence, 27.3, 284-288.
- thoracic vertebra
 Watson et al., Thoracolumbar kyphoscoliosis and compression fracture of a thoracic vertebra in a captive bottlenose dolphin (*Tursiops truncatus*), 30.2, 275-278.
- threats
 Parra et al., The Indo-Pacific humpback dolphin, *Sousa chinensis* (Osbeck, 1765), in Australian waters: A summary of current knowledge, 30.1, 197-206.
- tidal cycle
 Kastelein & Wetz, Distribution and behaviour of Steller sea lions (*Eumetopias jubatus*) in Prince William Sound, Alaska, June 1989, 17.2, 91-97.
- tidal lung volume
 Sumich, Direct and indirect measures of oxygen extraction, tidal lung volumes and respiratory rates in a rehabilitating gray whale calf, 27.3, 279-283.
- tidal state
 Gregory & Rowden, Behaviour patterns of bottlenose dolphins (*Tursiops truncatus*) relative to tidal state, time-of-day, and boat traffic in Cardigan Bay, West Wales, 27.2, 105-113.
- tiger shark (*Galeocerdo cuvier*)
 —di Benedetto, Presence of Franciscana dolphin (*Pontoporia blainvillei*) remains in the stomach of a tiger shark (*Galeocerdo cuvieri*) captured in southeastern Brazil, 30.2, 311-314.
 —Maldini, Evidence of predation by a tiger shark (*Galeocerdo cuvier*) on a spotted dolphin (*Stenella attenuata*) off O'ahu, Hawaii, 29.1, 84-87.
- Tijamuchi River
 Aliaga-Rossel, Distribution and abundance of the river dolphin (*Inia geoffrensis*) in the Tijamuchi River, Beni, Bolivia, 28.3, 312-323.
- time-of-day
 Gregory & Rowden, Behaviour patterns of bottlenose dolphins (*Tursiops truncatus*) relative to tidal state, time-of-day, and boat traffic in Cardigan Bay, West Wales, 27.2, 105-113.
- tongue
 —Heyning, Thermoregulation in feeding baleen whales: Morphological and physiological evidence, 27.3, 284-288.

- Werth, Functional morphology of the sperm whale (*Physeter macrocephalus*) tongue, with reference to suction feeding, 30.3, 405-418.
- tossing behavior
Reyes & García-Borboroglu, Killer whale (*Orcinus orca*) predation on sharks in Patagonia, Argentina: A first report, 30.3, 376-379.
- toys
Pace, Fluke-made bubble rings as toys in bottlenose dolphin calves (*Tursiops truncatus*), 26.1, 57-64.
- trace element
Parsons, The potential impacts of pollution on humpback dolphins, with a case study on the Hong Kong population, 30.1, 18-37.
- train
Harvey et al., Training California sea lions to record whale behavior using a rehabilitating California gray whale calf, 27.3, 289-293.
- training
—Goldblatt, Behavioural needs of captive marine mammals, 19.3, 149-157.
—Colbert et al., Husbandry and research training of two Florida manatees (*Trichechus manatus latirostris*), 27.1, 16-23.
- transport
Antrim, Logistics of maintenance, rehabilitation and return to the Pacific Ocean of a California gray whale calf, 27.3, 228-230.
- transverse birth bands
Kastelein et al., The suckling of a bottlenose dolphin calf (*Tursiops truncatus*) by a foster mother, and information on transverse birth bands, 16.3, 134-138.
- traveling
Neumann, The activity budget of free-ranging common dolphins (*Delphinus delphis*) in the northwestern Bay of Plenty, New Zealand, 27.2, 121-136.
- Trematoda
Van Waerebeek et al., Helminth parasites and phoronts of dusky dolphins *Lagenorhynchus obscurus* (Gray, 1828) from Peru, 19.3, 159-169.
- Trichechus*
Bossart et al., Pathological features of the Florida manatee cold stress syndrome, 29.1, 9-17.
- trill
Oetelaar et al., Can the sex of a Weddell seal (*Leptonychotes weddellii*) be identified by its surface call?, 29.2, 261-267.
- tropical area
Ohizumi et al., Winter sightings of humpback and Bryde's whales in tropical waters of the western and central North Pacific, 28.1, 73-77.
- tropical Pacific
—Gannier, Cetaceans of the Marquesas Islands (French Polynesia): Distribution and relative abundance as obtained from a small boat dedicated survey, 28.2, 198-210.
—Gannier, The large-scale distribution of humpback whales (*Megaptera novaeangliae*) wintering in French Polynesia during 1997-2002, 30.2, 227-236.
- tucuxi dolphin (*Sotalia fluviatilis*)
—Azevedo & Simão, Whistles produced by marine tucuxi dolphins (*Sotalia fluviatilis*) in Guanabara Bay, southeastern Brazil, 28.3, 261-266.
—Monteiro-Neto et al., Impact of fisheries on the tucuxi (*Sotalia fluviatilis*) and rough-toothed dolphin (*Steno bredanensis*) populations off Ceará state, northeastern Brazil, 26.1, 49-57.
—Ramos et al., Growth parameters of *Pontoporia blainvillei* and *Sotalia fluviatilis* (Cetacea) in northern Rio de Janeiro, Brazil, 26.1, 65-75.
- Santos et al., Behavioral observations of the marine tucuxi dolphin (*Sotalia fluviatilis*) in São Paulo estuarine waters, southeastern Brazil, 26.3, 260-267.
—Santos et al., Insights on small cetacean feeding habits in southeastern Brazil, 28.1, 38-45.
- Turneffe Atoll
Campbell et al., Bottlenose dolphins (*Tursiops truncatus*) in Turneffe Atoll, Belize: Occurrence, site fidelity, group size, and abundance, 28.2, 170-180.
- Tursiops* sp.
—Bristow & Rees, Site fidelity and behaviour of bottlenose dolphins (*Tursiops truncatus*) in Cardigan Bay, Wales, 27.1, 1-10.
—Grellier & Wilson, Bottlenose dolphins using the Sound of Barra, Scotland, 29.3, 378-382.
—Bristow et al., Shore-based monitoring of bottlenose dolphins (*Tursiops truncatus*) by trained volunteers in Cardigan Bay, Wales, 27.2, 115-120.
—Fedorowicz et al., Food sharing in wild bottlenose dolphins, 29.3, 355-359.
—Gnone et al., Observations of rest behaviours in captive bottlenose dolphins (*Tursiops truncatus*), 27.1, 29-33.
—Herzing et al., Interspecies interactions between Atlantic spotted dolphins, *Stenella frontalis* and bottlenose dolphins, *Tursiops truncatus*, on Great Bahama Bank, Bahamas, 29.3, 335-341.
—Kastelein et al., Food consumption, food passage time, and body measurements of captive Atlantic bottlenose dolphins (*Tursiops truncatus*), 29.1, 53-66.
—Kastelein et al., The suckling of a bottlenose dolphin calf (*Tursiops truncatus*) by a foster mother, and information on transverse birth bands, 16.3, 134-138.
- Tursiops aduncus*
Chilvers et al., A new VHF tag and attachment technique for small cetaceans, 27.1, 11-15.
—Dudzinski et al., Behavioural observations of bottlenose dolphins towards two dead conspecifics, 29.1, 108-116.
- tympic membrane
Solntseva, Development of the auditory organ in terrestrial, semi-aquatic, and aquatic mammals, 25.2, 135-148.
- ultrasound
Blomqvist & Amundin, An acoustic tag for recording directional pulsed ultrasounds aimed at free-swimming bottlenose dolphins (*Tursiops truncatus*) by conspecifics, 30.3, 345-356.
- unconscious
Parsons et al., Male-male aggression renders bottlenose dolphin (*Tursiops truncatus*) unconscious, 29.3, 360-362.
- underwater
Miles & Herzing, Underwater analysis of the behavioural development of free-ranging Atlantic spotted dolphin (*Stenella frontalis*) calves (birth to 4 years of age), 29.3, 363-377.
- underwater noise
Jacobs & Terhune, The effectiveness of acoustic harassment devices in the Bay of Fundy, Canada: Seal reactions and a noise exposure model, 28.2, 147-158.
- underwater sound
Kammaing & Beitsma, Investigations on Cetacean Sonar IX: Remarks on dominant sonar frequencies from *Tursiops truncatus*, 16.1, 14-20.
- underwater vocalizations
—Serrano, Plasma testosterone concentrations in captive male harp seals (*Pagophilus groenlandicus*), 27.1, 50-55.
—Van Parijs, Aquatic mating in pinnipeds: A review, 29.2, 214-226.
—Serrano & Terhune, Stability of the underwater vocal repertoire of harp seals (*Pagophilus groenlandicus*), 28.1, 93-101.

- Abgrall et al., Variation of Weddell seal (*Leptonychotes weddellii*) underwater vocalizations over mesogeographic ranges, 29.2, 268-277.
- utricle macula
Solntseva, Early embryogenesis of the vestibular apparatus in mammals with different ecologies, 28.2, 159-169.
- utricle
Solntseva, Early embryogenesis of the vestibular apparatus in mammals with different ecologies, 28.2, 159-169.
- vagrants
Maniscalco et al., The occurrence of California sea lions (*Zalophus californianus*) in Alaska, 30.3, 427-433.
- vertebrae
Kompanje, Differences between spondylo-osteomyelitis and spondylosis deformans in small odontocetes based on museum material, 21.3, 199-203.
- vertebral column malformation
Berghan & Visser, Vertebral column malformations in New Zealand delphinids with a review of cases world wide, 26.1, 17-25.
- vertebrate
Insley et al., A review of social recognition in pinnipeds, 29.2, 181-201.
- vessel interactions
Stacey & Hvenegaard, Habitat use and behaviour of Irrawaddy dolphins (*Orcaella brevirostris*) in the Mekong River of Laos, 28.1, 1-13.
- vestibular apparatus
Solntseva, Early embryogenesis of the vestibular apparatus in mammals with different ecologies, 28.2, 159-169.
- VHF
Chilvers et al., A new VHF tag and attachment technique for small cetaceans, 27.1, 11-15.
- vibrissae
Kastelein et al., The anatomy of the walrus head (*Odobenus rosmarus*). Part 2: Description of the muscles and of their role in the feeding and haul-out behaviour, 17.3, 156-180.
- video camera
Harvey et al., Training California sea lions to record whale behavior using a rehabilitating California gray whale calf, 27.3, 289-293.
- vision
— Mass & Supin, Visual field organization and retinal resolution of the beluga, *Delphinapterus leucas* (Pallas), 28.3, 241-250.
— Bjerager et al., Anatomy of the eye of the sperm whale (*Physeter macrocephalus* L.), 29.1, 31-36.
— Kastelein et al., The anatomy of the walrus head (*Odobenus rosmarus*). Part 3: The eyes and their function in walrus ecology, 19.2, 61-92.
- visual acuity
— Mass & Supin, Visual field organization and retinal resolution of the beluga, *Delphinapterus leucas* (Pallas), 28.3, 241-250.
— Kastelein et al., The anatomy of the walrus head (*Odobenus rosmarus*). Part 3: The eyes and their function in walrus ecology, 19.2, 61-92.
- vocal arrangement
Fernández-Juricic et al., Variations in the arrangement of South American sea lion (*Otaria flavescens*) male vocalizations during the breeding season: Patterns and contexts, 29.2, 289-296.
- vocal behaviour
Sjare et al., Structural variation in the songs of Atlantic walruses breeding in the Canadian high Arctic, 29.2, 297-318.
- vocal development
— Killebrew et al., Sound production of a neonate bottlenose dolphin, 27.1, 34-44.
- Wisdom et al., Development of behavior and sound repertoire of a rehabilitating gray whale calf, 27.3, 239-255.
- vocal learning
McCowan et al., Social familiarity influences whistle acoustic structure in adult female bottlenose dolphins (*Tursiops truncatus*), 24.1, 27-40.
- vocal repertoire stability
Serrano & Terhune, Stability of the underwater vocal repertoire of harp seals (*Pagophilus groenlandicus*), 28.1, 93-101.
- vocalization
— Moors & Terhune, Repetition patterns within harp seal (*Pagophilus groenlandicus*) underwater calls, 29.2, 278-288.
— Serrano & Miller, How vocal are harp seals (*Pagophilus groenlandicus*)? A captive study of seasonal and diel patterns, 26.3, 253-259.
— Stirling & Thomas, Relationships between underwater vocalizations and mating systems in phocid seals, 29.2, 227-246.
— Fernández-Juricic et al., Variations in the arrangement of South American sea lion (*Otaria flavescens*) male vocalizations during the breeding season: Patterns and contexts, 29.2, 289-296.
— Insley et al., A review of social recognition in pinnipeds, 29.2, 181-201.
— Killebrew et al., Sound production of a neonate bottlenose dolphin, 27.1, 34-44.
— Oetelaar et al., Can the sex of a Weddell seal (*Leptonychotes weddellii*) be identified by its surface call?, 29.2, 261-267.
— Sjare et al., Structural variation in the songs of Atlantic walruses breeding in the Canadian high Arctic, 29.2, 297-318.
- Volcano Bay
Tsutsui et al., Pacific white-sided dolphins (*Lagenorhynchus obliquidens*) with anomalous colour patterns in Volcano Bay, Hokkaido, Japan, 27.2, 172-182.
- volume
Trites & Jonker, Morphometric measurements and body condition of healthy and starveling Steller sea lion pups (*Eumetopias jubatus*), 26.2, 151-157.
- walrus (*Odobenus rosmarus*)
— Kastelein & Gerrits, The anatomy of the walrus head (*Odobenus rosmarus*). Part 1: The skull, 16.3, 101-119.
— Insley et al., A review of social recognition in pinnipeds, 29.2, 181-201.
— Kastelein et al., Food consumption and body weight of captive Pacific walruses (*Odobenus rosmarus divergens*), 26.3, 175-190.
— Kastelein et al., Free field hearing tests on wild Atlantic walruses (*Odobenus rosmarus rosmarus*) in air, 19.3, 143-148.
— Kastelein et al., The anatomy of the walrus head (*Odobenus rosmarus*). Part 2: Description of the muscles and of their role in the feeding and haul-out behaviour, 17.3, 156-180.
— Kastelein et al., The anatomy of the walrus head (*Odobenus rosmarus*). Part 3: The eyes and their function in walrus ecology, 19.2, 61-92.
— Sjare et al., Structural variation in the songs of Atlantic walruses breeding in the Canadian high Arctic, 29.2, 297-318.
- weaning
Kastelein et al., Food consumption, food passage time, and body measurements of captive Atlantic bottlenose dolphins (*Tursiops truncatus*), 29.1, 53-66.
- Weddell seal (*Leptonychotes weddellii*)
— Abgrall et al., Variation of Weddell seal (*Leptonychotes weddellii*) underwater vocalizations over mesogeographic ranges, 29.2, 268-277.
— Oetelaar et al., Can the sex of a Weddell seal (*Leptonychotes weddellii*) be identified by its surface call?, 29.2, 261-267.
- weight estimate
Kastelein & van Battum, The relationship between body weight and morphological measurements in harbour porpoises (*Phocoena phocoena*) from the North Sea, 16.2, 48-52.

- welfare
 —Goldblatt, Behavioural needs of captive marine mammals, 19.3, 149-157.
 —Ross, The effect of a simple feeding enrichment strategy on the behaviour of two Asian small-clawed otters (*Aonyx cinerea*), 28.2, 113-120.
- well-being
 Ross, The effect of a simple feeding enrichment strategy on the behaviour of two Asian small-clawed otters (*Aonyx cinerea*), 28.2, 113-120.
- West Africa
 Van Waerebeek et al., Distribution, status, and biology of the Atlantic humpback dolphin, *Sousa teuszii* (Kükenthal, 1892), 30.1, 56-83.
- West Atlantic
 Silva et al., Vomiting behavior of the spinner dolphin (*Stenella longirostris*) and squid meals, 30.2, 271-274.
- whale lice
 Reidarson et al., Medical and nutritional aspects of a rehabilitating California gray whale calf, 27.3, 215-221.
- whale-watching
 Magalhães et al., Short-term reactions of sperm whales (*Physeter macrocephalus*) to whale-watching vessels in the Azores, 28.3, 267-274.
- whalesuckers
 Guerrero-Ruiz & Urbán R., First report of remoras on two killer whales (*Orcinus orca*) in the Gulf of California, Mexico, 26.2, 148-150.
- whelping habitat
 Van Parijs, Aquatic mating in pinnipeds: A review, 29.2, 214-226.
- whistles
 —Azevedo & Simão, Whistles produced by marine tucuxi dolphins (*Sotalia fluviatilis*) in Guanabara Bay, southeastern Brazil, 28.3, 261-266.
 —Moore & Ridgway, Whistles produced by common dolphins from the Southern California Bight, 21.1, 55-63.
 —Rasmussen & Miller, Whistles and clicks from white-beaked dolphins, *Lagenorhynchus albirostris*, recorded in Faxaflói Bay, Iceland, 28.1, 78-89.
- white-beaked dolphins (*Lagenorhynchus albirostris*)
 Rasmussen & Miller, Whistles and clicks from white-beaked dolphins, *Lagenorhynchus albirostris*, recorded in Faxaflói Bay, Iceland, 28.1, 78-89.
- wholemout
 Mass & Supin, Visual field organization and retinal resolution of the beluga, *Delphinapterus leucas* (Pallas), 28.3, 241-250.
- wildlife management
 Karamanlidis et al., Habitat of the endangered Mediterranean monk seal (*Monachus monachus*) at São Lourenço-Maderia, 29.3, 400-403.
- wintering distribution
 Ohizumi et al., Winter sightings of humpback and Bryde's whales in tropical waters of the western and central North Pacific, 28.1, 73-77.
- wound healing
 Visser & Fertl, Stranding, resighting, and boat strike of a killer whale (*Orcinus orca*) off New Zealand, 26.3, 232-240.
- Xenobalanus
 Van Waerebeek et al., Helminth parasites and phoronts of dusky dolphins *Lagenorhynchus obscurus* (Gray, 1828) from Peru, 19.3, 159-169.
- Ziphiidae
 Santos et al., A Gervais' beaked whale (*Mesoplodon europaeus*) washed ashore in southeastern Brazil: Extra limital record?, 29.3, 404-410.
- ZOOS
 Ross, The effect of a simple feeding enrichment strategy on the behaviour of two Asian small-clawed otters (*Aonyx cinerea*), 28.2, 113-120.