

Long-Term Assessment of Spatio-Temporal Association Patterns of Dusky Dolphins (*Lagenorhynchus obscurus*) off Kaikoura, New Zealand

Supplemental Tables

Dara N. Orbach,¹ Heidi C. Pearson,² Amy Beier-Engelhaupt,³ Sierra Deutsch,⁴ Mridula Srinivasan,⁵ Jody S. Weir,⁶ Suzanne Yin,⁷ and Bernd Würsig⁸

¹Dalhousie University, Department of Biology, 1355 Oxford Street, Halifax, NS B3H 4R2, Canada

E-mail: dnorbach@gmail.com

²University of Alaska Southeast, Department of Natural Sciences, 11066 Auke Lake Way, Juneau, AK 99801, USA

³Amy Engelhaupt Consulting, 4173 Ewell Road, Virginia Beach, VA 23455, USA

⁴University of Oregon, Environmental Studies Program, 5223 University of Oregon, Eugene, OR 97403, USA

⁵National Marine Fisheries Service, National Oceanic and Atmospheric Administration, Office of Science and Technology, 1315 East-West Highway, Silver Spring, MD 20910, USA

⁶Kaikoura Ocean Research Institute Inc., 11 Maui Street, 7300 Kaikoura, New Zealand

⁷Hawai'i Marine Mammal Consortium, PO Box 6107, Kamuela, HI 96743, USA

⁸Texas A&M University at Galveston, Department of Marine Biology, 200 Seawolf Parkway, Galveston, TX 77553, USA

Supplementary Table 1. Number of resightings of individual dusky dolphins (*Lagenorhynchus obscurus*) off Kaikoura between 1984 and 2014

# of sightings of per dolphin	1	2	3	4	5	6	7	8	9	10	11	13	14	15
# of individuals sighted	3,212	535	141	64	31	12	15	3	2	3	1	1	1	1

Supplementary Table 2. Lagged identification rate models for dusky dolphins photographed between 1984 and 2014

Function type	Explanation	χ^2	qAIC	Fitted function rate
1/a1	a1 = N	2,397.724	5,494.3026	1/5197.6653
a2*exp(-a1*td)	Emigration/mortality	1,372.141	5,397.2205	0.00036482*exp(-0.00035863*td)
a2+a3*exp(-a1*td)	Closed: Emigration + reimmigration	2,399.862	10,595.3008	-0.44444+0.68889*exp(-1.0694*td)
(1/a1)*exp(-td/a2)	a1 = N; a2 = Mean residence	1,371.879	5397.2205	(1/2741.5347)*exp(-td/2789.0797)

Supplementary Table 3. Lagged association rate models for dusky dolphins photographed between 1984 and 2014

Function type	Explanation	χ^2	qAIC	Fitted function rate
a1	Preferred companions	1,341.573	35,736.1315	-0.05
a2*exp(-a1*td)	Casual acquaintances	1,044.710	14,063.1265	0.0025003*exp(-0.00033331*td)
a2+a3*exp(-a1*td)	Preferred companions + casual acquaintances	0	34,939.4437	-0.26374+0.66232*exp(-0.9075*td)
a3*exp(-a1*td)+a4*exp(-a2*td)	Two levels of casual acquaintances	0	34,941.4436	0.3263*exp(-0.91846*td)+ -0.25233*exp(-0.68882*td)