

Aquatic Mammals Key Word Index

Volumes 47.1-47.6 (Alphabetical)

- abscess
Contreras et al., Third- and Fourth-Generation Cephalosporin Resistant *Morganella morganii* Associated to an Abscess on the Perineum of a Male Bottlenose Dolphin (*Tursiops truncatus*), 47.6, 530-539.
- abundance
Cobarrubia-Rosa et al., Historic Population Estimates for Bottlenose Dolphins (*Tursiops truncatus*) in Aragua, Venezuela, Indicate Monitoring Need, 47.1, 10-20.
- acoustic ontogeny
Casey et al., Lifelong Patterns of Sound Production in Two Seals, 47.5, 499-514.
- agarose gel electrophoresis
Zaias et al., Comparison of Agarose Gel Electrophoresis and Capillary Zone Electrophoresis Methods Using Serum from Bottlenose Dolphins (*Tursiops truncatus*), 47.2, 146-152.
- Amapá
Marmontel et al., Unveiling the Conservation Status of *Inia* and *Sotalia* in the Brazilian Northeastern Amazon, 47.4, 376-393.
- Amazon River dolphin (*Inia geoffrensis*)
Marmontel et al., Unveiling the Conservation Status of *Inia* and *Sotalia* in the Brazilian Northeastern Amazon, 47.4, 376-393.
- ambient noise
Terhune et al., A Method for Preliminary Assessment of the Masking Potential of Anthropogenic Noise to Baleen Whale Calls, 47.3, 283-291.
- animal welfare
Mercera et al., Exploration of Fecal Glucocorticoid Metabolites in the Bottlenose Dolphin (*Tursiops truncatus*) Under Human Care by Enzyme Immunoassay, 47.3, 227-238.
- anthropogenic disturbances
—Kastelein et al., Temporary Hearing Threshold Shift in a Harbor Porpoise (*Phocoena phocoena*) Due to Exposure to a Continuous One-Sixth-Octave Noise Band Centered at 0.5 kHz, 47.2, 135-145.
—Kastelein et al., Temporary Hearing Threshold Shift in California Sea Lions (*Zalophus californianus*) Due to One-Sixth-Octave Noise Bands Centered at 2 and 4 kHz: Effect of Duty Cycle and Testing the Equal-Energy Hypothesis, 47.4, 394-418.
—Tadeo et al., Assessment of Anthropogenic Disturbances Due to Ecotourism on a Grey Seal (*Halichoerus grypus*) Colony in the Blasket Islands SAC, Southwest Ireland and Recommendations on Best Practices, 47.3, 268-282.
- antibiotic resistance
Contreras et al., Third- and Fourth-Generation Cephalosporin Resistant *Morganella morganii* Associated to an Abscess on the Perineum of a Male Bottlenose Dolphin (*Tursiops truncatus*), 47.6, 530-539.
- Atlantic bottlenose dolphin (*Tursiops truncatus*)
Eskelinen et al., Acoustic Characteristics of Bubblestream-Associated Whistles Produced by Atlantic Bottlenose Dolphins (*Tursiops truncatus*) During the First Thirty Days of Life, 47.4, 337-348.
- audiogram
—Kastelein et al., Temporary Hearing Threshold Shift in a Harbor Porpoise (*Phocoena phocoena*) Due to Exposure to a Continuous One-Sixth-Octave Noise Band Centered at 0.5 kHz, 47.2, 135-145.
—Kastelein et al., Temporary Hearing Threshold Shift in California Sea Lions (*Zalophus californianus*) Due to One-Sixth-Octave Noise Bands Centered at 2 and 4 kHz: Effect of Duty Cycle and Testing the Equal-Energy Hypothesis, 47.4, 394-418.
- auditory weighting
Kastelein et al., Temporary Hearing Threshold Shift in California Sea Lions (*Zalophus californianus*) Due to One-Sixth-Octave Noise Bands Centered at 2 and 4 kHz: Effect of Duty Cycle and Testing the Equal-Energy Hypothesis, 47.4, 394-418.
- baleen whale
Endo et al., Body Length, Stable Carbon, and Nitrogen Isotope Ratios and Mercury Levels in Common Minke Whales Stranded Along the Coast of Hokkaido, Japan, 47.1, 86-95.
- baleen whale communication
Terhune et al., A Method for Preliminary Assessment of the Masking Potential of Anthropogenic Noise to Baleen Whale Calls, 47.3, 283-291.
- bearded seal (*Erignathus barbatus*)
Rosen et al., Seasonal and Developmental Patterns of Energy Intake and Growth in Alaskan Ice Seals, 47.6, 559-573.
- behavior
Southall et al., Marine Mammal Noise Exposure Criteria: Assessing the Severity of Marine Mammal Behavioral Responses to Human Noise, 47.5, 421-464.
- biochemistry
Crooks et al., Hematologic and Serum Biochemical Data from Mass Stranded Long-Finned Pilot Whales (*Globicephala melas*), Cape Cod, USA, 2002, 47.1, 76-85.
- body mass
Rosen et al., Seasonal and Developmental Patterns of Energy Intake and Growth in Alaskan Ice Seals, 47.6, 559-573.
- bottlenose dolphin (*Tursiops truncatus*)
—Cobarrubia-Rosa et al., Historic Population Estimates for Bottlenose Dolphins (*Tursiops truncatus*) in Aragua, Venezuela, Indicate Monitoring Need, 47.1, 10-20.
—Contreras et al., Third- and Fourth-Generation Cephalosporin Resistant *Morganella morganii* Associated to an Abscess on the Perineum of a Male Bottlenose Dolphin (*Tursiops truncatus*), 47.6, 530-539.
—Eskelinen et al., Acoustic Characteristics of Bubblestream-Associated Whistles Produced by Atlantic Bottlenose Dolphins (*Tursiops truncatus*) During the First Thirty Days of Life, 47.4, 337-348.
—Griffin et al., Using Photo-Identification and Genetic Data to Examine Fine-Scale Population Structure of Common Bottlenose Dolphins (*Tursiops truncatus*) in the Estuarine Waters Surrounding Savannah, Georgia, 47.3, 245-256.
—Machernis et al., External Scarring as an Indicator of Fisheries Interactions with Bottlenose (*Tursiops truncatus*) and Pantropical Spotted (*Stenella attenuata*) Dolphins in Maui Nui, Hawai'i, 47.5, 482-498.

- bottlenose dolphin (*Tursiops truncatus*) (cont.)
 —Mercera et al., Exploration of Fecal Glucocorticoid Metabolites in the Bottlenose Dolphin (*Tursiops truncatus*) Under Human Care by Enzyme Immunoassay, 47.3, 227-238.
 —Zaias et al., Comparison of Agarose Gel Electrophoresis and Capillary Zone Electrophoresis Methods Using Serum from Bottlenose Dolphins (*Tursiops truncatus*), 47.2, 146-152.
- Brazil
 —de Lima et al., Delphinid Mixed-Species Associations in the Oceanic Waters of the Western South Atlantic, 47.1, 53-62.
 —Wingert et al., Relationships Between Common Bottlenose Dolphins (*Tursiops truncatus*) and Whalesuckers (*Remora australis*) at a Remote Archipelago in the Equatorial Atlantic Ocean, 47.6, 585-598.
- breeding behavior
 Casey et al., Lifelong Patterns of Sound Production in Two Seals, 47.5, 499-514.
- bubblestream
 Eskelinen et al., Acoustic Characteristics of Bubblestream-Associated Whistles Produced by Atlantic Bottlenose Dolphins (*Tursiops truncatus*) During the First Thirty Days of Life, 47.4, 337-348.
- bycatch
 Trukhanova et al., Bycatch in Lake Ladoga Fisheries Remains a Threat to Ladoga Ringed Seal (*Pusa hispida ladogensis*) Population, 47.5, 470-481.
- calf
 Endo et al., Body Length, Stable Carbon, and Nitrogen Isotope Ratios and Mercury Levels in Common Minke Whales Stranded Along the Coast of Hokkaido, Japan, 47.1, 86-95.
- calf survival
 Zeng et al., Preliminary Study on the Reproductive Ecology of a Threatened Indo-Pacific Humpback Dolphin (*Sousa chinensis*) Population in Xiamen Bay, China, 47.1, 43-52.
- caloric intake
 Rosen et al., Seasonal and Developmental Patterns of Energy Intake and Growth in Alaskan Ice Seals, 47.6, 559-573.
- calving seasonality
 Zeng et al., Preliminary Study on the Reproductive Ecology of a Threatened Indo-Pacific Humpback Dolphin (*Sousa chinensis*) Population in Xiamen Bay, China, 47.1, 43-52.
- capillary zone electrophoresis
 Zaias et al., Comparison of Agarose Gel Electrophoresis and Capillary Zone Electrophoresis Methods Using Serum from Bottlenose Dolphins (*Tursiops truncatus*), 47.2, 146-152.
- capture-mark recapture
 Cobarrubia-Rosa et al., Historic Population Estimates for Bottlenose Dolphins (*Tursiops truncatus*) in Aragua, Venezuela, Indicate Monitoring Need, 47.1, 10-20.
- Cetacea
 —Crooks et al., Hematologic and Serum Biochemical Data from Mass Stranded Long-Finned Pilot Whales (*Globicephala melas*), Cape Cod, USA, 2002, 47.1, 76-85.
 —de Lima et al., Delphinid Mixed-Species Associations in the Oceanic Waters of the Western South Atlantic, 47.1, 53-62.
 —Jefferson, Proposal to Retain the Scientific Names of Five Species of Small Cetaceans (*Delphinapterus leucas*, *Tursiops truncatus*, *Lissodelphis borealis*, *Cephalorhynchus eutropia*, and *Inia geoffrensis*) by Designating Their Unused Senior Synonyms as *nomina oblita*, 47.3, 257-267.
 —Mercera et al., Exploration of Fecal Glucocorticoid Metabolites in the Bottlenose Dolphin (*Tursiops truncatus*) Under Human Care by Enzyme Immunoassay, 47.3, 227-238.
- Cetacea (cont.)
 —Wingert et al., Relationships Between Common Bottlenose Dolphins (*Tursiops truncatus*) and Whalesuckers (*Remora australis*) at a Remote Archipelago in the Equatorial Atlantic Ocean, 47.6, 585-598.
- closed capture
 Cobarrubia-Rosa et al., Historic Population Estimates for Bottlenose Dolphins (*Tursiops truncatus*) in Aragua, Venezuela, Indicate Monitoring Need, 47.1, 10-20.
- colonization
 Shirakihara et al., Failure in the Colonization of a New Area by Indo-Pacific Bottlenose Dolphins (*Tursiops aduncus*), Japan, 47.3, 311-320.
- conservation
 Tadeo et al., Assessment of Anthropogenic Disturbances Due to Ecotourism on a Grey Seal (*Halichoerus grypus*) Colony in the Basket Islands SAC, Southwest Ireland and Recommendations on Best Practices, 47.3, 268-282.
- cortisol
 Mercera et al., Exploration of Fecal Glucocorticoid Metabolites in the Bottlenose Dolphin (*Tursiops truncatus*) Under Human Care by Enzyme Immunoassay, 47.3, 227-238.
- criteria
 Southall et al., Marine Mammal Noise Exposure Criteria: Assessing the Severity of Marine Mammal Behavioral Responses to Human Noise, 47.5, 421-464.
- crude birth rate
 Zeng et al., Preliminary Study on the Reproductive Ecology of a Threatened Indo-Pacific Humpback Dolphin (*Sousa chinensis*) Population in Xiamen Bay, China, 47.1, 43-52.
- curve fitting
 Endo et al., Body Length, Stable Carbon, and Nitrogen Isotope Ratios and Mercury Levels in Common Minke Whales Stranded Along the Coast of Hokkaido, Japan, 47.1, 86-95.
- Cuvier's beaked whale (*Ziphius cavirostris*)
 Alstrup et al., First Stranding of Cuvier's Beaked Whale (*Ziphius cavirostris*) on the Danish North Sea Coast, 47.3, 303-310.
- Delphinidae
 Wingert et al., Relationships Between Common Bottlenose Dolphins (*Tursiops truncatus*) and Whalesuckers (*Remora australis*) at a Remote Archipelago in the Equatorial Atlantic Ocean, 47.6, 585-598.
- dental anomaly
 Plint et al., Dental Anomaly Causing Severe Maxillary Lesions in a Male Sowerby's Beaked Whale (*Mesoplodon bidens* Sowerby, 1804), 47.6, 521-529.
- development
 Rosen et al., Seasonal and Developmental Patterns of Energy Intake and Growth in Alaskan Ice Seals, 47.6, 559-573.
- diagnostic imaging
 Sorriba et al., Comparison Between Digital Radiography and Computed Tomography for the Detection of Metal Fragments in Postmortem Examined Pinniped Skulls, 47.4, 321-329.
- distribution
 —de Lima et al., Delphinid Mixed-Species Associations in the Oceanic Waters of the Western South Atlantic, 47.1, 53-62.
 —Marmontel et al., Unveiling the Conservation Status of *Inia* and *Sotalia* in the Brazilian Northeastern Amazon, 47.4, 376-393.
- dolphin
 Jefferson, Proposal to Retain the Scientific Names of Five Species of Small Cetaceans (*Delphinapterus leucas*, *Tursiops truncatus*, *Lissodelphis borealis*, *Cephalorhynchus eutropia*, and *Inia geoffrensis*) by Designating Their Unused Senior Synonyms as *nomina oblita*, 47.3, 257-267.

- duty cycle
Terhune et al., A Method for Preliminary Assessment of the Masking Potential of Anthropogenic Noise to Baleen Whale Calls, 47.3, 283-291.
- Echeneidae
Wingert et al., Relationships Between Common Bottlenose Dolphins (*Tursiops truncatus*) and Whalesuckers (*Remora australis*) at a Remote Archipelago in the Equatorial Atlantic Ocean, 47.6, 585-598.
- echolocation clicks
Niu et al., A Comparative Study of Echolocation Parameters of Wild and Captive Indo-Pacific Humpback Dolphins (*Sousa chinensis*), 47.6, 574-584.
- elasmobranchs
Terrapon et al., Observations of Killer Whale (*Orcinus orca*) Feeding Behavior in the Tropical Waters of the Northern Mozambique Channel Island of Mayotte, Southwest Indian Ocean, 47.2, 196-205.
- environmental conditions
Rosen et al., Seasonal and Developmental Patterns of Energy Intake and Growth in Alaskan Ice Seals, 47.6, 559-573.
- external appearance
Kobayashi et al., The First Stranding Record of Longman's Beaked Whale (*Indopacetus pacificus*) in Okinawa, Japan, 47.2, 153-174.
- feces
Mercera et al., Exploration of Fecal Glucocorticoid Metabolites in the Bottlenose Dolphin (*Tursiops truncatus*) Under Human Care by Enzyme Immunoassay, 47.3, 227-238.
- feeding ecology
Terrapon et al., Observations of Killer Whale (*Orcinus orca*) Feeding Behavior in the Tropical Waters of the Northern Mozambique Channel Island of Mayotte, Southwest Indian Ocean, 47.2, 196-205.
- fisheries
Trukhanova et al., Bycatch in Lake Ladoga Fisheries Remains a Threat to Ladoga Ringed Seal (*Pusa hispida ladogensis*) Population, 47.5, 470-481.
- fisheries interactions
Machernis et al., External Scarring as an Indicator of Fisheries Interactions with Bottlenose (*Tursiops truncatus*) and Pantropical Spotted (*Stenella attenuata*) Dolphins in Maui Nui, Hawai'i, 47.5, 482-498.
- food intake
Rosen et al., Seasonal and Developmental Patterns of Energy Intake and Growth in Alaskan Ice Seals, 47.6, 559-573.
- fourth-generation cephalosporin
Contreras et al., Third- and Fourth-Generation Cephalosporin Resistant *Morganella morganii* Associated to an Abscess on the Perineum of a Male Bottlenose Dolphin (*Tursiops truncatus*), 47.6, 530-539.
- frequency weighting
Kastelein et al., Temporary Hearing Threshold Shift in a Harbor Porpoise (*Phocoena phocoena*) Due to Exposure to a Continuous One-Sixth-Octave Noise Band Centered at 0.5 kHz, 47.2, 135-145.
- genetic analysis
Kobayashi et al., The First Stranding Record of Longman's Beaked Whale (*Indopacetus pacificus*) in Okinawa, Japan, 47.2, 153-174.
- grey seals (*Halichoerus grypus*)
Tadeo et al., Assessment of Anthropogenic Disturbances Due to Ecotourism on a Grey Seal (*Halichoerus grypus*) Colony in the Basket Islands SAC, Southwest Ireland and Recommendations on Best Practices, 47.3, 268-282.
- growth
Matsui et al., Growth and Reproduction in Harbour Porpoise (*Phocoena phocoena*) Inhabiting Hokkaido, Japan, 47.2, 185-195.
- growth
Rosen et al., Seasonal and Developmental Patterns of Energy Intake and Growth in Alaskan Ice Seals, 47.6, 559-573.
- Guiana dolphin (*Sotalia guianensis*)
Marmontel et al., Unveiling the Conservation Status of *Inia* and *Sotalia* in the Brazilian Northeastern Amazon, 47.4, 376-393.
- Gulf of Thailand
Niu et al., A Comparative Study of Echolocation Parameters of Wild and Captive Indo-Pacific Humpback Dolphins (*Sousa chinensis*), 47.6, 574-584.
- gunshot injuries
Sorriba et al., Comparison Between Digital Radiography and Computed Tomography for the Detection of Metal Fragments in Postmortem Examined Pinniped Skulls, 47.4, 321-329.
- habitat change
Marmontel et al., Unveiling the Conservation Status of *Inia* and *Sotalia* in the Brazilian Northeastern Amazon, 47.4, 376-393.
- harbor porpoise (*Phocoena phocoena*)
—Kastelein et al., Temporary Hearing Threshold Shift in a Harbor Porpoise (*Phocoena phocoena*) Due to Exposure to a Continuous One-Sixth-Octave Noise Band Centered at 0.5 kHz, 47.2, 135-145.
—Matsui et al., Growth and Reproduction in Harbour Porpoise (*Phocoena phocoena*) Inhabiting Hokkaido, Japan, 47.2, 185-195.
- haulout
Trukhin et al., The Onshore Period in the Annual Life Cycle of Ringed Seals (*Pusa hispida*) at the Largest Haulout Site of the Species in the North Pacific, 47.2, 206-215.
- head trauma
Sorriba et al., Comparison Between Digital Radiography and Computed Tomography for the Detection of Metal Fragments in Postmortem Examined Pinniped Skulls, 47.4, 321-329.
- hearing
Kastelein et al., Temporary Hearing Threshold Shift in a Harbor Porpoise (*Phocoena phocoena*) Due to Exposure to a Continuous One-Sixth-Octave Noise Band Centered at 0.5 kHz, 47.2, 135-145.
- hearing damage
—Kastelein et al., Temporary Hearing Threshold Shift in a Harbor Porpoise (*Phocoena phocoena*) Due to Exposure to a Continuous One-Sixth-Octave Noise Band Centered at 0.5 kHz, 47.2, 135-145.
—Kastelein et al., Temporary Hearing Threshold Shift in California Sea Lions (*Zalophus californianus*) Due to One-Sixth-Octave Noise Bands Centered at 2 and 4 kHz: Effect of Duty Cycle and Testing the Equal-Energy Hypothesis, 47.4, 394-418.
- hearing loss
Kastelein et al., Temporary Hearing Threshold Shift in a Harbor Porpoise (*Phocoena phocoena*) Due to Exposure to a Continuous One-Sixth-Octave Noise Band Centered at 0.5 kHz, 47.2, 135-145.
- hearing recovery
Kastelein et al., Temporary Hearing Threshold Shift in California Sea Lions (*Zalophus californianus*) Due to One-Sixth-Octave Noise Bands Centered at 2 and 4 kHz: Effect of Duty Cycle and Testing the Equal-Energy Hypothesis, 47.4, 394-418.

- hearing sensitivity
—Kastelein et al., Temporary Hearing Threshold Shift in a Harbor Porpoise (*Phocoena phocoena*) Due to Exposure to a Continuous One-Sixth-Octave Noise Band Centered at 0.5 kHz, 47.2, 135-145.
—Kastelein et al., Temporary Hearing Threshold Shift in California Sea Lions (*Zalophus californianus*) Due to One-Sixth-Octave Noise Bands Centered at 2 and 4 kHz: Effect of Duty Cycle and Testing the Equal-Energy Hypothesis, 47.4, 394-418.
- hematology
Crooks et al., Hematologic and Serum Biochemical Data from Mass Stranded Long-Finned Pilot Whales (*Globicephala melas*), Cape Cod, USA, 2002, 47.1, 76-85.
- hepatocellular carcinoma
Contreras et al., Multimetastatic Hepatocellular Carcinoma in a South American Sea Lion (*Otaria flavescens*; Shaw, 1800), 47.4, 362-370.
- humpback whale (*Megaptera novaeangliae*)
Terrapon et al., Observations of Killer Whale (*Orcinus orca*) Feeding Behavior in the Tropical Waters of the Northern Mozambique Channel Island of Mayotte, Southwest Indian Ocean, 47.2, 196-205.
- Indian Ocean
Terrapon et al., Observations of Killer Whale (*Orcinus orca*) Feeding Behavior in the Tropical Waters of the Northern Mozambique Channel Island of Mayotte, Southwest Indian Ocean, 47.2, 196-205.
- Indo-Pacific bottlenose dolphin (*Tursiops aduncus*)
Shirakihara et al., Failure in the Colonization of a New Area by Indo-Pacific Bottlenose Dolphins (*Tursiops aduncus*), Japan, 47.3, 311-320.
- Indo-Pacific humpback dolphins (*Sousa chinensis*)
—Niu et al., A Comparative Study of Echolocation Parameters of Wild and Captive Indo-Pacific Humpback Dolphins (*Sousa chinensis*), 47.6, 574-584.
—Zeng et al., Preliminary Study on the Reproductive Ecology of a Threatened Indo-Pacific Humpback Dolphin (*Sousa chinensis*) Population in Xiamen Bay, China, 47.1, 43-52.
- inter-birth interval
Zeng et al., Preliminary Study on the Reproductive Ecology of a Threatened Indo-Pacific Humpback Dolphin (*Sousa chinensis*) Population in Xiamen Bay, China, 47.1, 43-52.
- interspecific associations
de Lima et al., Delphinid Mixed-Species Associations in the Oceanic Waters of the Western South Atlantic, 47.1, 53-62.
- invasion
Shirakihara et al., Failure in the Colonization of a New Area by Indo-Pacific Bottlenose Dolphins (*Tursiops aduncus*), Japan, 47.3, 311-320.
- Isocyamus indopacetus*
Kobayashi et al., The First Stranding Record of Longman's Beaked Whale (*Indopacetus pacificus*) in Okinawa, Japan, 47.2, 153-174.
- killer whale (*Orcinus orca*)
Terrapon et al., Observations of Killer Whale (*Orcinus orca*) Feeding Behavior in the Tropical Waters of the Northern Mozambique Channel Island of Mayotte, Southwest Indian Ocean, 47.2, 196-205.
- Ladoga ringed seal (*Pusa hispida ladogensis*)
Trukhanova et al., Bycatch in Lake Ladoga Fisheries Remains a Threat to Ladoga Ringed Seal (*Pusa hispida ladogensis*) Population, 47.5, 470-481.
- long-finned pilot whales (*Globicephala melas*)
Crooks et al., Hematologic and Serum Biochemical Data from Mass Stranded Long-Finned Pilot Whales (*Globicephala melas*), Cape Cod, USA, 2002, 47.1, 76-85.
- Longman's beaked whale (*Indopacetus pacificus*)
Kobayashi et al., The First Stranding Record of Longman's Beaked Whale (*Indopacetus pacificus*) in Okinawa, Japan, 47.2, 153-174.
- low frequency
Kastelein et al., Temporary Hearing Threshold Shift in a Harbor Porpoise (*Phocoena phocoena*) Due to Exposure to a Continuous One-Sixth-Octave Noise Band Centered at 0.5 kHz, 47.2, 135-145.
- lung metastasis
Contreras et al., Multimetastatic Hepatocellular Carcinoma in a South American Sea Lion (*Otaria flavescens*; Shaw, 1800), 47.4, 362-370.
- marine association
Wingert et al., Relationships Between Common Bottlenose Dolphins (*Tursiops truncatus*) and Whalesuckers (*Remora australis*) at a Remote Archipelago in the Equatorial Atlantic Ocean, 47.6, 585-598.
- marine mammal
—Mercera et al., Exploration of Fecal Glucocorticoid Metabolites in the Bottlenose Dolphin (*Tursiops truncatus*) Under Human Care by Enzyme Immunoassay, 47.3, 227-238.
—Southall et al., Marine Mammal Noise Exposure Criteria: Assessing the Severity of Marine Mammal Behavioral Responses to Human Noise, 47.5, 421-464.
- masking
Terhune et al., A Method for Preliminary Assessment of the Masking Potential of Anthropogenic Noise to Baleen Whale Calls, 47.3, 283-291.
- mass stranding
Crooks et al., Hematologic and Serum Biochemical Data from Mass Stranded Long-Finned Pilot Whales (*Globicephala melas*), Cape Cod, USA, 2002, 47.1, 76-85.
- maturity
Matsui et al., Growth and Reproduction in Harbour Porpoise (*Phocoena phocoena*) Inhabiting Hokkaido, Japan, 47.2, 185-195.
- maxillary lesions
Plint et al., Dental Anomaly Causing Severe Maxillary Lesions in a Male Sowerby's Beaked Whale (*Mesoplodon bidens* Sowerby, 1804), 47.6, 521-529.
- medical training
Contreras et al., Third- and Fourth-Generation Cephalosporin Resistant *Morganella morganii* Associated to an Abscess on the Perineum of a Male Bottlenose Dolphin (*Tursiops truncatus*), 47.6, 530-539.
- metal fragment
Sorribe et al., Comparison Between Digital Radiography and Computed Tomography for the Detection of Metal Fragments in Postmortem Examined Pinniped Skulls, 47.4, 321-329.
- milk
Endo et al., Body Length, Stable Carbon, and Nitrogen Isotope Ratios and Mercury Levels in Common Minke Whales Stranded Along the Coast of Hokkaido, Japan, 47.1, 86-95.
- mitochondrial DNA
Griffin et al., Using Photo-Identification and Genetic Data to Examine Fine-Scale Population Structure of Common Bottlenose Dolphins (*Tursiops truncatus*) in the Estuarine Waters Surrounding Savannah, Georgia, 47.3, 245-256.

- Morganella morganii*
 Contreras et al., Third- and Fourth-Generation Cephalosporin Resistant *Morganella morganii* Associated to an Abscess on the Perineum of a Male Bottlenose Dolphin (*Tursiops truncatus*), 47.6, 530-539.
- necropsy
 Alstrup et al., First Stranding of Cuvier's Beaked Whale (*Ziphius cavirostris*) on the Danish North Sea Coast, 47.3, 303-310.
- new habitat
 Shirakihara et al., Failure in the Colonization of a New Area by Indo-Pacific Bottlenose Dolphins (*Tursiops aduncus*), Japan, 47.3, 311-320.
- noise
 Southall et al., Marine Mammal Noise Exposure Criteria: Assessing the Severity of Marine Mammal Behavioral Responses to Human Noise, 47.5, 421-464.
- nomenclature
 Jefferson, Proposal to Retain the Scientific Names of Five Species of Small Cetaceans (*Delphinapterus leucas*, *Tursiops truncatus*, *Lissodelphis borealis*, *Cephalorhynchus eutropia*, and *Inia geoffrensis*) by Designating Their Unused Senior Synonyms as *nomina oblita*, 47.3, 257-267.
- North Sea Trap
 Alstrup et al., First Stranding of Cuvier's Beaked Whale (*Ziphius cavirostris*) on the Danish North Sea Coast, 47.3, 303-310.
- nursing
 Endo et al., Body Length, Stable Carbon, and Nitrogen Isotope Ratios and Mercury Levels in Common Minke Whales Stranded Along the Coast of Hokkaido, Japan, 47.1, 86-95.
- nutrition
 Rosen et al., Seasonal and Developmental Patterns of Energy Intake and Growth in Alaskan Ice Seals, 47.6, 559-573.
- odontocete (Odontoceti)
 —de Lima et al., Delphinid Mixed-Species Associations in the Oceanic Waters of the Western South Atlantic, 47.1, 53-62.
 —Jefferson, Proposal to Retain the Scientific Names of Five Species of Small Cetaceans (*Delphinapterus leucas*, *Tursiops truncatus*, *Lissodelphis borealis*, *Cephalorhynchus eutropia*, and *Inia geoffrensis*) by Designating Their Unused Senior Synonyms as *nomina oblita*, 47.3, 257-267.
 —Kastelein et al., Temporary Hearing Threshold Shift in a Harbor Porpoise (*Phocoena phocoena*) Due to Exposure to a Continuous One-Sixth-Octave Noise Band Centered at 0.5 kHz, 47.2, 135-145.
 —Machernis et al., External Scarring as an Indicator of Fisheries Interactions with Bottlenose (*Tursiops truncatus*) and Pantropical Spotted (*Stenella attenuata*) Dolphins in Maui Nui, Hawai'i, 47.5, 482-498.
- onshore period
 Trukhin et al., The Onshore Period in the Annual Life Cycle of Ringed Seals (*Pusa hispida*) at the Largest Haulout Site of the Species in the North Pacific, 47.2, 206-215.
- ontogeny
 Endo et al., Body Length, Stable Carbon, and Nitrogen Isotope Ratios and Mercury Levels in Common Minke Whales Stranded Along the Coast of Hokkaido, Japan, 47.1, 86-95.
- osteology
 Kobayashi et al., The First Stranding Record of Longman's Beaked Whale (*Indopacetus pacificus*) in Okinawa, Japan, 47.2, 153-174.
- Otariidae
 Kastelein et al., Temporary Hearing Threshold Shift in California Sea Lions (*Zalophus californianus*) Due to One-Sixth-Octave Noise Bands Centered at 2 and 4 kHz: Effect of Duty Cycle and Testing the Equal-Energy Hypothesis, 47.4, 394-418.
- pantropical spotted dolphin (*Stenella attenuata*)
 —Machernis et al., External Scarring as an Indicator of Fisheries Interactions with Bottlenose (*Tursiops truncatus*) and Pantropical Spotted (*Stenella attenuata*) Dolphins in Maui Nui, Hawai'i, 47.5, 482-498.
 —Terrapon et al., Observations of Killer Whale (*Orcinus orca*) Feeding Behavior in the Tropical Waters of the Northern Mozambique Channel Island of Mayotte, Southwest Indian Ocean, 47.2, 196-205.
- parathyroid gland metastasis
 Contreras et al., Multimetastatic Hepatocellular Carcinoma in a South American Sea Lion (*Otaria flavescens*; Shaw, 1800), 47.4, 362-370.
- pathology
 Plint et al., Dental Anomaly Causing Severe Maxillary Lesions in a Male Sowerby's Beaked Whale (*Mesoplodon bidens* Sowerby, 1804), 47.6, 521-529.
- photo-identification
 —Griffin et al., Using Photo-Identification and Genetic Data to Examine Fine-Scale Population Structure of Common Bottlenose Dolphins (*Tursiops truncatus*) in the Estuarine Waters Surrounding Savannah, Georgia, 47.3, 245-256.
 —Zeng et al., Preliminary Study on the Reproductive Ecology of a Threatened Indo-Pacific Humpback Dolphin (*Sousa chinensis*) Population in Xiamen Bay, China, 47.1, 43-52.
- photo-identification survey
 Shirakihara et al., Failure in the Colonization of a New Area by Indo-Pacific Bottlenose Dolphins (*Tursiops aduncus*), Japan, 47.3, 311-320.
- Piltun Bay
 Trukhin et al., The Onshore Period in the Annual Life Cycle of Ringed Seals (*Pusa hispida*) at the Largest Haulout Site of the Species in the North Pacific, 47.2, 206-215.
- pinniped
 Casey et al., Lifelong Patterns of Sound Production in Two Seals, 47.5, 499-514.
- population structure
 Griffin et al., Using Photo-Identification and Genetic Data to Examine Fine-Scale Population Structure of Common Bottlenose Dolphins (*Tursiops truncatus*) in the Estuarine Waters Surrounding Savannah, Georgia, 47.3, 245-256.
- porpoise
 Jefferson, Proposal to Retain the Scientific Names of Five Species of Small Cetaceans (*Delphinapterus leucas*, *Tursiops truncatus*, *Lissodelphis borealis*, *Cephalorhynchus eutropia*, and *Inia geoffrensis*) by Designating Their Unused Senior Synonyms as *nomina oblita*, 47.3, 257-267.
- projectile injuries
 Sorriba et al., Comparison Between Digital Radiography and Computed Tomography for the Detection of Metal Fragments in Postmortem Examined Pinniped Skulls, 47.4, 321-329.
- questionnaire survey
 Trukhanova et al., Bycatch in Lake Ladoga Fisheries Remains a Threat to Ladoga Ringed Seal (*Pusa hispida ladogensis*) Population, 47.5, 470-481.

- reference intervals
Zaias et al., Comparison of Agarose Gel Electrophoresis and Capillary Zone Electrophoresis Methods Using Serum from Bottlenose Dolphins (*Tursiops truncatus*), 47.2, 146-152.
- remaining communication range
Terhune et al., A Method for Preliminary Assessment of the Masking Potential of Anthropogenic Noise to Baleen Whale Calls, 47.3, 283-291.
- remora
Wingert et al., Relationships Between Common Bottlenose Dolphins (*Tursiops truncatus*) and Whalesuckers (*Remora australis*) at a Remote Archipelago in the Equatorial Atlantic Ocean, 47.6, 585-598.
- reproduction
Mercera et al., Exploration of Fecal Glucocorticoid Metabolites in the Bottlenose Dolphin (*Tursiops truncatus*) Under Human Care by Enzyme Immunoassay, 47.3, 227-238.
- response
Southall et al., Marine Mammal Noise Exposure Criteria: Assessing the Severity of Marine Mammal Behavioral Responses to Human Noise, 47.5, 421-464.
- ringed seals (*Pusa hispida*)
—Rosen et al., Seasonal and Developmental Patterns of Energy Intake and Growth in Alaskan Ice Seals, 47.6, 559-573.
—Trukhin et al., The Onshore Period in the Annual Life Cycle of Ringed Seals (*Pusa hispida*) at the Largest Haulout Site of the Species in the North Pacific, 47.2, 206-215.
- robust design
Cobarrubia-Rosa et al., Historic Population Estimates for Bottlenose Dolphins (*Tursiops truncatus*) in Aragua, Venezuela, Indicate Monitoring Need, 47.1, 10-20.
- Saint Paul's Rocks
Wingert et al., Relationships Between Common Bottlenose Dolphins (*Tursiops truncatus*) and Whalesuckers (*Remora australis*) at a Remote Archipelago in the Equatorial Atlantic Ocean, 47.6, 585-598.
- Sakhalin Island
Trukhin et al., The Onshore Period in the Annual Life Cycle of Ringed Seals (*Pusa hispida*) at the Largest Haulout Site of the Species in the North Pacific, 47.2, 206-215.
- scars
Machernis et al., External Scarring as an Indicator of Fisheries Interactions with Bottlenose (*Tursiops truncatus*) and Pantropical Spotted (*Stenella attenuata*) Dolphins in Maui Nui, Hawai'i, 47.5, 482-498.
- sea lion
Sorriba et al., Comparison Between Digital Radiography and Computed Tomography for the Detection of Metal Fragments in Postmortem Examined Pinniped Skulls, 47.4, 321-329.
- seal
Sorriba et al., Comparison Between Digital Radiography and Computed Tomography for the Detection of Metal Fragments in Postmortem Examined Pinniped Skulls, 47.4, 321-329.
- seal aggregation
Trukhin et al., The Onshore Period in the Annual Life Cycle of Ringed Seals (*Pusa hispida*) at the Largest Haulout Site of the Species in the North Pacific, 47.2, 206-215.
- severity
Southall et al., Marine Mammal Noise Exposure Criteria: Assessing the Severity of Marine Mammal Behavioral Responses to Human Noise, 47.5, 421-464.
- small community
Shirakihara et al., Failure in the Colonization of a New Area by Indo-Pacific Bottlenose Dolphins (*Tursiops aduncus*), Japan, 47.3, 311-320.
- small whale
Jefferson, Proposal to Retain the Scientific Names of Five Species of Small Cetaceans (*Delphinapterus leucas*, *Tursiops truncatus*, *Lissodelphis borealis*, *Cephalorhynchus eutropia*, and *Inia geoffrensis*) by Designating Their Unused Senior Synonyms as *nomina oblita*, 47.3, 257-267.
- source parameters
Niu et al., A Comparative Study of Echolocation Parameters of Wild and Captive Indo-Pacific Humpback Dolphins (*Sousa chinensis*), 47.6, 574-584.
- South American sea lion (*Otaria flavescens*)
Contreras et al., Multimetastatic Hepatocellular Carcinoma in a South American Sea Lion (*Otaria flavescens*; Shaw, 1800), 47.4, 362-370.
- Sowerby's beaked whale (*Mesoplodon bidens*)
Plint et al., Dental Anomaly Causing Severe Maxillary Lesions in a Male Sowerby's Beaked Whale (*Mesoplodon bidens* Sowerby, 1804), 47.6, 521-529.
- spotted seal (*Phoca largha*)
Rosen et al., Seasonal and Developmental Patterns of Energy Intake and Growth in Alaskan Ice Seals, 47.6, 559-573.
- stranding
Alstrup et al., First Stranding of Cuvier's Beaked Whale (*Ziphius cavirostris*) on the Danish North Sea Coast, 47.3, 303-310.
- stress
Mercera et al., Exploration of Fecal Glucocorticoid Metabolites in the Bottlenose Dolphin (*Tursiops truncatus*) Under Human Care by Enzyme Immunoassay, 47.3, 227-238.
- survival
Cobarrubia-Rosa et al., Historic Population Estimates for Bottlenose Dolphins (*Tursiops truncatus*) in Aragua, Venezuela, Indicate Monitoring Need, 47.1, 10-20.
- systematics
Jefferson, Proposal to Retain the Scientific Names of Five Species of Small Cetaceans (*Delphinapterus leucas*, *Tursiops truncatus*, *Lissodelphis borealis*, *Cephalorhynchus eutropia*, and *Inia geoffrensis*) by Designating Their Unused Senior Synonyms as *nomina oblita*, 47.3, 257-267.
- taxonomy
Jefferson, Proposal to Retain the Scientific Names of Five Species of Small Cetaceans (*Delphinapterus leucas*, *Tursiops truncatus*, *Lissodelphis borealis*, *Cephalorhynchus eutropia*, and *Inia geoffrensis*) by Designating Their Unused Senior Synonyms as *nomina oblita*, 47.3, 257-267.
- temporary emigration
Cobarrubia-Rosa et al., Historic Population Estimates for Bottlenose Dolphins (*Tursiops truncatus*) in Aragua, Venezuela, Indicate Monitoring Need, 47.1, 10-20.
- temporary hearing threshold shift
Kastelein et al., Temporary Hearing Threshold Shift in a Harbor Porpoise (*Phocoena phocoena*) Due to Exposure to a Continuous One-Sixth-Octave Noise Band Centered at 0.5 kHz, 47.2, 135-145.
- third-generation cephalosporin
Contreras et al., Third- and Fourth-Generation Cephalosporin Resistant *Morganella morganii* Associated to an Abscess on the Perineum of a Male Bottlenose Dolphin (*Tursiops truncatus*), 47.6, 530-539.

- threats
Marmontel et al., Unveiling the Conservation Status of *Inia* and *Sotalia* in the Brazilian Northeastern Amazon, 47.4, 376-393.
- tropical ecosystems
Terrapon et al., Observations of Killer Whale (*Orcinus orca*) Feeding Behavior in the Tropical Waters of the Northern Mozambique Channel Island of Mayotte, Southwest Indian Ocean, 47.2, 196-205.
- TTS
—Kastelein et al., Temporary Hearing Threshold Shift in a Harbor Porpoise (*Phocoena phocoena*) Due to Exposure to a Continuous One-Sixth-Octave Noise Band Centered at 0.5 kHz, 47.2, 135-145.—Kastelein et al., Temporary Hearing Threshold Shift in California Sea Lions (*Zalophus californianus*) Due to One-Sixth-Octave Noise Bands Centered at 2 and 4 kHz: Effect of Duty Cycle and Testing the Equal-Energy Hypothesis, 47.4, 394-418.
- tucuxi
Marmontel et al., Unveiling the Conservation Status of *Inia* and *Sotalia* in the Brazilian Northeastern Amazon, 47.4, 376-393.
- ultrasound
Contreras et al., Third- and Fourth-Generation Cephalosporin Resistant *Morganella morganii* Associated to an Abscess on the Perineum of a Male Bottlenose Dolphin (*Tursiops truncatus*), 47.6, 530-539.
- vessel noise
Terhune et al., A Method for Preliminary Assessment of the Masking Potential of Anthropogenic Noise to Baleen Whale Calls, 47.3, 283-291.
- vital rates
Southall et al., Marine Mammal Noise Exposure Criteria: Assessing the Severity of Marine Mammal Behavioral Responses to Human Noise, 47.5, 421-464.
- vocal development
Casey et al., Lifelong Patterns of Sound Production in Two Seals, 47.5, 499-514.
- vocal learning
Casey et al., Lifelong Patterns of Sound Production in Two Seals, 47.5, 499-514.
- weaning
Endo et al., Body Length, Stable Carbon, and Nitrogen Isotope Ratios and Mercury Levels in Common Minke Whales Stranded Along the Coast of Hokkaido, Japan, 47.1, 86-95.
- weighting
Kastelein et al., Temporary Hearing Threshold Shift in California Sea Lions (*Zalophus californianus*) Due to One-Sixth-Octave Noise Bands Centered at 2 and 4 kHz: Effect of Duty Cycle and Testing the Equal-Energy Hypothesis, 47.4, 394-418.
- western Pacific Ocean
Matsui et al., Growth and Reproduction in Harbour Porpoise (*Phocoena phocoena*) Inhabiting Hokkaido, Japan, 47.2, 185-195.
- whale lice
Kobayashi et al., The First Stranding Record of Longman's Beaked Whale (*Indopacetus pacificus*) in Okinawa, Japan, 47.2, 153-174.
- whistle-squawks
Eskelinen et al., Acoustic Characteristics of Bubblestream-Associated Whistles Produced by Atlantic Bottlenose Dolphins (*Tursiops truncatus*) During the First Thirty Days of Life, 47.4, 337-348.
- whistle-type vocalizations
Eskelinen et al., Acoustic Characteristics of Bubblestream-Associated Whistles Produced by Atlantic Bottlenose Dolphins (*Tursiops truncatus*) During the First Thirty Days of Life, 47.4, 337-348.
- whistles
Eskelinen et al., Acoustic Characteristics of Bubblestream-Associated Whistles Produced by Atlantic Bottlenose Dolphins (*Tursiops truncatus*) During the First Thirty Days of Life, 47.4, 337-348.
- wild and captive
Niu et al., A Comparative Study of Echolocation Parameters of Wild and Captive Indo-Pacific Humpback Dolphins (*Sousa chinensis*), 47.6, 574-584.
- wildlife ecotourism
Tadeo et al., Assessment of Anthropogenic Disturbances Due to Ecotourism on a Grey Seal (*Halichoerus grypus*) Colony in the Blasket Islands SAC, Southwest Ireland and Recommendations on Best Practices, 47.3, 268-282.